

SIMATIC S7-1500, mounting rail 160 mm (approx. 6.3 inch); incl. grounding screw, integrated DIN rail for mounting of incidentals such as terminals, automatic circuit breakers and relays



Figure similar


Mechanics/material	
Surface design	galvanically isolated
Material	aluminum
Dimensions	
Width	160 mm
Height	155 mm
Depth	16 mm
Weights	
Weight, approx.	310 g

last modified: 12/18/2020 

SIMATIC S7-1500, mounting rail 245 mm (approx. 9.6 inch); incl. grounding screw, integrated DIN rail for mounting of incidentals such as terminals, automatic circuit breakers and relays



Mechanics/material	
Surface design	galvanically isolated
Material	aluminum
Dimensions	
Width	245 mm
Height	155 mm
Depth	16 mm
Weights	
Weight, approx.	480 g

last modified: 12/18/2020 

SIMATIC S7-1500, mounting rail 482.6 mm (approx. 19 inch); incl. grounding screw, integrated DIN rail for mounting of incidentals such as terminals, automatic circuit breakers and relays



Mechanics/material	
Surface design	galvanically isolated
Material	aluminum
Dimensions	
Width	482 mm
Height	155 mm
Depth	16 mm
Weights	
Weight, approx.	941 g

last modified: 12/18/2020 

SIMATIC S7-1500, mounting rail 530 mm (approx. 20.9 inch); incl. grounding screw, integrated DIN rail for mounting of incidentals such as terminals, automatic circuit breakers and relays



Figure similar

Mechanics/material	
Surface design	galvanically isolated
Material	aluminum
Dimensions	
Width	530 mm
Height	155 mm
Depth	16 mm
Weights	
Weight, approx.	1 034 g

last modified: 12/18/2020 

SIMATIC S7-1500, mounting rail 830 mm (approx. 32.7 inch); incl. grounding screw, integrated DIN rail for mounting of incidentals such as terminals, automatic circuit breakers and relays



Figure similar

Mechanics/material	
Surface design	galvanically isolated
Material	aluminum
Dimensions	
Width	830 mm
Height	155 mm
Depth	16 mm
Weights	
Weight, approx.	1 620 g

last modified: 5/22/2024 

SIMATIC S7-1500, mounting rail 2000 mm (approx. 78.7 inch) without grounding screw, integrated DIN rail for mounting of incidentals such as terminals, automatic circuit breakers and relays for custom length, grounding screw (6ES7590-5AA00-0AA0, 20 units) must be ordered separately



Figure similar

Mechanics/material	
Surface design	galvanically isolated
Material	aluminum
Dimensions	
Width	2 000 mm
Height	155 mm
Depth	16 mm
Weights	
Weight, approx.	3 910 g

last modified: 1/5/2021 