


Hammer

Convert :
1g = 0.035 oz / 1g = 0.0022 lb

7811


- American style
- Forged and hardened steel
- Wood and metal wedge
- GGG-H86C



KT NO.	H.W g	A mm	H mm	L mm			
7811-08	245	25	80	300	375	6	60
7811-12	370	29	93	300	485	6	48
7811-16	485	32.5	103	353	640	6	36
7811-24	765	35.5	122	405	975	6	24
7811-32	925	40.5	125	405	1200	6	24
7811-40	1125	42.2	133	405	1395	6	12

7821


- German style
- Forged and hardened steel
- Wood and metal wedge
- DIN 1041



KT NO.	H.W g	A mm	H mm	L mm			
7821-30	395	23	103	300	400	12	48
7821-50	615	27	120.5	320	660	6	36
7821-80	990	33	130	350	960	6	24
7823-10	1000	36	135	360	1121	9	18
7823-15	1500	42	145	380	1606	6	12
7823-20	2000	47	155	400	2106	6	12

7822


- Riveting hammer
- NF E71-016



KT NO.	H.W g	A mm	B mm	H mm	L mm			
7822-25	315	25	22	85	280	489	10	40
7822-30	400	30	26	95	300	650	10	40
7822-35	630	35	31	105	300	1000	9	36
7822-40	800	40	35	115	320	1330	8	16
7822-45	1250	45	40	124	355	1790	8	16
7822-50	1600	50	44	135	382	2458	6	12

7833


- Lump hammer
- DIN 6475



KT NO.	H.W g	A mm	H mm	L mm			
7833-10	1000	40	95	260	1065	7	14
7833-12	1250	43	100	260	1425	6	12
7833-15	1500	45	110	280	1778	6	12
7833-20	2000	50	120	300	2142	4	8

7834


- Sledge hammer
- Fiberglass handle



KT NO.	H.W g	A mm	B mm	H mm	L mm			
7834-50	5000	66	66	160	895	5930	1	2

7852


- Rubber hammer
- Fiberglass handle



KT NO.	H.W g	A mm	H mm	L mm			
7852-23	1650	69.5	142	500	2000	4	12
7852-55	4500	104	198	910	5500	2	4

7861

- Fiberglass claw hammer



KT NO.	H.W g	A mm	H mm	L mm			
7861-16	450	30	133	335	740	4	24
7861-20	565	31	144	340	830	4	24
7861-24	680	32	147	380	920	10	20

