

20V MAX 5.0AH 1/2" MID-RANGE IMPACT WRENCH

DCF892P2T

Volatage	20V Max
Battery Capacity	5.0 Ah
No Load Speed	0-2000 rpm
Impact rate	0-3250 bpm
Max Tightening Torque	
Precision Wrench™ mode	812 Nm
Low Mode	136 Nm
Medium mode	406 Nm
High mode	812 Nm
Max breakaway torque	1084 Nm
Tool holder	12.7 mm
Weight (Bare Tool)	1.67 kg

Available in T Stak Box



BRUSHLESS

18V XR

CORDLESS TOOLS - IMPACT WRENCHES



20V MAX 1/2" BRUSHLESS HT IMPACT WRENCH

DCF900N

Motor Type	Brushless
Voltage	20V Max
No Load Speed	0-2300 min ⁻¹
Impact rate	0-2200 min ⁻¹
Max Tightening Torque	
Precision Wrench™ Mode	1396 Nm
Low Mode	135 Nm
Medium Mode	813 Nm
High Mode	1396 Nm
Max Breakaway Torque	1898 Nm
Anvil Type	Hog Ring
Tool Holder	12.7 mm
Weight (Without Battery Pack)	2.9 Kg



CORDLESS BARE TOOL - IMPACT WRENCHES

20V MAX BRUSHLESS SAG

DCG405N

Motor Type	Brushless
Voltage	18V
Disc Diameter DCG405P2 (XJ)	125 mm
Disc Diameter DCG405P2 (IN)	100 mm
No Load Speed	9000 rpm
Spindle Thread	M14 / M10
Switch Type	Slider
Weight (Bare Tool)	1.74 kg
Length x Height	310 x 125 mm



ALSO AVAILABLE AS :

DCG405N-B1 (DISC DIAMETER: 100 MM)

DCG405N-XJ (DISC DIAMETER: 125 MM)

CORDLESS BARE TOOL - SAG



12V 2.0AH SUB-COMPACT IMPACT WRENCH

DCF902D2

Motor Type	Brushless
Voltage	12V
Battery Capacity	2.0 Ah
Tool Holder	3/8"/9.5 mm
Max. Torque	168 Nm
No Load Speed	
Precision Mode	0–2850 min ⁻¹
Low Mode	0–1000 min ⁻¹
High Mode	0–2850 min ⁻¹
Weight (Bare Tool)	0.8 kg
Length x Height	125 x 188 mm



20V MAX 5.0AH 1/2" BRUSHLESS COMPACT IMPACT WRENCH

DCF911P2

Motor Type	Brushless
Voltage V	20V Max
Battery Capacity	5 Ah
No-load speed	0-2850 rpm
Impact rate	0-3250 ipm
Max tightening torque	338 Nm
Max breakaway torque	542 Nm
Tool holder	12.7 mm
Weight (Bare Tool)	1.0 Kg



20V MAX 4.0AH 1/2" COMPACT IMPACT WR - DETENT

DCF922M2

Motor Type	Brushless
Voltage V	20V Max
Battery Capacity	4.0 A
No-load speed	0-2500 rpm
Impact rate	0-3550 bpm
Max tightening torque	406 Nm
Max breakaway torque	610 Nm
Tool holder	12.7 mm
Weight (Bare Tool)	1.1 Kg



ALSO AVAILABLE AS:

DCF922N

20V MAX BRUSHLESS IMPACT DRIVER

DCF850N

Motor Type	Brushless
Voltage	20V Max
Fastening Torque	205 Nm
No Load Speed	0 - 1000 / 2800 / 3250 rpm
Impact Rate	0 - 3800 ipm
LED	3 LED, Halo Light Ring
Accessories	Belt Hook
Mode Select	3 Speed
Weight	0.9 Kg
Length	100 mm



CORDLESS BARE TOOL - IMPACT DRIVERS

20V MAX BRUSHLESS IMPACT WRENCH

DCF911N

Motor Type	Brushless
Voltage	20V Max
No-load speed	0 - 2800 rpm
Impact rate	0 - 3250 ipm
Max tightening torque	338 Nm
Max breakaway torque	542 Nm
Tool holder	12.7 mm
Weight (Bare Tool)	1.0 Kg



CORDLESS BARE TOOL - IMPACT WRENCHES



20V MAX 1/2" BRUSHLESS COMPACT IMPACT WR - DETENT

DCF922N

Motor Type	Brushless
Voltage V	20V Max
No-load speed	0-2500 rpm
Impact rate	0-3550 bpm
Max tightening torque	406 Nm
Max breakaway torque	610 Nm
Tool holder	12.7 mm
Weight (Bare Tool)	1.1 Kg



20V MAX 1/2" BRUSHLESS HT IMPACT WRENCH

DCF892N

Volatage	20V Max
No Load Speed	0-2000 rpm
Imapact rate	0-3250 bpm
Max Tightening Torque	
Precision Wrench™ mode	812 Nm
Low Mode	136 Nm
Medium mode	406 Nm
High mode	812 Nm
Max breakaway torque	1084 Nm
Tool holder	12.7 mm
Weight (Bare Tool)	1.67 kg



20V MAX 3/4" BRUSHLESS HT IMPACT WRENCH

DCF897N

Motor Type	Brushless
Voltage V	20V Max
Max. Torque	136 / 407 / 950 Nm
Breakaway Torque	1627 Nm
No Load Speed	0 - 400 / 1200 / 1900 rpm
Impacts Per Minute	0 - 2400 ipm
Max. Bolt Diameter	M24
Tool Holder	3/4" (19 mm)
Length x Height	224 x 278 mm

