





The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Impact drill	Input power:650W No-load speed:0-3000rpm Max.drilling capacity:13mm Variable speed Froward/Reverse switch Hammer function Packed by color box	INGCO-ID6538
	Impact drill	Input power: 850W No load speed: 0-2700rpm Max drilling capacity:13mm Variable speed Froward/Reverse switch Hammer function Packed in color box	INGCO-ID8508
	Impact drill	Input power:1100W No-load speed:0-2800rpm Max.drilling capacity:13mm Variable speed Froward/Reverse switch Hammer function Aluminum durable gear box Packed by color box	INGCO-ID11008
	Angle grinder	Input power: 950W No load speed: 11000rpm Disc diameter:115mm Spindle thread:M14 With 1pcs auxiliary handle Packed by color box	INGCO-AG8508



The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Angle grinder	Voltage: 220V-240V~50-60Hz Input power: 1010W Disc diameter:125mm Spindle thread:M14 No load speed: 11000rpm Packed by color box With 1pcs auxiliary handle	INGCO-AG10108
	Angle grinder	Input power: 2350W No load speed: 6700rpm Disc diameter:230mm Durable aluminum gear box With 1pcs auxiliary handle Packed in color box	INGCO-AG23508
	Angle Polisher	Input power: 1400W No load speed: 900-3800rpm Disc diameter:180mm Durable aluminum gear box 1pcs polishing pad 1pcs polishing bonnet Packed by color box	INGCO-AP14008
	Rotary hammer	Input power: 800W No load speed: 0-1200r/min Impact times:0-5300/min Impact energy:2.5J Drilling capacity: Concrete:26mm SDS plus chuck system 3 drills and 2 chisels Packed by blow mould case	INGCO-RGH9018
	Rotary hammer	Input power:1050W No-load speed:900rpm Impact rate:4000bpm Impact energy:5J Max.drilling capacity: Concrete:28mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC	INGCO-RH10508

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Rotary hammer	<p>Input power: 1250W                      Concrete:30mm Steel:13mm                      Wood:40mm                      SDS plus chuck system                      No load speed: 850rpm                      Impact rate:3800bpm                      Impact energy:5J                      Packed by blow mould case                      3 drills and 2 chisels</p>	INGCO-RH12008
	Rotary hammer	<p>Input power: 1500W                      No load speed: 750rpm                      Impact rate:3000bpm                      Impact energy:5J                      Drilling capacity:                      Concrete:36mm Steel:13mm                      Wood:40mm                      SDS plus chuck system                      3 drills and 2 chisels                      Packed in INGCO BMC</p>	INGCO-RH15008
	Jig saw	<p>Input Power:570W                      No load speed:800-3000rpm                      Cutting capacity:                      65mm in wood                      8mm in steel                      4 step pendulum function                      Packed in color box</p>	INGCO-JS5718
	Jig saw	<p>Input Power:750W                      No-load speed:500-3000rpm                      Cutting capacity:                      110mm in wood                      10mm in steel                      4 step pendulum function                      Aluminum gear box                      With 1pcs dust tube                      With 5pcs saw blade                      Packed by color box</p>	INGCO-JS7508




The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	<p>Reciprocating saw</p>	<p>Rated power: 750W No-load speed:900-3300rpm Max.cutting depth: Wood:115mm Steel:8mm Aluminum:12mm SDS blade change chuck With 1pcs metal saw blade With 1pcs wood saw blade Packed by color box</p>	<p>INGCO-RS8002</p>
 <p>Including 2 pcs battery packs</p>	<p>Li-ion cordless drill</p>	<p>Li-ion cordless drill Drill voltage: 12V Charge Volts: 220V-240V~50/60Hz No load speed:0-350/0-1250rpm Max torque force:20NM With LED working light With LED battery power indicator 10mm keyless chuck 18+1 torque control Charging time: 2hour Packed by canvas bag With 2pcs Li-ion battery</p>	<p>INGCO-CDLI228120.2</p>
 <p>Including 2 pcs battery packs</p>	<p>Li-ion Cordless drill</p>	<p>Drill voltage:18V Two speed:0-400/0-1350rpm Max.torque:30Nm 10mm keyless chuck Torque settings:18+1 With LED light LED battery power indicator Charging time: 2hour Charge volts: 220V-240V~50/60Hz With 2pcs battery pack With 53pcs accessories Packed by BMC</p>	<p>INGCO-CDLI228180</p>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>Impact function</p> <p>Including 2 pcs battery packs</p>	Li-ion impact drill	Drill voltage:18V Two speed:0-400/0-1350rpm No-load speed : 20000/min Max.torque force:30NM 10mm keyless chuck Torque settings:21+1+1 With LED light LED battery power indicator Charge volts: 220V-240V~50/60Hz With 2pcs battery pack Charging time:2hour With 58pcs accessories Packed by BMC	INGCO-CIDLI228180
	Charger	Charge Volts: 220V-240V/50-60Hz Charging time:2Hr charger matching with INGCO CDLI228180 and CIDLI228180 Packed by color box	INGCO-CHAR228180
	Li-ion Battery pack	Volts:18V Suitable for INGCO 18V cordless drill CDLI228180 and CIDLI228180 Packed by color box	INGCO-BATLI228180
 <p>Including 2 pcs battery packs</p>	Li-ion impact drill	Li-ion impact drill Drill voltage: 18V Hex. collet:1/4"(6.35mm) No load speed:0-2200 Rated impact:0-3000 Max torque force:120NM Quick release chuck Aluminium body High impact heavy duty metal gear With 2pcs battery pack Including 1pc 2Hr charger Charge Volts: 220V-240V/50Hz With LED light LED battery power indicator Including 13pcs accessories Packed by BMC with color sleeve	INGCO-CIDLI228181

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	<b>Circular saw</b>	Input Power:1400W No-load speed:4800rpm Cutting capacity: 45 degree:44mm 90 degree:65mm Blade diameter: 185mm Adjustable cutting depth Adjustable bevel cutting 0-45° Packed by color box	<b>INGCO-CS18528</b>
	<b>Belt sander</b>	Voltage:220-240V~50/60Hz Input power:1200W No-load speed:500m/min Sanding belt size: 610x100mm Quick release belt change system Dust suction facility Aluminum housing base With 1pcs sanding belt Packed by color box	<b>INGCO-BS12001</b>
	<b>Rotary sander</b>	Input Power:450W No load speed : 4000-13000rpm Dia of sanding pad: 150mm Velcrops base,Variable speed With 150mm base PU base Soft grip for comfortable hold Packed in color box	<b>INGCO-RS4501.2</b>
	<b>Finishing sander</b>	Input power:350W No-load speed:11000rpm Bottom base:110mmx220mm Aluminum base With 5pcs sanding papers Packed by color box	<b>INGCO-FS35028</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Electric planer	<p>Input power:1050W                      No-load speed:16000rpm                      Planing width&amp;depth:82x3mm                      Heavy duty aluminum base                      Aluminum side cover                      Self-cooling belt system                      With 2pcs planing blades                      With 1pcs belt                      With 1set parallel guide                      With 1pcs depth guide                      Packed by color box</p>	INGCO-PL10508
	Heat gun	<p>Input power:2000W                      Temperature:350°C/550°C                      Airflow:300/500 L/min                      Soft paint grip for comfortable hold                      Including 1pcs scraper and 4pcs nozzles                      Packed by color box</p>	INGCO-HG20008
	Mixer	<p>Input power: 1400W                      No load speed:180-460rpm,300-700rpm                      Whisk size:M14                      Including one pcs mixing paddle (Ø max.):120mm                      Aluminum gear box and body                      Packed by color box</p>	INGCO-MX214001
	Impact wrench	<p>Drive: 1/2"                      Input power: 1050W                      No load speed: 2300rpm                      Max torque:550N.m                      Aluminium gear box with rubber                      6pcs sockets(17, 18,19, 21,23,24mm)                      1pcs 125mm adaptor                      Packed by blow mould case</p>	INGCO-IW10508

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.





IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Demolition breaker	Input power: 1700W Impact rate: 1900bmp Impact force: 50J 16Kg Demolition breaker SDS hex system Including 2pcs hex chisels Packed by blow mould case	INGCO-PDB17008
	Demolition breaker	Input power:2200W Impact rate:950bmp Impact force:75J 30Kg Demolition breaker 28mm SDS hex system Metal housing and gear box Auto-stop carbon brushes Including 2pcs chisels Packed by foam+carton box	INGCO-PDB22001
	Stand for Demolition breaker	Stand for Stand for Demolition breaker INGCO item No. PDB22001 Packed by carton box	INGCO-PDB22001.S
	Glue gun	Input power:100W Gluing capacity : 10-15g/min Glue stick diameter:11.2mm Ideal for adhesive attachment, model making, repairing, sealing and jointing Mechanical feed system for sensitive metering and rapid application Including 2pcs 11.2mm glue sticks Packed in double blister	INGCO-GG141



The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Glue gun	Input power:220W Gluing capacity : 20-30g/min Preheat time : 3-5minutes Glue stick diameter:11.2mm With switch Including 2pcs 11.2mm glue sticks Packed by double blister	INGCO-GG301
	Spray gun	Input power:100W Capacity of spray:280ml/min Capacity of bottle: 800ml Dia of spray nozzle:0.6/0.8mm Max. Viscosity: 30din/sec Including 1pcs viscosity cup, 2pcs valves, 1pcs cleaning pin, 1pcs extra 0.6mm spray nozzle, 1pcs replacement wrench Packed in color box	INGCO-SPG1008
	Aspirator blower	Input power:400W No-load speed:14000rpm Max blowing rate:3.0m <sup>3</sup> /min With 1pcs dust bag Packed by color box	INGCO-AB4018
	Aspirator blower	Input power:600W No load speed:0-16000rpm Max blowing rate:0-3.5m <sup>3</sup> /min Variable speed With 1pcs dust bag Packed by color box	INGCO-AB6008





The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>Heavy Duty Aluminum Base</p>	Bench grinder	Input power:150W No load speed:2950rpm Wheel size:150 mm (6") Heavy Duty Aluminum Base Adjustable work rest Including 1 set eye shield 1pcs tool storage box Packed in color box	INGCO-BG61502
 <p>Heavy Duty Aluminum Base</p>	Bench grinder	Input power:350W No load speed:2950rpm Wheel size:200 mm (8") Heavy Duty Aluminum Base Adjustable work rest Including 1 set eye shield 1pcs tool storage box Packed in color box	INGCO-BG83502
	Mitre saw	Input power: 1400W No load speed:5000rpm Blade diameter:210mm Aluminum base Max. cutting capacity:55*120mm Positive stops at 9 settings right/left TCT blade for precision cutting Miter cuts 0-45° left and right Bevel cuts up to 45° to the left With 1 pcs TCT blade Packed by color box	INGCO-BMS14002
	Cut off saw	Input power: 2400W Blade size:355x25.4x3mm No load speed: 3900rpm Max. cutting capacity: 100mm in round pipe 100X100mm in square steel 120X100mm in rectangel Max. cutting steel bar:50mm With 1pcs 355mm cutting disc Packed by carton box	INGCO-COS35568


The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 	101 Pcs household tools set	101 Pcs Tools Set 1 Pcs 650W Impact Drill 13mm key chuck 1 Pcs 8Oz Claw Hammer 1 Pcs SL5.5x100 Screwdriver 1 Pcs PH1x100 Screwdriver 1 Pcs 6" Combination Pliers 1 Pcs 6" Adjustable Wrench 1 Pcs Mini Spirit level 1 Pcs 3M Steel measuring tape 1 Pcs Snap-off blade knife 5 Pcs Twist Drill bits 2,3,4,5,6mm 5 Pcs Masonry Drill bits 4,5,6,8,10mm 4 Pcs Wood Drill bits 4,5,6,8mm 6 Pcs 1/4" Hexagonal Socket 5mm 6mm 8mm 9mm 10mm 11mm 1 Pcs 4-6mm(25mm) socket adaptor 10 Pcs Screwdriver bits PH1,PH2,PZ1,PZ2,SL4,SL6,Hex4,Hex5,T20, T25 1 Pcs Magnetic bits holder 30 Pcs Screws(10pcs*ST3.5,10pcs*ST4,10pcs*ST 5) 30 Pcs Plastic plugs(10pcs*5mm,10pcs*6mm,10pcs*8m m) Packed by BMC	INGCO-HKTHP11021
	Peripheral pump	Voltage:220-240V~50Hz <b>Input power: 370W(0.5HP)</b> <b>Max.head:35M</b> Max. suction:8M <b>Max. flow:35L/min</b> Pipe diameter:1"x1" Copper wire motor Copper impeller 0.15m length cable Packed in color box	INGCO-VPM3708
	Booster cable	Current: 600AMP Clamp size :18x10cm Cable material :copper coated Cable outside diameter:10mm Cable length :3m <b>Suitable for emission ≤4.5L car</b> Packed by zipper bag	INGCO-HBTCP6001

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Silent and oil free Air compressor	Voltage:220-240V~50Hz Input power: 600W (0.8HP) Tank:24L(6.3Gal) Oil free system Noise: 60db Copper wire motor No-load speed:1440rpm Operation pressure:max.8bar Packed by carton box	<b>INGCO-ACS175246</b>
	Spray gun	Standard nozzle:1.5mm Optional nozzle:1.2-1.8mm Operating pressure:3-4bar <b>Pattern width:180-250mm</b> Air cons:4.2-7.1cfm(119-200l/min) <b>Paint capacity:400cc</b> <b>Suitable for base coat</b> Packed in color box	<b>INGCO-ASG4041</b>
	Spray gun	Standard nozzle:1.5mm Optional nozzle:1.2-1.8mm Operating pressure:3-4bar <b>Pattern width:140-180mm</b> Air cons:4.2-7.1cfm(119-200l/min) <b>Paint capacity:1000cc</b> <b>Suitable for base coat</b> Packed in color box	<b>INGCO-ASG3101</b>
	Spray gun	Standard nozzle:1.8mm Optional nozzle:1.4-2.5mm Operating pressure:3-4bar Pattern width:200-250mm Air cons:4.6-7.1cfm(130-200l/min) Paint capacity:1000cc Heat treat stainless needle Copper nozzle and cap Air volume control Suitable for base coat Packed by color box	<b>INGCO-ASG3102</b>



The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Washing gun	Nozzle size:215mm <b>Washing capacity:0.75L</b> Operation pressure:4bar Packed in color box	<b>INGCO-AWG1001</b>
	Air blow gun	<b>Nozzle length:16mm</b> Packed in single blister	<b>INGCO-ABG031</b>
	Air sander	<b>Sanding Pad:6"(150mm)</b> Free Speed RPM:10000 Air Inlet(PT):1/4" Air Hose(ID):3/8" Air Cons:2.8cfm(79.2l/min) Air pressure:90PSI,6.2bar Sug.Air Comp.(Hp):2 Packed in color box	<b>INGCO-APS1501</b>
	1/2"Air Impact Wrench	Square drive:12.5mm(1/2") Free speed rpm:7500 Air Consumption: 5.0cfm 142.5l/min <b>Max.Torque:420ft 567Nm</b> Twin hammer mechanism Air Pressure:90psi,6.2bar Length:7.3",185mm Weight:5.7lbs,2.6kgs Air Inlet:1/4" Air hose:3/8" Packed in color box	<b>INGCO-AIW12561</b>








The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	3/4" Air Impact Wrench	<p><b>Square drive:19mm(3/4")</b>                      Free speed rpm:7000                      Air Consumption:                      9.5cfm 269l/min                      Max.Torque:1000ft 1355Nm                      Twin hammer mechanism                      Air Pressure:90psi,6.2bar                      Length:8.2",208mm                      Weight:6.6lbs,3.0kgs                      Air Inlet:3/8" Air hose:1/2"                      Packed by color box</p>	<b>INGCO-AIW341301</b>
	1" Air Impact Wrench	<p><b>Square Drive:1"</b>                      Anvil:8"(200mm)                      Air Consumption:                      36cfm 1019l/min                      Capacity Bolt Size:1-3/4"(45mm)                      Free Speed: 3900RPM                      Max.torque:                      1600Ft-Lb;2200N.m                      Air Inlet (NPT) : 1/2"                      Air Hose(ID) : 1/2"                      Sug.Air Comp.(HP):5                      Packed by blow mould case</p>	<b>INGCO-AIW11222</b>
 <p>5.7mm 16mm (5/8") 40mm (1-5/8") 50mm (2") 15mm (5/8") 18Ga 1.25x1.0mm 18Ga 1.25x1.0mm</p>	2 IN 1 Nailer & Stapler	<p>Operation pressure:                      4-7Mpa(60-100Psi)                      Magazine capacity:100Pcs  <b>Brad size:15-50mm</b>  <b>Ga18,1.25X1.0mm</b>  <b>Staple size:16-40mm</b>  <b>Ga18,1.25X1.0mm</b>  <b>Staple crown:5.7mm</b>  <b>1000pcs brad nails</b>  <b>1000pcs staples</b>                      Packed in color box</p>	<b>INGCO-ACN50401</b>
 <p>15mm (5/8") 50mm (2") 18Ga 1.25x1.0mm</p>	Brad nailer	<p>Operation pressure:                      0.5-0.7Mpa(75-100Psi)                      Load capacity:100pcs  <b>Brad size:15-50mm</b>  <b>Ga18,1.25x1.00mm</b>  <b>1000pcs brad nails</b>                      Packed in color box</p>	<b>INGCO-ABN15501</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.








IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	18 Gauge Crown Staple	Ga18,1.25X1.0mm Staple crown:5.7mm Staple size:25mm 2500pcs/color box Suitable for Ingco item ACN50401 Packed by color box	<b>INGCO-AST18251</b>
	18 Gauge Crown Staple	Ga18,1.25X1.0mm Staple crown:5.7mm Staple size:40mm 2500pcs/color box Suitable for Ingco item ACN50401 Packed by color box	<b>INGCO-AST18401</b>
	18 Gauge Brad Nail	Ga18,1.25X1.0mm Brad Length:25mm 5000pcs/color box Suitable for Ingco item ACN50401 ABN15501 Packed by color box	<b>INGCO-ANA18251</b>
	18 Gauge Brad Nail	Ga18,1.25X1.0mm Brad Length:50mm 5000pcs/color box Suitable for Ingco item ACN50401 ABN15501 Packed by color box	<b>INGCO-ANA18501</b>
	Glue gun stick	Material : petroleum resin Diameter:11.2mm  Length : 20cm  Packed : 6pcs/Blister card	<b>INGCO-AKTGS2061</b>
	Glue gun stick	Material : petroleum resin Diameter:11.2mm  Length : 30cm  packed : 1kg/Poly bag	<b>INGCO-AKTGS3011</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	5pcs bistriques set fo Die grinder	Bistrique for INGCO Die grinder PDG4003 1PCS Cylindrical 16*25mm 1PCS Bullet type 20*21mm 1PCS Cone 20*32mm 1PCS T-Type 24*10mm 1PCS Round 20*20mm Packed by sliding card	<b>INGCO-AKB0501</b>
	HSS drill bit	HSS,diameter:1mm Total length:26mm Usable length:6mm 10pcs/Poly bag	<b>INGCODBT1100103</b>
	HSS drill bit	HSS,diameter:1.5mm Total length:32mm Usable length:9mm 10pcs/Poly bag	<b>INGCODBT1100153</b>
	HSS drill bit	HSS,diameter:2mm Total length:49mm Usable length:24mm 10pcs/Poly bag	<b>INGCODBT1100203</b>
	HSS drill bit	HSS,diameter:2.5mm Total length:56mm Usable length:30mm 10pcs/Poly bag	<b>INGCODBT1100253</b>
	HSS drill bit	HSS,diameter:3.0mm Total length:61mm Usable length:33mm 10pcs/Poly bag	<b>INGCODBT1100303</b>
	HSS drill bit	HSS,diameter:3.5mm Total length:70mm Usable length:39mm 10pcs/Poly bag	<b>INGCODBT1100353</b>



The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	HSS drill bit	HSS,diameter:4.0mm Total length:75mm Usable length:43mm 10pcs/Poly bag	<b>INGCODBT1100403</b>
	HSS drill bit	HSS,diameter:4.5mm Total length:80mm Usable length:47mm 10pcs/Poly bag	<b>INGCODBT1100453</b>
	HSS drill bit	HSS,diameter:5.0mm Total length:86mm Usable length:52mm 10pcs/Poly bag	<b>INGCODBT1100503</b>
	HSS drill bit	HSS,diameter:5.5mm Total length:93mm Usable length:57mm 10pcs/Poly bag	<b>INGCODBT1100553</b>
	HSS drill bit	HSS,diameter:6.0mm Total length:93mm Usable length:57mm 10pcs/Poly bag	<b>INGCODBT1100603</b>
	HSS drill bit	HSS,diameter:6.5mm Total length:101mm Usable length:63mm 10pcs/Poly bag	<b>INGCODBT1100653</b>
	HSS drill bit	HSS,diameter:7.0mm Total length:109mm Usable length:69mm 10pcs/Poly bag	<b>INGCODBT1100703</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	HSS drill bit	HSS,diameter:7.5mm Total length:109mm Usable length:69mm 10pcs/Poly bag	<b>INGCODBT1100753</b>
	HSS drill bit	HSS,diameter:8.0mm Total length:117mm Usable length:75mm 5pcs/Poly bag	<b>INGCODBT1100803</b>
	HSS drill bit	HSS,diameter:8.5mm Total length:117mm Usable length:75mm 5pcs/Poly bag	<b>INGCODBT1100853</b>
	HSS drill bit	HSS,diameter:9.0mm Total length:125mm Usable length:81mm 5pcs/Poly bag	<b>INGCODBT1100903</b>
	HSS drill bit	HSS,diameter:9.5mm Total length:125mm Usable length:81mm 5pcs/Poly bag	<b>INGCODBT1100953</b>
	HSS drill bit	HSS,diameter:10mm Total length:133mm Usable length:87mm 5pcs/Poly bag	<b>INGCODBT1101003</b>
	HSS drill bit	HSS,diameter:10.5mm Total length:133mm Usable length:87mm 5pcs/Poly bag	<b>INGCODBT1101053</b>






The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	HSS drill bit	HSS,diameter:11mm Total length:142mm Usable length:94mm 5pcs/Poly bag	<b>INGCODBT1101103</b>
	HSS drill bit	HSS,diameter:12mm Total length:151mm Usable length:101mm 5pcs/Poly bag	<b>INGCODBT1101203</b>
	HSS drill bit	HSS,diameter:12.5mm Total length:151mm Usable length:101mm 5pcs/Poly bag	<b>INGCODBT1101253</b>
	HSS drill bit	HSS,diameter:13mm Total length:151mm Usable length:101mm 5pcs/Poly bag	<b>INGCODBT1101303</b>
	HSS drill bit	HSS,diameter:1mm Total length:34mm Usable length:12mm <b>1pcs/bag</b>	<b>INGCODBT11001031</b>
	HSS drill bit	HSS,diameter:2mm Total length:49mm Usable length:24mm <b>1pcs/bag</b>	<b>INGCODBT11002031</b>
	HSS drill bit	HSS,diameter:2.5mm Total length:56mm Usable length:30mm <b>1pcs/bag</b>	<b>INGCODBT11002531</b>
	HSS drill bit	HSS,diameter:3.0mm Total length:61mm Usable length:33mm <b>1pcs/bag</b>	<b>INGCODBT11003031</b>
	HSS drill bit	HSS,diameter:3.5mm Total length:70mm Usable length:39mm <b>1pcs/bag</b>	<b>INGCODBT11003531</b>














The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	HSS drill bit	HSS,diameter:4.0mm Total length:75mm Usable length:43mm <b>1pcs/bag</b>	<b>INGCODBT11004031</b>
	HSS drill bit	HSS,diameter:4.5mm Total length:80mm Usable length:47mm <b>1pcs/bag</b>	<b>INGCODBT11004531</b>
	HSS drill bit	HSS,diameter:5.0mm Total length:86mm Usable length:52mm <b>1pcs/bag</b>	<b>INGCODBT11005031</b>
	HSS drill bit	HSS,diameter:5.5mm Total length:93mm Usable length:57mm <b>1pcs/bag</b>	<b>INGCODBT11005531</b>
	HSS drill bit	HSS,diameter:6.0mm Total length:93mm Usable length:57mm <b>1pcs/bag</b>	<b>INGCODBT11006031</b>
	HSS drill bit	HSS,diameter:6.5mm Total length:101mm Usable length:63mm <b>1pcs/bag</b>	<b>INGCODBT11006531</b>
	HSS drill bit	HSS,diameter:7.0mm Total length:109mm Usable length:69mm <b>1pcs/bag</b>	<b>INGCODBT11007031</b>
	HSS drill bit	HSS,diameter:7.5mm Total length:109mm Usable length:69mm <b>1pcs/bag</b>	<b>INGCODBT11007531</b>
	HSS drill bit	HSS,diameter:8.0mm Total length:117mm Usable length:75mm <b>1pcs/bag</b>	<b>INGCODBT11008031</b>
	HSS drill bit	HSS,diameter:8.5mm Total length:117mm Usable length:75mm <b>1pcs/bag</b>	<b>INGCODBT11008531</b>
	HSS drill bit	HSS,diameter:9.0mm Total length:125mm Usable length:81mm <b>1pcs/bag</b>	<b>INGCODBT11009031</b>














The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	HSS drill bit	HSS,diameter:9.5mm Total length:125mm Usable length:81mm <b>1pcs/bag</b>	<b>INGCODBT11009531</b>
	HSS drill bit	HSS,diameter:10mm Total length:133mm Usable length:87mm <b>1pcs/bag</b>	<b>INGCODBT11010031</b>
	HSS drill bit	HSS,diameter:11mm Total length:142mm Usable length:94mm <b>1pcs/bag</b>	<b>INGCODBT11011031</b>
	HSS drill bit	HSS,diameter:12mm Total length:151mm Usable length:101mm <b>1pcs/bag</b>	<b>INGCODBT11012031</b>
	HSS drill bit	HSS,diameter:12.5mm Total length:151mm Usable length:101mm <b>1pcs/bag</b>	<b>INGCODBT11012531</b>
	HSS drill bit	HSS,diameter:13mm Total length:151mm Usable length:101mm <b>1pcs/bag</b>	<b>INGCODBT11013031</b>
	Masonry drill bit	3 X 60mm Packed by plastic bag	<b>INGCO-DBM111031</b>
	Masonry drill bit	4X75mm Packed by plastic bag	<b>INGCO-DBM111041</b>
	Masonry drill bit	5X85mm Packed by plastic bag	<b>INGCO-DBM111051</b>
	Masonry drill bit	6X100mm Packed by plastic bag	<b>INGCO-DBM111061</b>
	Masonry drill bit	6X150mm Packed by plastic bag	<b>INGCO-DBM111062</b>
	Masonry drill bit	8X120mm Packed by plastic bag	<b>INGCO-DBM111081</b>
	Masonry drill bit	8X150mm Packed by plastic bag	<b>INGCO-DBM111082</b>















The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Masonry drill bit	<b>8X200mm</b> Packed by plastic bag	<b>INGCO-DBM111083</b>
	Masonry drill bit	<b>10X120mm</b> Packed by plastic bag	<b>INGCO-DBM111101</b>
	Masonry drill bit	<b>10X150mm</b> Packed by plastic bag	<b>INGCO-DBM111102</b>
	Masonry drill bit	<b>10X200mm</b> Packed by plastic bag	<b>INGCO-DBM111103</b>
	Masonry drill bit	<b>12X150mm</b> Packed by plastic bag	<b>INGCO-DBM111121</b>
	Masonry drill bit	<b>12X200mm</b> Packed by plastic bag	<b>INGCO-DBM111122</b>
	Masonry drill bit	<b>14X150mm</b> Packed by plastic bag	<b>INGCO-DBM111141</b>
	Masonry drill bit	<b>14X200mm</b> Packed by plastic bag	<b>INGCO-DBM111142</b>
	Masonry drill bit	<b>16X150mm</b> Packed by plastic bag	<b>INGCO-DBM111161</b>
	Masonry drill bit	<b>16X200mm</b> Packed by plastic bag	<b>INGCO-DBM111162</b>
	SDS plus hammer drill	<b>High quality TCT tip</b> <b>Chrome alloy steel shank</b> Sand blasting finishing 4 X 110mm,SDS plus Packed by plastic hanger	<b>INGCDBH1210401</b>
	SDS plus hammer drill	<b>5 X 110mm,SDS plus</b> Packed by plastic hanger	<b>INGCDBH1210501</b>
	SDS plus hammer drill	<b>6 X 110mm,SDS plus</b> Packed by plastic hanger	<b>INGCDBH1210601</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.










IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	SDS plus hammer drill	7 X 110mm,SDS plus Packed by plastic tube	<b>INGCDBH1210701</b>
	SDS plus hammer drill	8 X 110mm,SDS plus Packed by plastic hanger	<b>INGCDBH1210801</b>
	SDS plus hammer drill	10 X 110mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211001</b>
	SDS plus hammer drill	6 X 160mm,SDS plus Packed by plastic hanger	<b>INGCDBH1210602</b>
	SDS plus hammer drill	7X 160mm,SDS plus Packed by plastic hanger	<b>INGCDBH1210702</b>
	SDS plus hammer drill	8 X 160mm,SDS plus Packed by plastic hanger	<b>INGCDBH1210802</b>
	SDS plus hammer drill	10 X 160mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211002</b>
	SDS plus hammer drill	12 X 160mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211201</b>
	SDS plus hammer drill	13 X 160mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211301</b>
	SDS plus hammer drill	14 X 160mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211401</b>
	SDS plus hammer drill	16 X 160mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211601</b>
	SDS plus hammer drill	6X 260mm,SDS plus Packed by plastic hanger	<b>INGCDBH1210604</b>
	SDS plus hammer drill	8X 260mm,SDS plus Packed by plastic hanger	<b>INGCDBH1210804</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	SDS plus hammer drill	10 X 260mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211004</b>
	SDS plus hammer drill	12 X 260mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211203</b>
	SDS plus hammer drill	14 X 260mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211403</b>
	SDS plus hammer drill	16 X 260mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211603</b>
	SDS plus hammer drill	22 X 260mm,SDS plus Packed by plastic hanger	<b>INGCDBH1212201</b>
	SDS plus hammer drill	24 X 260mm,SDS plus Packed by plastic hanger	<b>INGCDBH1212401</b>
	SDS plus hammer drill	26 X 260mm,SDS plus Packed by plastic hanger	<b>INGCDBH1212601</b>
	SDS plus hammer drill	6.0X 310mm,SDS plus Packed by plastic tube	<b>INGCDBH1210605</b>
	SDS plus hammer drill	8 X 450mm,SDS plus Packed by plastic hanger	<b>INGCDBH1210806</b>
	SDS plus hammer drill	10 X 450mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211006</b>
	SDS plus hammer drill	12 X 450mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211205</b>
	SDS plus hammer drill	14 X 450mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211405</b>
	SDS plus hammer drill	16 X 450mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211605</b>
	SDS plus hammer drill	18 X 450mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211804</b>
















The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	SDS plus hammer drill	20 X 450mm,SDS plus Packed by plastic hanger	<b>INGCDBH1212004</b>
	SDS plus hammer drill	22 X 450mm,SDS plus Packed by plastic hanger	<b>INGCDBH1212203</b>
	SDS plus hammer drill	24 X 450mm,SDS plus Packed by plastic hanger	<b>INGCDBH1212404</b>
	SDS plus hammer drill	12 X 600mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211206</b>
	SDS plus hammer drill	16 X 600mm,SDS plus Packed by plastic hanger	<b>INGCDBH1211606</b>
	SDS plus hammer drill	20X 600mm,SDS plus Packed by plastic hanger	<b>INGCDBH1212005</b>
	16pcs Metal, Concret and wood drill bits set	5pcs Metal drill bits set SIZE:2,3,4,5,6,8mm 5pcs Concret drill bits SIZE:4,5,6,8,10mm 5pcs wood drill bits SIZE:4,5,6,8,10mm Packed by plastic box+double blister	<b>INGCO-AKD9165</b>
	6PCS HSS twist drill bits set	6pcs HSS twist drill bits set Size : 2X49,3X61, 4X75, 5X86,6X93, 8X117 Packed by double blister	<b>INGCO-AKDB1065</b>
	16PCS drill bits & setscrewdriver bits set	6pcs HSS twist drill bits SIZE:2,3,3.5,4,5,6mm 4pcs Masonry drill bits SIZE:4,5,6,8mm 6PCS 25mm Screwdriver bits SL4.5,SL5.5,PH1,PH2,PZ1,PZ2 Packed by double blister	<b>INGCO-AKSDB9165</b>














The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	5PCS Masonry drill bits set	<b>5PCS Masonry drill bits set</b> Size : 4X75, 5X85, 6X100, 8X120, 10X120 Packed by double blister	<b>INGCO-AKDB3055</b>
	SDS plus Hammer drill bit set	<b>5 PCS SDS PLUS KIT</b> 6X110mm,8X110mm,8X160mm,10X160mm,12X160mm Packed by plastic box	<b>INGCO-AKD2052</b>
	6pcs Metal drill bits set	<b>6pcs Metal drill bits set</b> SIZE:2,3,4,5,6,8mm Packed by plastic box	<b>INGCO-AKD1055</b>
	19PCS HSS twist drill bits set	<b>19pcs HSS twist drill bits set</b> Size : 1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10mm Packed by plastic box	<b>INGCO-AKDB1195</b>
	5PCS wood drill bits set	<b>5pcs wood drill bits set</b> Size : 3X61, 4X75, 5X86,6X93, 8X117 Packed by double blister	<b>INGCO-AKDB5055</b>









The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	3pcs step drill bit set	<p>3 pcs step drill bit set 3 pcs / metal case 1pcs 4-12mm, 1mm/step, Shank diameter : 6mm 1pcs 4-20mm, 2mm/step, Shank diameter : 8mm 1pcs 4-30mm, 2mm/step, Shank diameter : 10mm Material : HSS M2 Surface treatment:All grounded Applies to stainless or iron plate Plate thickness≤3mm Packed by metal case</p>	<b>INGCO-AKSDS0302</b>
	Screw extractor set	<p>Cr-V Size:3~6mm,6~8mm,8~11, 11~14,14~18 Hardness:48~52HRC Coarse thread Packed by plastic box</p>	<b>INGCO-ASE001</b>
	SDS plus chisel	<p>14X250mm,pointed Packed by plastic hanger</p>	<b>INGCODBC0112501</b>
	SDS plus chisel	<p>14X250 X 20mm,flat Packed by plastic hanger</p>	<b>INGCODBC0122501</b>
	SDS plus chisel	<p>14X250 X 40mm,flat Packed by plastic hanger</p>	<b>INGCODBC0122502</b>
	SDS max chisel	<p>18X280mm,pointed Packed by plastic hanger</p>	<b>INGCODBC0212801</b>
	SDS max chisel	<p>18X400mm,pointed Packed by plastic hanger</p>	<b>INGCODBC0214001</b>
	SDS max chisel	<p>18X600mm,pointed Packed by plastic hanger</p>	<b>INGCODBC0216001</b>
	SDS max chisel	<p>18 X280X 25mm,flat Packed by plastic hanger</p>	<b>INGCODBC0222801</b>
	SDS max chisel	<p>18 X400X 25mm,flat Packed by plastic hanger</p>	<b>INGCODBC0224001</b>
	SDS max chisel	<p>18 X400X 50mm,flat Packed by plastic hanger</p>	<b>INGCODBC0224002</b>
	SDS max chisel	<p>18 X600X 50mm,flat Packed by plastic hanger</p>	<b>INGCODBC0226002</b>
	Hex chisel	<p>30X 410mm,point For INGCO item PDB17008 and PDB17018 Packed by plastic hanger</p>	<b>INGCODBC0314101</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Hex chisel	30 X410X 40mm,flat For INGCO item PDB17008 and PDB17018 Packed by plastic hanger	<b>INGCODBC0324102</b>
	Hex chisel	28X 530mm,point For INGCO item PDB22001 Packed by plastic hanger	<b>INGCODBC0415301</b>
	Hex chisel	28X35X 530mm,flat For INGCO item PDB22001 Packed by plastic hanger	<b>INGCODBC0425302</b>
	Wood flat drill bit	Alloy steel,hardened& tempered With 1/4" hex shank Quick release flute 6mm,total length:152mm Packed in double blister	<b>INGCOBWB2210601</b>
	Wood flat drill bit	8mm,total length:152mm Packed in double blister	<b>INGCOBWB2210801</b>
	Wood flat drill bit	10mm,total length:152mm Packed in double blister	<b>INGCOBWB2211001</b>
	Wood flat drill bit	12mm,total length:152mm Packed in double blister	<b>INGCOBWB2211201</b>
	Wood flat drill bit	14mm,total length:152mm Packed in double blister	<b>INGCOBWB2211401</b>
	Wood flat drill bit	16mm,total length:152mm Packed in double blister	<b>INGCOBWB2211601</b>
	Wood flat drill bit	18mm,total length:152mm Packed in double blister	<b>INGCOBWB2211801</b>
	Wood flat drill bit	20mm,total length:152mm Packed in double blister	<b>INGCOBWB2212001</b>
	Wood flat drill bit	25mm,total length:152mm Packed in double blister	<b>INGCOBWB2212501</b>
	Wood flat drill bit	28mm,total length:152mm Packed in double blister	<b>INGCOBWB2212801</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Wood flat drill bit	30mm,total length:152mm Packed in double blister	<b>INGCodbw2213001</b>
	Wood flat drill bit	32mm,total length:152mm Packed in double blister	<b>INGCodbw2213201</b>
	Wood flat drill bit	36mm,total length:152mm Packed in double blister	<b>INGCodbw2213601</b>
	Wood flat drill bit	38mm,total length:152mm Packed in double blister	<b>INGCodbw2213801</b>
	Wood flat drill bit	40mm,total length:152mm Packed in double blister	<b>INGCodbw2214001</b>
	13pcs Flat wood drill bits set	13PCS flat wood drill bits set Shank:1/4" hex Length:152mm Size(mm):6,8,10,12,14,16,18,20,25,28, 30, 32, 38 Packed by fabric bag	<b>INGCO-AKD41301</b>
	67 Pcs accessories set	5pcs masonry drill bits:4mm,5mm,6mm,8mm,10mm 10pcs HSS twist drill bits: 2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5mm,5.5mm,6mm, 8mm 5pcs wood twist drill bits:4mm,5mm,6mm,8mm,10mm 40pcs 25mm length screwdriver bits: PH0/1/2/2/3/4 H3/4/5/6 PZ0/1/2/2/3/4 HT3/4/5/6 T10/15/20/25/30/40 M6 SP8 TW3 TS8 SL3/4/5/6 S1/2/3 TT15/20/25 1pcs bits holder 3pcs wood flat drill bits:16mm,20mm,25mm 1pcs 12mm Countersink 1pcs drill bits diameter gauge 1pcs INGCO unique design magnetic shank Packed by INGCO style BMC and color box	<b>INGCO-HKTAC010671</b>
	Forstner drill bits	TCT blade Diameter: 25mm Packed by plastic box	<b>INGCO-ADCS2501</b>







The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Forstner drill bits	TCT blade Diameter: 35mm Packed by plastic box	INGCO-ADCS3501
	Abrasive metal cutting disc set	10pcs/set 10pcs/shrink 115MM(4/1/2")X1.2MM (3/64") X22.2MM(7/8") Flat centre cutting disc for metal	INGCO-MCD121155
	Abrasive metal cutting disc	115mm(4/ 1/2")X3.0mm(1/8")X22.2mm(7/8") Depressed centre cutting disc for metal	INGCO-MCD301151
	Abrasive metal cutting disc	125MM(5")X1.2MM(3/64")X22.2MM(7/8") Flat centre cutting disc for metal	INGCO-MCD121251
	Abrasive metal cutting disc	230MM(9")X1.6MM(1/16")X22.2MM(7/8") Flat centre cutting disc for metal	INGCO-MCD302302
	Abrasive metal cutting disc	230mm(9")X3.0mm(1/8")X22.2mm(7/8") Depressed centre cutting disc for metal	INGCO-MCD302301

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.


IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Abrasive metal cutting disc	355mm(14")X3.0mm(1/8")X25.4mm(7/8") Flat centre cutting disc for metal	INGCO-MCD303551
	Abrasive metal grinding disc	115mm(4 1/2")X6.0mm(1/4")X22.2mm(7/8") Depressed centre grinding disc for metal	INGCO-MGD601151
	Abrasive metal grinding disc	230mm(9")X6.0mm(1/4")X22.2mm(7/8") Depressed centre grinding disc for metal	INGCO-MGD602301
	Abrasive grinding wheel	Abrasive wheel size: 150x12.7x16mm Abrasive wheel grit:36 grit For INGCO item BG61502 Packed by bulk	INGCO-AGW150361
	Abrasive grinding wheel	Abrasive wheel size: 150x12.7x16mm Abrasive wheel grit: 80 grit For INGCO item BG61502 Packed by bulk	INGCO-AGW150801

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.







IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Abrasive grinding wheel	Abrasive wheel size: 200x16x20mm Abrasive wheel grit:36 grit For INGCO item BG83502 Packed by bulk	<b>INGCO-AGW200361</b>
	Abrasive grinding wheel	Abrasive wheel size: 200x16x20mm Abrasive wheel grit:80 grit For INGCO item BG83502 Packed by bulk	<b>INGCO-AGW200801</b>
	Diamond discs set (8pcs/set)	8pcs/set 8pcs/shrink 115mm(4-1/2")X22mm 6pcs dry diamond discs 2pcs turbo diamond discs Packed by iron case	<b>INGCO-DMD301153</b>
	Dry diamond disc	115(4-1/2")X22.2mm Blade width:7.5mm 10pcs/metal box Packed in metal box	<b>INGCO-DMD011152M</b>
	Dry diamond disc	230(9")X22.2mm Blade width:7.5mm 5pcs/metal box Packed in metal box	<b>INGCO-DMD012302M</b>
	Wet diamond disc	115(4-1/2")X22.2mm 10pcs/metal box Packed in metal box	<b>INGCO-DMD021152M</b>











The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Wet diamond disc	230(9")X22.2mm Blade width:5mm 5pcs/metal box Packed in metal box	INGCO-DMD022302M
	Turbo diamond disc	115(4-1/2")X22.2mm Blade width:7.5mm 10pcs/metal box Packed in metal box	INGCO-DMD031152M
	Turbo diamond disc	230(9")X22.2mm Blade width:7.5mm 5pcs/metal box Packed in metal box	INGCO-DMD032302M
	TCT saw blade	115mm(4-1/2"), 40T,arbor:22.2mm Reduction ring:16mm Suitable for angle Grinder, wood Cutting Packed by color box	INGCO-TSB111555
	TCT saw blade	185mm(7-1/4") 40T,arbor:16mm Suitable for circular saw For INGCO item CS1858	INGCO-TSB118505
	TCT saw blade	185mm(7-1/4") 60T,arbor:16mm Suitable for circular saw For INGCO item CS1858 Packed by color box	INGCO-TSB118503

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	TCT saw blade	185mm(7-1/4") 40T, arbor:20mm 16mm ring Suitable for circular saw For INGCO item CS1858 Packed in color box	<b>INGCO-TSB118515</b>
	TCT saw blade	210mm(8-1/4") 24T, arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMS14002	<b>INGCO-TSB121021</b>
	TCT saw blade	235mm(9-1/4") 40T, arbor:30mm 16mm and 25.4 ring Suitable for circular saw INGCO item CS2351	<b>INGCO-TSB123525</b>
	TCT saw blade	235mm(9-1/4") 60T, arbor:30mm 16mm and 25.4 ring Suitable for circular saw INGCO item CS2351	<b>INGCO-TSB123523</b>
	TCT saw blades set (3pcs/set)	3pcs/set 185mm(7-1/4") 1pcs 24T 1pcs 40T 1pcs 60T Arbor:30mm 2pcs 30mm to 16mm reduction ring 2pcs 30mm to 20mm reduction ring 2pcs 30mm to 25.4mm reduction ring Packed by color box	<b>INGCO-TSB51852153</b>
	Cup wire brush with nut	75mm Wire dia:0.3mm Thread:M14X2 Packed in double blister	<b>INGCO-WB10751</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Cup wire brush with nut	100mm Wire dia:0.3mm Thread:M14X2 Packed in double blister	<b>INGCO-WB11001</b>
	Cup wire brush with nut	125mm wire:0.35mm Thread:M14X2 Packed in double blister	<b>INGCO-WB11251</b>
	Cup wire brush with nut	150mm wire:0.35mm Thread:M14X2 Packed in double blister	<b>INGCO-WB11501</b>
	Cup twist wire brush with nut	75mm Wire dia:0.5mm Thread:M14X2 Packed in double blister	<b>INGCO-WB20751</b>
	Cup twist wire brush with nut	100mm Wire dia:0.5mm Thread:M14X2 Packed in double blister	<b>INGCO-WB21001</b>
	Cup wire brush with nut	125mm wire:0.5mm Thread:M14X2 Packed in double blister	<b>INGCO-WB21251</b>
	Cup wire brush with nut	150mm wire:0.5mm Thread:M14X2 Packed in double blister	<b>INGCO-WB21501</b>
	Cup brushes with shank	50mm Shank dia:6.35mm(1/4") Packed in double blister	<b>INGCO-WB30501</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Cup brushes with shank	<b>75mm</b> Shank dia:6.35mm(1/4") Packed in double blister	<b>INGCO-WB30751</b>
	Circular grinding wire brush	<b>50mm</b> wire:0.35mm Shank dia:6.35mm(1/4") Packed in double blister	<b>INGCO-WB40501</b>
	Circular grinding wire brush	<b>75mm</b> Shank dia:6.35mm(1/4") Packed in double blister	<b>INGCO-WB40751</b>
	Circular grinding wire brush	<b>100mm</b> wire:0.35mm Shank dia:6.35mm(1/4") Packed in double blister	<b>INGCO-WB41001</b>
	Wire end brushes with shank	<b>24mm</b> Shank dia:6.35mm(1/4") Packed in single blister	<b>INGCO-WB70241</b>
	Polishing pad with flange	<b>Diameter:180mm</b> Material:Rubber M14x2 nut For wool polishing bonnet Packed by color box	<b>INGCO-APP0201801</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Polishing pad with flange	<b>Diameter:180mm</b> Material:PP M14x2 nut Velcro-type backing For wool polishing bonnet and sanding paper Packed by color box	<b>INGCO-APP0111801</b>
	Wool polishing bonnet	<b>Diameter:180mm</b> Real wool bonnet Packed by color box	<b>INGCO-APB0111801</b>
	Screwdriver bit	<b>PH2,25mm,20pcs/set</b> S2 industrial steel Nickle plated megnetic Packed by plastic box	<b>INGCOSDB11PH213</b>
	Screwdriver bit	<b>PH2,50mm,10pcs/set</b> S2 industrial steel Nickle plated megnetic Packed by plastic box	<b>INGCOSDB11PH223</b>
	Screwdriver bit	<b>SL6.0*1.0,25mm,20pcs/set</b> S2 industrial steel Nickle plated megnetic Packed by plastic box	<b>INGCOSDB11SL413</b>
	Screwdriver bit	<b>SL6.0*1.0,50mm,10pcs/set</b> S2 industrial steel Nickle plated megnetic Packed by plastic box	<b>INGCOSDB11SL423</b>
	Screwdriver bit	<b>PZ2,25mm,20pcs/set</b> S2 industrial steel Nickle plated megnetic Packed by plastic box	<b>INGCOSDB11PZ213</b>





The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Screwdriver bit	PZ2,50mm,10pcs/set S2 industrial steel Nickle plated megnetic Packed by plastic box	<b>INGCOSDB11PZ223</b>
	Screwdriver bit holder	60mm,2pcs/set Material : steel + Cr-v Packed by sliding card	<b>INGCO-ABH10601</b>
	15pcs screwdriver bits set	14 pcs 6.35X25MM CR-V BITS Size:SL5,SL6,SL7,PH1,PH2,PH3,PZ1,PZ2,P Z3,T10,T15,T20,T25,T30 1 pcs 60MM quick lock Packed in plastic box	<b>INGCO-AKSD0151</b>
	10mm Key chuck	Chuck capacity:0.8-10mm Connection size:3/8"-24UNF,Packed in color box	<b>INGCO-KC1001</b>
	13mm Key chuck	Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Packed in color box	<b>INGCO-KC1301</b>
	13mm Key chuck with adaptor	Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Including 1pcs adaptor Packed in color box	<b>INGCO-KC1301.1</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	16mm Key chuck	Chuck capacity:3-16mm Connection size:1/2"-20UNF Packed in color box	<b>INGCO-KC1601</b>
	Chuck key	Key for 13mm key chuck Length:110mm Packed by sliding card	<b>INGCO-CK1301</b>
	Chuck key	Key for 16mm key chuck Length:150mm Packed by sliding card	<b>INGCO-CK1601</b>
	Planer blade	Size:82X5.5X1.2mm,HSS Suitable for INGCO electric planer PL6001 and PL9001 Packed by double blister	<b>INGCO-EPB820121</b>
	Planer blade	Size:82X29X3.0mm,HSS Packed by double blister	<b>INGCO-EPB820301</b>
	Jig saw blade for wood	Basic for wood,74mm,8TPI, HCS,milled,ideal for soft wood(4-50mm),chipboards,wood core plywood,fibre boards,quick cut,5pcs/set,Same as Irwin quality level	<b>INGCO-JBT111C</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Jig saw blade for wood	Clean for wood,HCS,Ground teeth and taper ground,length of tooth:75mm,tooth space:4-5.2mm,Softwood, chipboards, wood core plywood, fibre boards (10-45 mm),5pcs/set,Same as Irwin quality level	<b>INGCO-JBT101D</b>
	Jig saw blade for wood	Speed for Wood,6TPI,length of tooth:74mm, HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards, especially for curve cuts 5pcs/set Same as Irwin quality level Packed in single blister	<b>INGCO-JBT244D</b>
	Jig saw blade for metal	Basic for metal,HSS,wavy set,milled,length of tooth:50mm,tooth space:1.9-2.3mm,Medium-thick sheet metal (2.5-6 mm)5pcs/set Same as Irwin quality level	<b>INGCO-JBT118B</b>
	Jig saw blade set	2PCS JBT111C for wood 2PCS JBT118B for metal 1PCS JBT127D for Alu 5PCS/set Packed in single blister	<b>INGCO-AKJ0051</b>







The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Reciprocating saw blade for Wood	<b>Top for Wood</b> 150mmX19mmX1.25mm 6TPI - HCS - Milled 1/2" shank,2pcs/set Fast cutting for wood, composition materials and plastic(dia.<100mm) Packed by single blister	<b>INGCO-SSB644D</b>
	Reciprocating saw blade for Metal	<b>Flexible for Metal</b> 150mmX19mmX0.9mm 18TPI - Bi-Metal - Milled 1/2" shank,2pcs/set Cuts all metals including nonferrous pipe (<100mm) conduit, stainless and sheet metals(1.5-4mm) Packed by single blister	<b>INGCO-SSB922EF</b>
	Hole saw set	<b>7pcs hole saw set</b> Hole saw diameter:26, 32, 38, 45, 50, 56, 63mm Height:50mm(2") Packed by hanger card	<b>INGCO-AKHS702</b>
	7pcs Carbide Gritted Hole Saw Set	<b>Hole Saw</b> Size : 33mm, 53mm, 67mm, 73mm, 83mm Alloy steel blade 1pcs Aluminum locating plate 1pcs pilot drill Packed by plastic box	<b>INGCO-AKCH0071</b>
	Arbor for hole saw	<b>Arbor for hole saw</b> Hex shank 3/8" Fit hole saws 14mm to 30mm Same as Irwin quality Packed by double blister	<b>INGCO-HSA01</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Arbor for hole saw	Arbor for hole saw Hex shank 7/16" Fit hole saws 32mm to 210mm. Same as Irwin quality Packed by double blister	<b>INGCO-HSA02</b>
	Flap disc	Size : 115mm*22mm,P40 suitable for high steel, steel, cast iron and sheet steel , Packed by color box	<b>INGCO-FD1151</b>
	Flap disc	Size : 115mm*22mm,P60 suitable for high steel, steel, cast iron and sheet steel , Packed by color box	<b>INGCO-FD1152</b>
	Flap disc	Size : 115mm*22mm,P80 suitable for high steel, steel, cast iron and sheet steel,Packed by color box	<b>INGCO-FD1153</b>
	Sanding sheet for orbital sander	Belter size:115X280mm 4pcs P80,4pcs P120,2pcs P180,10pcs/set Suitable for INGCO FS3508	<b>INGCO-AKFS280101</b>
	Sanding sheet for random orbit sander	150mm,3pcs P80, 2pcs P120,5pcs/set Packed by color box Suitalbe for Ingco item RS4501.2	<b>INGCO-AKRS150051</b>
	Sanding belt	76X533mm,P80,2pcs/set Packed by color box Suitalbe for Ingco BS8102	<b>INGCO-BSP010801</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Abrasive sanding belt	100*610mm,P80,2pcs/set Packed by color box Suitable for Ingco PBS12001	<b>INGCO-BSP020801</b>
	250pcs Accessories of Mini Drill	76pcs Cutting disk 60pcs Sanding paper 1pcs Rubber grinding wheel 10pcs Grinding wheel with shank 4pcs Rubber polishing wheel 5pcs Felt wheels 1pcs Felt wheel point 1pcs Cloth wheel 39pcs Sanding band 6pcs Brush 7pcs Diamond bits 2pcs Engraving bit 4pcs mandrel bits 2pcs Sanding shank 6pcs Hss drill bits 4pcs Collets 1pcs Flap wheel 1pcs Wrench 1pcs Dressing stone 2pcs Polishing Compound 12pcs Grinding wheels 5pcs Cut off wheels fiberglass Packed by plastic box with label	<b>INGCO-AKMG2501</b>
	Mix paddle	<b>Diameter:120mm</b> <b>Total length:600mm</b> Tool fitting:M14x2 Using:miscellaneous mortars, plasters,concrete, heat-insulating plasters, epoxy resins with sand Mixing from top down	<b>INGCO-MP1120</b>
	Mix paddle	<b>Diameter:160mm</b> <b>Total length:600mm</b> Tool fitting:M14x2 Using:miscellaneous mortars, plasters,concrete, heat-insulating plasters, epoxy resins with sand Mixing from top down	<b>INGCO-MP1160</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	12pcs Router bits set(8mm)	Shank diameter: 8mm 3pcs Straight bit:6mm,12mm,16mm 1pcs 1/2" 90°V-groove bit 1pcs 1/2" Dovetail bit 1pcs 32mm 45°Chamfer bit 1pcs 1/2" flush trim bits 2pcs Corner round bit:1/4",3/8" 1pcs 1/4" Core box bit 1pcs 1/4" Core bit 1pcs R-4 Roman ogee bit Packed by wooden box	<b>INGCO-AKRT1211</b>
	12pcs Router bits set(12mm)	Shank diameter: 12mm 3pcs Straight bit:6mm,12mm,16mm 1pcs 1/2" 90°V-groove bit 1pcs 1/2" Dovetail bit 1pcs 32mm 45°Chamfer bit 1pcs 1/2" flush trim bits 2pcs Corner round bit:1/4",3/8" 1pcs 1/4" Core box bit 1pcs 1/4" Core bit 1pcs R-4 Roman ogee bit Packed by wooden box	<b>INGCO-AKRT1221</b>
	Machinist hammer	Weight:200g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HMH880200</b>
	Machinist hammer	Weight : 300g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HMH880300</b>
	Machinist hammer	Weight : 500g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HMH880500</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Machinist hammer	Weight : 1000g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HMH881000</b>
	Machinist hammer	Weight : 2000g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HMH882000</b>
	Stoning hammer	Weight : 1000g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HSTH8802</b>
	Stoning hammer	Weight : 2000g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HSTH8804</b>
	Claw hammer	Weight : 8oz/220g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HCH80808</b>
	Claw hammer	Weight : 16oz/450g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HCH80816</b>
	Ball pein hammer	Weight : 16oz/450g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HBPH88016</b>
	Ball pein hammer	Weight : 24oz/660g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle	<b>INGCO-HBPH88024</b>







The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>Safety protection steel ring</p>	Ball peen hammer	Weight : 16oz/450g hardwood handle Drop-forged hammerhead Heat treatment, 45# carbon steel Packed by lable	<b>INGCO-HBPH04016</b>
 <p>Safety protection steel ring</p>	Ball peen hammer	Weight : 24oz/660g hardwood handle Drop-forged hammerhead Heat treatment, 45# carbon steel Packed by lable	<b>INGCO-HBPH04024</b>
 <p>Safety protection steel ring</p>	Ball peen hammer	Weight : 48oz/1300g hardwood handle Drop-forged hammerhead Heat treatment, 45# carbon steel Packed by lable	<b>INGCO-HBPH04048</b>
 <p>Safety protection steel ring</p>	Claw hammer	Weight : 8oz/220g hardwood handle Drop-forged hammerhead Heat treatment, 45# carbon steel Packed by lable	<b>INGCO-HCH0408</b>
 <p>Safety protection steel ring</p>	Claw hammer	Weight : 16oz/450g hardwood handle Drop-forged hammerhead Heat treatment, 45# carbon steel Packed by lable	<b>INGCO-HCH0416</b>
	Rubber Mallet	Fiberglass handle <b>8oz/220g</b>	<b>INGCO-HRUH8208</b>
	Rubber Mallet	Fiberglass handle <b>16oz/450g</b>	<b>INGCO-HRUH8216</b>
	Rubber Mallet	<b>45% Natural rubber,Soft Type</b> Fiberglass handle,8oz/220g	<b>INGCO-HRUH8308</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.







IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Rubber Mallet	45% Natural rubber,Soft Type Fiberglass handle 16oz/450g	<b>INGCO-HRUH8316</b>
	Rubber and plastic hammer	Hammer diameter:40mm with Fiberglass handle	<b>INGCO-HRPH8140</b>
	Axe	Axe head weight : <b>600g</b> Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle,length: <b>360mm</b>	<b>INGCO-HAX0206008</b>
	Claw hammer	<b>INGCO Style Handle</b> All steel drop-forged claw hammer Heat treatment 16oz/450g Packed by Paper Card	<b>INGCO-HCH8816</b>
	Claw hammer	<b>INGCO Style Handle</b> All steel drop-forged claw hammer Heat treatment 20oz/560g Packed by Paper Card	<b>INGCO-HCH0820</b>
	Sledge hammer	<b>Weight:10LB</b> 45# carbon steel Drop-forged Heat treatment INGCO Style 900mm Fiberglass handle Packed by Label	<b>INGCO-HSM01498</b>
	Combination pliers	Size : <b>6"/160mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HCP28168</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.








IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Combination pliers	Size : <b>7"/180mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HCP28188</b>
	Combination pliers	Size : <b>8"/200mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HCP28208</b>
	Diagonal cutting pliers	Size : <b>6"/160mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HDCP28168</b>
	Diagonal cutting pliers	Size : <b>7"/180mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HDCP28188</b>
	Heavy-duty Diagonal cutting pliers	Size : <b>7"/180mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HHDCP28188</b>
	Long nose pliers	Size : <b>6"/160mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HLNP28168</b>










The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Bent nose pliers	Size : <b>6"/160mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HBNP28168</b>
	Wire stripping pliers	Size : <b>6"/160mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HWSP28160</b>
	3pcs pliers set	Size : 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HKPS28318</b>
	5Pcs mini pliers set	Size : 7"/180mm <b>Cr-V</b> ,black finish and polish Packed by PP hanger	<b>INGCO-HMPS01115</b>
	Pump pliers	Size : <b>10"/255mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HPP28250</b>
	Pump pliers	Size : <b>12"/300mm</b> <b>Cr-V</b> ,black finish and polish <b>TPR two color handle</b> Packed by PP hanger	<b>INGCO-HPP03300</b>








The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	High leverage combination pliers	Size : 7"/180mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	<b>INGCO-HHCP28180</b>
	High leverage combination pliers	Size : 8"/200mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	<b>INGCO-HHCP28200</b>
	High leverage combination pliers	Size : 9.5"/240mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	<b>INGCO-HHCP28240</b>
	High leverage diagonal cutting pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	<b>INGCO-HHLDCP28160</b>
	High leverage diagonal cutting pliers	Size : 7"/180mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	<b>INGCO-HHLDCP28180</b>
	High leverage heavy-duty diagonal cutting pliers	Size : 7"/180mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	<b>INGCO-HHHDCP28180</b>
	High leverage long nose pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	<b>INGCO-HHLNP28160</b>







The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	High leverage long nose pliers	Size : 8"/200mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	<b>INGCO-HHLNP28200</b>
	3pcs High leverage pliers set	Size : 8"/200mm high leverage combination pliers 7"/180mm high leverage diagonal cutting pliers 6"/160mm high leverage long nose pliers Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	<b>INGCO-HKHLPS2831</b>
	Rabbit pliers	Size : 10"/255mm Cr-V,black finish and polish With plastic handle Packed by PP hanger	<b>INGCO-HRP02250</b>
	Carpenter's pliers	Size : 8"/200mm Cr-V,black finish and polish With plastic handle Packed by PP hanger	<b>INGCO-HCPP02200</b>
	Insulated Combination pliers	Size:7"/180mm satin finish,insulated handle stand high pressure <b>10000V tested</b> Packed by PP hanger	<b>INGCO-HICP01180</b>
	Insulated Combination pliers	Size:8"/200mm satin finish,insulated handle stand high pressure 10000V tested Packed by PP hanger	<b>INGCO-HICP01200</b>
	Insulated Diagonal cutting plier	Size:6"/160mm satin finish,insulated handle stand high pressure <b>10000V tested</b> Packed by PP hanger	<b>INGCO-HIDCP01160</b>





The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Insulated Long nose plier	Size:8"/200mm satin finish,insulated handle stand high pressure <b>10000V tested</b> Packed by PP hanger	<b>INGCO-HILNP01200</b>
	Curved jaw lock plier	Cr-V Size:7" HRC52-HRC60 Nickel plated With plastic handle Packed by half double blister	<b>INGCO-HCJLW0107</b>
	Curved jaw lock plier	Cr-V Size:10" HRC52-HRC60 Nickel plated With plastic handle Packed by half double blister	<b>INGCO-HCJLW0110</b>
	Curved jaw lock plier	Carbon Steel Size:10" HRC38°-HRC48° Nickel plated With plastic handle Packed by half double blister	<b>INGCO-HCJLW0210</b>
	Seal Plier	Size:7" HRC42-HRC50 Nickel plated Packed by half double blister	<b>INGCO-HSP0107</b>
	Welding Plier	Size:10" weight:788g Max opening:70mm HRC42-HRC50 Nickel plated Packed by plastic hanger	<b>INGCO-HWP0110</b>
	Long nose locking plier	Cr-V Size:9" HRC52-HRC60 Weight:360g Drop forged tempered steel Heat treatment Nickel plated Packed by half double blister	<b>INGCO-HLNP0109</b>






The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	C-Clamp lock Plier	C-Clamp lock Plier <b>Size:11"</b> HRC40-HRC50 Weight:790g Drop forged tempered steel Heat treatment Nickel plated	<b>INGCO-HCCLW0111</b>
	Flat locking plier	<b>Size:10"</b> HRC40-HRC50 Weight:690g jaw width:95mm throat depth:50mm Drop forged tempered steel Heat treatment Nickle plated	<b>INGCO-HFLP0110</b>
	Wire Stripper	<b>Size:180mm/9"</b> Blade material:65Mn Zinc alloy pack by double blister	<b>INGCO-HWSP04</b>
	Wire Stripper	<b>Size:8.5"/215mm</b> with sharp edge for cutting wire With push down wire function With wire stripping function Can strip Seven kinds of Wire size Can cut five kinds of copper screw size Pack by double blister	<b>INGCO-HWSP851</b>
	Wire Stripper	<b>Size:10"/254mm</b> with sharp edge for cutting wire With push down wire function With wire stripping function Can strip Six kinds of Wire size Can cut five kinds of copper screw size Pack by double blister	<b>INGCO-HWSP101</b>
	Circlip Plier	Straight head circlip Plier <b>External circlip plier</b> <b>Size:7"/180mm</b> Diameter of the head : <b>1.8mm</b> Carbon steel Packed by PP plastic hanger	<b>INGCO-HCCP011801</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Circlip Plier	Bent head circlip Plier <b>External circlip plier</b> Size: <b>7"/180mm</b> Diameter of the head : <b>1.8mm</b> Carbon steel Packed by PP plastic hanger	<b>INGCO-HCCP011751</b>
	Circlip Plier	Straight head circlip Plier <b>Internal circlip plier</b> Size: <b>7"/180mm</b> Diameter of the head : <b>1.8mm</b> Carbon steel Packed by PP plastic hanger	<b>INGCO-HCCP011802</b>
	Circlip Plier	Bent head circlip Plier <b>Internal circlip plier</b> Size: <b>7"/180mm</b> Diameter of the head : <b>1.8mm</b> Carbon steel Packed by PP plastic hanger	<b>INGCO-HCCP011752</b>
	4Pcs Circlip Plier Set	4Pcs Circlip Plier Set 2pcs of 180°,2pcs of 90° Size: <b>7"/180mm</b> Carbon steel Packed by Double blister	<b>INGCO-HCCPS01180</b>
	Pocket knife	The straight head Size: <b>210mm</b> ,Special steel Thickness: <b>2.5mm</b> wooden handle Packed by sliding card	<b>INGCO-HPK02101</b>
	Pipe wrench	Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Size: <b>8"(200mm)</b> Max clamping diameter: <b>27mm</b>	<b>INGCO-HPW0808</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.








IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Pipe wrench	<p>Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet <b>Size:10" (250mm)</b> <b>Max clamping diameter:34mm</b></p>	<b>INGCO-HPW0810</b>
	Pipe wrench	<p>Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet <b>Size:12" (300mm)</b> <b>Max clamping diameter:42mm</b></p>	<b>INGCO-HPW0812</b>
	Pipe wrench	<p>Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet <b>Size:14" (350mm)</b> <b>Max clamping diameter:50mm</b></p>	<b>INGCO-HPW0814</b>
	Pipe wrench	<p>Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet <b>Size:18" (450mm)</b> <b>Max clamping diameter:60mm</b></p>	<b>INGCO-HPW0818</b>
	Pipe wrench	<p>Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet <b>Size:24"</b> <b>Max clamping diameter:76mm</b></p>	<b>INGCO-HPW0824</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.


IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>Stronger Stronger</p>	Pipe wrench	<p>Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet <b>Size:36"</b> <b>Max clamping diameter:85mm</b></p>	<b>INGCO-HPW0836</b>
 <p>Stronger Stronger</p>	Pipe wrench	<p>Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet <b>Size:48"</b> <b>Max clamping diameter:110mm</b></p>	<b>INGCO-HPW0848</b>
 <p>Cr-V</p>	Mini bolt cutter	<p>Size:8" Cr-V blade Black finish and polish TPR two color handle A lock at the end of handle Packed by sliding card</p>	<b>INGCO-HMBC0808</b>
 <p>Cr-V Comfortable rubber handle</p>	Bolt cutter	<p><b>Size:12"</b> Cr-V blade Black finish and polish TPR two color handle Packed by poly bag</p>	<b>INGCO-HBC0812</b>
 <p>Cr-V Comfortable rubber handle</p>	Bolt cutter	<p><b>Size:14"</b> Cr-V blade Black finish and polish TPR two color handle Packed by poly bag</p>	<b>INGCO-HBC0814</b>
 <p>Cr-V Comfortable rubber handle</p>	Bolt cutter	<p><b>Size:18"</b> Cr-V blade Black finish and polish TPR two color handle Packed by poly bag</p>	<b>INGCO-HBC0818</b>
 <p>Cr-V Comfortable rubber handle</p>	Bolt cutter	<p><b>Size:24"</b> Cr-V blade Black finish and polish TPR two color handle Packed by poly bag</p>	<b>INGCO-HBC0824</b>











The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>Cr-V Comfortable rubber handle</p>	Bolt cutter	<p>Size:30"</p> <p>Cr-V blade</p> <p>Black finish and polish</p> <p>TPR two color handle</p> <p>Packed by poly bag</p>	<b>INGCO-HBC0830</b>
 <p>Cr-V Comfortable rubber handle</p>	Bolt cutter	<p>Size:36"</p> <p>Cr-V blade</p> <p>Black finish and polish</p> <p>TPR two color handle</p> <p>Packed by poly bag</p>	<b>INGCO-HBC0836</b>
 <p>Cr-V Comfortable rubber handle</p>	Bolt cutter	<p>Size:42"</p> <p>Cr-V blade</p> <p>Black finish and polish</p> <p>TPR two color handle</p> <p>Packed by poly bag</p>	<b>INGCO-HBC0842</b>
 <p>Cr-V Comfortable rubber handle</p>	Bolt cutter	<p>Size:48"</p> <p>Cr-V blade</p> <p>Black finish and polish</p> <p>TPR two color handle</p> <p>Packed by poly bag</p>	<b>INGCO-HBC0848</b>
	Cable cutter	<p>Size:8"</p> <p>55# Carbon steel</p> <p>black finish and polish</p> <p>Packed by half double blister</p>	<b>INGCO-HCCB0208</b>
	Cable cutter	<p>Size:10"</p> <p>55# Carbon steel</p> <p>black finish and polish</p> <p>Packed by half double blister</p>	<b>INGCO-HCCB0210</b>
 <p>Cr-Mo Comfortable rubber handle</p>	Cable cutter	<p>Size:24"</p> <p><b>Blades Material : Cr-Mo</b></p> <p>Body heat treatment , cutting edges induction quenched</p> <p><b>Used for</b> cutting copper and aluminum cable</p> <p><b>Not for</b> cutting ACSR , wire rope, steel or self supporting strand</p>	<b>INGCO-HCCB20124</b>


The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	PVC Pipe cutter	<b>One time cutting</b> Length:210mm Cutting diameter:3-35mm Material : Aluminium packed by double blister	<b>INGCO-HPC0535</b>
	PVC Pipe cutter	Length:193mm <b>Cutting diameter:3-42mm</b> <b>Auto-open function</b> Packed by double blister	<b>INGCO-HPC0543</b>
	Pipe cutter	<b>Copper and aluminium pipe cutter</b> Cutting diameter:3-32mm With high Quality blade Aluminium knob Packed by sliding card	<b>INGCO-HPC0232</b>
	Pipe cutter	<b>Can cut copper pipe &amp; aluminium pipe &amp; steel pipe</b> Cutting diameter:10-42mm With high Quality blade Packed by color box	<b>INGCO-HPC0142</b>
	Pipe Flaring Tool Set	<b>Diameter of pipe</b> : 5mm/6mm/8mm/10mm/12mm/14mm/16mm Chrome plated steel backplane Forged steel frame Packed by sliding crad	<b>INGCO-HPFT71</b>
	Slotted screwdriver	Cr-V, <b>Round shank</b> Slotted : 6.5mm <b>Diameter : 6.0mm</b> <b>Length : 38mm</b> Packed by poly bag	<b>INGCO-HS282038</b>
	Slotted screwdriver	Cr-V, <b>Round shank</b> Slotted : 4.0mm <b>Diameter : 4.0mm</b> <b>Length : 100mm</b> Packed by poly bag	<b>INGCO-HS284100</b>









The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Slotted screwdriver	Cr-V, <b>Round shank</b> Slotted : 5.5mm <b>Diameter : 5.0mm</b> <b>Length : 75mm</b> Packed by poly bag	<b>INGCO-HS285075</b>
	Slotted screwdriver	Cr-V, <b>Round shank</b> Slotted : 5.5mm <b>Diameter : 5.0mm</b> <b>Length : 100mm</b> Packed by poly bag	<b>INGCO-HS285100</b>
	Slotted screwdriver	Cr-V, <b>Round shank</b> Slotted : 6.5mm <b>Diameter : 6.0mm</b> <b>Length : 125mm</b> Packed by poly bag	<b>INGCO-HS286125</b>
	Slotted screwdriver	Cr-V, <b>Round shank</b> Slotted : 6.5mm <b>Diameter : 6.0mm</b> <b>Length : 150mm</b> Packed by poly bag	<b>INGCO-HS286150</b>
	Slotted screwdriver	Cr-V, <b>Round shank</b> Slotted : 8.0mm <b>Diameter : 8.0mm</b> <b>Length : 150mm</b> Packed by poly bag	<b>INGCO-HS288150</b>
	Slotted screwdriver	Cr-V, <b>Round shank</b> Slotted : 8.0mm <b>Diameter : 8.0mm</b> <b>Length : 200mm</b> Packed by poly bag	<b>INGCO-HS288200</b>
	Phillips screwdriver	CR-V, <b>PH2, Round shank</b> <b>Diameter : 6.0mm</b> <b>length : 38mm</b> Packed by poly bag	<b>INGCOHS28PH2038</b>
	Phillips screwdriver	CR-V, <b>PH0, Round shank</b> <b>Diameter : 3.0mm</b> <b>length : 75mm</b> Packed by poly bag	<b>INGCOHS28PH0075</b>




The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Phillips screwdriver	CR-V,PH1, Round shank <b>Diameter : 5.0mm</b> <b>length : 75mm</b> Packed by poly bag	<b>INGCOHS28PH1075</b>
	Phillips screwdriver	CR-V,PH1, Round shank <b>Diameter : 5.0mm</b> <b>length : 100mm</b> Packed by poly bag	<b>INGCOHS28PH1100</b>
	Phillips screwdriver	CR-V,PH2,Round shank <b>diameter : 6.0mm</b> <b>length : 125mm</b> Packed by poly bag	<b>INGCOHS28PH2125</b>
	Phillips screwdriver	CR-V,PH2,Round shank <b>diameter : 6.0mm</b> <b>length : 150mm</b> Packed by poly bag	<b>INGCOHS28PH2150</b>
	Phillips screwdriver	CR-V,PH3, Round shank <b>Diameter : 8.0mm</b> <b>length : 150mm</b> Packed by poly bag	<b>INGCOHS28PH3150</b>
	Phillips screwdriver	CR-V,PH3, Round shank <b>Diameter : 8.0mm</b> <b>length : 200mm</b> Packed by poly bag	<b>INGCOHS28PH3200</b>
	Torx screwdriver	CR-V,T10, Round shank <b>diameter : 5.0mm</b> <b>length : 100mm</b> Packed by poly bag	<b>INGCOHS28T10100</b>




The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Pozidriv screwdriver	CR-V, <b>PZ1</b> , Round shank <b>diameter : 5.0mm</b> <b>length : 100mm</b> Packed by poly bag	<b>INGCOHS28PZ1100</b>
	Pozidriv screwdriver	CR-V, <b>PZ2</b> , Round shank <b>diameter : 6.0mm</b> length : 150mm Packed by poly bag	<b>INGCOHS28PZ2150</b>
	Slotted Go-Through Screwdriver	<b>S2 industrial steel</b> , Hex shank Slotted : 6.5mm Shank : 6.0mm Length : 100mm Packed by poly bag	<b>INGCOHGTS286100</b>
	Slotted Go-Through Screwdriver	<b>S2 industrial steel</b> , Hex shank Slotted : 6.5mm Shank : 6.0mm Length : 150mm Packed by poly bag	<b>INGCOHGTS286150</b>
	Slotted Go-Through Screwdriver	<b>S2 industrial steel</b> , Hex shank Slotted : 8.0mm Shank : 8.0mm Length : 150mm Packed by poly bag	<b>INGCOHGTS288150</b>
	Slotted Go-Through Screwdriver	<b>S2 industrial steel</b> , Hex shank Slotted : 8mm Shank : 8.0mm Length : 200mm Packed by poly bag	<b>INGCOHGTS288200</b>
	Phillips Go-Through Screwdriver	<b>S2 industrial steel</b> , Hex shank, <b>PH2</b> Shank : 6.0mm length : 100mm Packed by poly bag	<b>INGCOHGTS28PH2100</b>
	Phillips Go-Through Screwdriver	<b>S2 industrial steel</b> , Hex shank, <b>PH2</b> Shank : 6.0mm length : 150mm Packed by poly bag	<b>INGCOHGTS28PH2150</b>





The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>HEX SHANK</p>	Phillips Go-Through Screwdriver	S2 industrial steel , Hex shank,PH3 Shank : 8.0mm length : 150mm Packed by poly bag	<b>INGCOHGTSPH3150</b>
 <p>HEX SHANK</p>	Phillips Go-Through Screwdriver	S2 industrial steel , Hex shank,PH3 Shank : 8.0mm length : 200mm Packed by poly bag	<b>INGCOHGTSPH3200</b>
	2 pcs screwdriver set	Material : CR-V Round blade <b>1pcs SL6.5*6*125</b> <b>1pcs PH2*6*125</b> Packed in plastic hanger	<b>INGCO-HKSD0248</b>
 <p>HEX SHANK</p>	2Pcs Go-Through Screwdriver Set	2Pcs Go-Through Screwdriver Set S2 industrial steel Hex shank 1pcs SL6.5*6*125 1pcs PH2*6*125 Packed in plastic hanger	<b>INGCO-HSGT280208</b>
 <p><b>POPULAR</b></p>	6 pcs screwdriver set	6 pcs screwdriver set <b>INGCO new design handle</b> Material : CR-V Round blade <b>1pcs SL5.5*5*75</b> <b>1pcs SL5.5*5*100</b> <b>1pcs SL6.5*6*150</b> <b>1pcs PH1*5*75</b> <b>1pcs PH1*5*100</b> <b>1pcs PH2*6*150</b> Packed in hanger card	<b>INGCO-HKSD0628</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.



IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	8 Pcs screwdriver set	<p>8 pcs screwdriver set INGCO new design handle Material : CR-V Round blade 1pcs SL3.0*3*75 1pcs SL5.5*5*100 1pcs SL6.5*6*150 1pcs SL6.5*6*38 1pcs PH0*3*75 1pcs PH1*5*75 1pcs PH2*6*125 1pcs PH2*6*38 Packed in hanger card</p>	INGCO-HKSD0828
	18 Pcs screwdriver and precision screwdriver set	<p>18 Pcs screwdriver and precision screwdriver set INGCO new design handle Material : CR-V, Round blade 8 Pcs screwdriver : 1pcs SL5.5*5*75 1pcs SL6.5*6*100 1pcs SL8.0*8*150 1pcs SL6.5*6*38 1pcs PH1*5*75 1pcs PH2*6*100 1pcs PH3*8*150 1pcs PH2*6*38 10Pcs precision screwdriver SL1.5*50 SL2*50 SL2.5*50 SL3*50 PH000*50 PH00*50 PH0*50 T6*50 T8*50 T10*50 With 1pcs plastic frame Packed by double blister</p>	INGCO-HKSD1828
	9 pcs Interchangeable screwdriver set	<p>Interchangeable screwdriver set 3pcs SL3X65 SL5X65 SL6X65 3pcs PH0X65 PH1X65 PH2X65 1pcs 5X65 tack remover 1pcs 3X65 scratch awl Material : CR-V with 1pcs INGCO Style Interchangeable Handle Packed by plastic box+color box</p>	INGCO-AKISD0901

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.


IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	7PCS precision screwdriver set	7PCS precision screwdriver set <b>INGCO new design handle,New plastic box</b> Include : <b>SL2.0*50, SL2.5*50, SL3.0*50, PH00*50, PH0*50, T6*50, T8*50</b> Material:CR-V Ergonomic comfort-grip handle Packed in plastic box	<b>INGCO-HKSD0718</b>
	26 PCS Screwdriver bit set	26 PCS screwdriver bit set 1pcs INGCO Style Ratchet Holder 18pcs 65mm Screwdriver bit PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, SL3, SL4, SL5, SL6, SL7, T10, T15, T20, T25, T27, T30 6pcs Power sleeve 5mm, 6mm, 7mm, 8mm, 9mm, 10mm,Material : CR-V 1pcs pouch Color box for presentation Packed by punch+double blister+color box	<b>INGCO-HKSDB0268</b>
	28Pcs bits set	28PCS Bits Set Include: 20pcs 6.35x25MM CR-V screwdriver bit: SL3,SL4,SL5,SL6,PH0,PH1,PH2,PH3,PZ0,PZ1,PZ2,PZ3,T10,T15,T20,T30,H3,H4,H5,H6 1pcs 4-6mm(25mm)bits adaptor 6pcs 1/4" socket: 5,6,7,8,9,10 1pcs Ratchet handle Packed by plastic box	<b>INGCO-HKSDB0281</b>
	18PCS T-handle wrench screwdriver set	18PCS T-handle wrench screwdriver set Include : 9pcs 6.35x25MM CR-V screwdriver bit: SL4,SL5,SL6,PH1,PH2,PH3,PZ1,PZ2,PZ3 1PC 5X100MM bit holder with strong magnetic 1PC INGCO Style T-handle Ratchet wrench 1PC 4-6mm(25mm)bits adaptor 6PC 1/4" socket: 5,6,7,8,9,10 Packed by plastic box	<b>INGCO-HKSDB0188</b>




The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	<p>26 Pcs screwdriver bit set</p>	<p>26 PCS screwdriver bit set Include : 1pcs INGCO Style Ratchet Holder 18pcs 65mm Screwdriver bit PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, SL3 , SL4, SL5, SL6, SL7, T10, T15, T20, T25 , T27, T30 6pcs Power sleeve 5mm, 6mm, 7mm, 8mm, 9mm, 10mm,Material : CR-V 1pcs pouch Color box for presentation Packed by double blister</p>	<p><b>INGCO-HKTH10258</b></p>
	<p><b>12PCS 1/2"</b> <b>Socket set</b></p>	<p><b>12PCS 1/2" Socket set</b> Include : <b>10pcs socket:10,11,12,13,14,15,17,19,21,24mm</b> <b>1pcs 1/2" 72T quick release ratchet handle</b> <b>1pcs 5" extention bar</b> <b>50BV30 High quality CrV steel</b> <b>Micro finished and chromed plated</b> <b>Packed by plastic hanger</b></p>	<p><b>INGCO-HKTS12122</b></p>


The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	<p>59 Pcs Tool Chest Set</p>	<p>59 Pcs Tool Chest Set            12Pcs Combination spanner:8-10-11-12-13-14-15-16-17-18-19-22MM            8Pcs Screwdriver            :SL3X75MM,4x100MM,5x125MM,6x100MM,8x200MM;PH1X80MM,PH2X100MM,PH3X200MM            18Pcs 1/2" Hexagonal Socket: 8-10-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32MM            1Pcs 1/2" ratchet wrench,45T            2Pcs 1/2" Extension bar:125mm(5"),250mm(10")            2Pcs Spark plug socket 1/2"Dr.16MM&amp;21MM            1Pcs 1/2" Dr. Universal joint            1Pcs 1/2"Dr.Flex handle, 375MM            1Pcs 8"Combination pliers            1Pcs 6"Long nose pliers            1Pcs 7"Diagonal cutting pliers            1Pcs 10"Adjustable wrench            1Pcs 10"Curved jaw lock wrench            9Pcs Hex key 1.5-2-2.5-3-4-5-6-8-10MM            Packed in EVA + steel box + color box</p>	<p>INGCO-HTCS15591</p>



The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	<p>142 Pcs combination tools set</p>	<p>142 Pcs Combination Tools Set Include : 1/2"DR.Part : 19Pcs 1/2" Hexagonal Socket: 8-10-12-13-14-15-16-17-18-19-20-21-22-23-24-25-27-30-32MM 5Pcs 1/2" Star Socket:E10 12 14 16 20 1Pcs 1/2"Dr.Flex handle, 375MM 1Pcs 1/2" ratchet wrench,45T 2Pcs 1/2" Extension bar:75mm(3") 250mm(10") 1Pcs 1/2" Dr. Universal joint 1Pcs 1/2"(F)*3/8"(M) three way adaptor 2Pcs Spark plug socket 1/2"Dr.16MM&amp;21MM 1Pcs 1/2"*10" L handle 3/8"DR.Part : 15Pcs 3/8" 12pt.socket:6-7-8-9-10-11-12-13-14-15-17-18-19-21-22 1Pcs 3/8" ratchet wrench,45T 2Pcs 3/8" Extension bar:75mm(3") 150mm(6") 1Pcs 3/8" Dr. Universal joint 1/4"DR.Part: 26Pcs 1/4"*25MM Screwdriver bits: PH0-PH1-PH2-PH3-PZ0-PZ1-PZ2-PZ3-SL4-SL5.5-SL7 H2-H3-H4-H5-H6-H7-H8-H10, T10H-T15H-T20H-T25H-T27H-T30H-T40H 1Pcs Bit holder 9Pcs 1/4" Hexagonal Socket:4-4.5-5-5.5-6-7-8-9-10 5Pcs 1/4" Star Socket:E4 5 6 7 8 1Pcs 1/4" ratchet wrench,45T 3Pcs 1/4" Extension bar:50mm(2") 100mm(4") 150mm(6") 1Pcs 1/4" Dr. Universal joint</p>	<p><b>INGCO-HKTHP21421</b></p>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	<p>67 Pcs accessories set</p>	<p>67 Pcs accessories set            Include :            5pcs masonry drill bits:4mm,5mm,6mm,8mm,10mm            10pcs HSS twist drill bits:            2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5mm,5.5mm,6mm, 8mm            5pcs wood twist drill bits:4mm,5mm,6mm,8mm,10mm            40pcs 25mm length screwdriver bits:            PH0/1/2/2/3/4 H3/4/5/6 PZ0/1/2/2/3/4 HT3/4/5/6            T10/15/20/25/30/40 M6 SP8 TW3 TS8 SL3/4/5/6 S1/2/3 TT15/20/25            1pcs bits holder            3pcs wood flat drill bits:16mm,20mm,25mm            1pcs 12mm Countersink            1pcs drill bits diameter gauge            1pcs INGCO unique design magnetic shank            Packed by BMC</p>	<p><b>INGCO-HKTAC010671</b></p>






The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	<p>120 Pcs accessories set</p>	<p>120 Pcs accessories set                      Include :                      6pcs masonry drill bits:3mm,4mm,5mm,6mm,8mm,10mm                      19pcs HSS twist drill bits:                      1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5mm,5.5mm,6mm,6.5mm, 7mm, 7.5mm, 8mm,8.5mm,9mm,9.5mm,10mm                      6pcs wood twist drill bits:3mm,4mm,5mm,6mm,8mm,10mm                      52pcs 25mm length screwdriver bits:                      PH0/1/2/2/3/4;                      PZ0/1/2/2/3/4;SL3/4/5/6/3.5/4.5/5.5/6.5 ;                      TX10/15/20/25/30/40;S1/2/3;H3/4/5/6;TT10/15/20/25/30/40;HT3/4/5/6;M6;SP6/8;TW2/3;TS8/10;C2/3;                      1pcs bits holder                      3pcs wood flat drill bits:16mm,20mm,25mm                      5pcs 48mm length magnetic nuts:7mm,8mm,10mm,12mm,12mm,13mm                      1pcs 12mm Countersink                      1pcs mini spirit level                      1pcs snap-off blade knife with 5 blades                      4pcs Depth Gauge                      1pcs Hex Wrench for depth gauge                      1pcs drill bits diameter gauge                      4pcs carbon steel hole saws                      1pcs hole saw arbor                      10pcs 1/4" sockets:4mm,5mm,6mm,7mm,8mm,9mm,10mm,11mm,12mm,13mm                      1pcs 4-6 adaptor                      1pcs ratchet handle                      1pcs 8 Oz claw hammer</p>	<p><b>INGCO-HKTAC011201</b></p>
	<p>Test pencil</p>	<p>Test Voltage:AC 100-500V                      Slotted size: 4x190mm                      Packed by plastic hanger                      Inner box is color box</p>	<p><b>INGCO-HSDT1908</b></p>







The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	PVC Insulating tape	Pure PVC(box of 10) Real Length:10yards(9.15m) Color:Black Width:18mm Thickness:0.19mm Packed by label	<b>INGCO-HPET1101</b>
	Digital test pencil	Test Voltage:AC 12-250V/DC 1.5-36V Slotted size: 4x133mm <b>Induction test to find phase line,ground line and breakpoint of phase line</b> <b>No built in battery</b> Packed by plastic hanger Inner box is color box	<b>INGCO-HSDT1909</b>
	Insulated Screwdriver	CR-V, <b>SL3.0×75</b> <b>INGCO new design handle</b> Round shank 1000V,VDE Certification Packed by plastic hanger	<b>INGCOHISD813075</b>
	Insulated Screwdriver	CR-V, <b>SL4.0×100</b> <b>INGCO new design handle</b> Round shank 1000V,VDE Certification Packed by plastic hanger	<b>INGCOHISD814100</b>
	Insulated Screwdriver	CR-V, <b>SL5.5×125</b> <b>INGCO new design handle</b> Round shank 1000V,VDE Certification Packed by plastic hanger	<b>INGCOHISD815125</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.







IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Insulated Screwdriver	CR-V, <b>SL6.5×150</b> <b>INGCO new design handle</b> Round shank 1000V,VDE Certification Packed by plastic hanger	<b>INGCOHISD816150</b>
	Insulated Screwdriver	CR-V, <b>PH0×60</b> <b>INGCO new design handle</b> Round shank 1000V,VDE Certification Packed by plastic hanger	<b>INGCOHISD81PH060</b>
	Insulated Screwdriver	CR-V, <b>PH1×80</b> <b>INGCO new design handle</b> Round shank 1000V,VDE Certification Packed by plastic hanger	<b>INGCOHISD81PH180</b>
	Insulated Screwdriver	CR-V, <b>PH2×100</b> <b>INGCO new design handle</b> Round shank 1000V,VDE Certification Packed by plastic hanger	<b>INGCOHISD81PH2100</b>
	Insulated Screwdriver	CR-V, <b>PZ2×100</b> <b>INGCO new design handle</b> Round shank 1000V,VDE Certification Packed by plastic hanger	<b>INGCOHISD81PZ2100</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.










IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>Aluminum frame</p>	6 PCS Insulated Screwdriver Set	<p>SL3.0×75 SL4.0×100 SL6.5×150 PH0×60 PH1×80 PH2×100</p> <p>INGCO new design handle Use Aluminum frame with 4pcs Screw and 4pcs Screw Plug Round shank 1000V,VDE Certification Packed by double blister</p>	<b>INGCO-HKISD0608</b>
	G Clamps	<p>Size:4"</p> <p>Body malleable cast iron T-shaped thread Packed by poly bag</p>	<b>INGCO-HGC0104</b>
	G Clamps	<p>Size:5"</p> <p>Body malleable cast iron T-shaped thread Packed by poly bag</p>	<b>INGCO-HGC0105</b>
	G Clamps	<p>Size:6"</p> <p>Body malleable cast iron T-shaped thread Packed by poly bag</p>	<b>INGCO-HGC0106</b>
	F clamp with plastic handle	<p>Clamp size:50x150mm Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Max clamp force: 170KGS Packed by poly bag</p>	<b>INGCO-HFC020501</b>
	F clamp with plastic handle	<p>Clamp size:120x300mm Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Max clamp force: 450KGS Packed by poly bag</p>	<b>INGCO-HFC021201</b>






The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	F clamp with plastic handle	Clamp size:120x400mm Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Max clamp force: 450KGS Packed by poly bag	<b>INGCO-HFC021204</b>
	F clamp with plastic handle	Clamp size:120x500mm Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Max clamp force: 450KGS Packed by poly bag	<b>INGCO-HFC021202</b>
	F clamp with plastic handle	Clamp size:120x800mm Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Max clamp force: 450KGS Packed by poly bag	<b>INGCO-HFC021203</b>
	F clamp with plastic handle	Clamp size:140x1000mm Thickness and width of iron ruler:10X35mm Diameter of screw thread:17.8mm Max clamp force: 550KGS Packed by poly bag	<b>INGCO-HFC021404</b>
	F clamp with plastic handle	Clamp size:140x1200mm Thickness and width of iron ruler:10X35mm Diameter of screw thread:17.8mm Max clamp force: 550KGS Packed by poly bag	<b>INGCO-HFC021401</b>
	Two Jaws Puller	Same as BETA quality Size:3", 2Jaws,Maxforce:2000KG material : Cr-v,heat treated surface treatment : chrome-plated range of application: A=80MM,L1=40MM,L2=44MM Packed by carton box	<b>INGCO-HGP08023</b>





The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Bench Vice	Swivel base, Size : 4" With anvil Weight:6kg clamping force(KGS) 600 Packed by color box	<b>INGCO-HBV024</b>
	Bench Vice	Swivel base, Size : 6" With anvil Weight:10kg clamping force(KGS)1000 Packed by color box	<b>INGCO-HBV026</b>
	Wood Chisel	Wood Chisel, CRV <b>Width:6mm</b> Packed by double blister	<b>INGCO-HWC0806</b>
	Wood Chisel	Wood Chisel, CRV <b>Width:9mm</b> Packed by double blister	<b>INGCO-HWC0809</b>
	Wood Chisel	Wood Chisel, CRV <b>Width:12mm</b> Packed by double blister	<b>INGCO-HWC0812</b>
	Wood Chisel	Wood Chisel, CRV <b>Width:14mm</b> Packed by double blister	<b>INGCO-HWC0814</b>
	Wood Chisel	Wood Chisel, CRV <b>Width:16mm</b> Packed by double blister	<b>INGCO-HWC0816</b>
	Wood Chisel	Wood Chisel, CRV <b>Width:19mm</b> Packed by double blister	<b>INGCO-HWC0819</b>
	Wood Chisel	Wood Chisel, CRV <b>Width:22mm</b> Packed by double blister	<b>INGCO-HWC0822</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Wood Chisel	Wood Chisel, CRV <b>Width:25mm</b> Packed by double blister	<b>INGCO-HWC0825</b>
	4 pcs Wood Chisel Set	Wood Chisel Material : CR-V <b>Width:6mm, 12mm, 19mm, 25mm</b> Length : 140mm Packed by Single blister	<b>INGCO-HKTWC0401</b>
	Cold chisel	<del>Packed by plastic hanger</del> <b>Head size:22mm</b> Handle size:16mm Length:250mm Material : 45# Carbon steel Drop forged and heat treatment	<b>INGCOHCCL082210</b>
	Cold chisel	<del>Packed by plastic hanger</del> <b>Head size:24mm</b> Handle size:18mm Length:300mm Material : 45# Carbon steel Drop forged and heat treatment	<b>INGCOHCCL082412</b>
	Masonry Chisel	<del>Packed by plastic hanger</del> <b>Head size:44mm</b> Handle size:19mm Length:215mm OEM for STANLEY.Same as STANLEY quality level. Packed by plastic hanger	<b>INGCOHCCL844410</b>
	Brick Chisel	<del>Packed by plastic hanger</del> <b>Head size:76mm</b> Handle size:19mm Length:215mm OEM for STANLEY.Same as STANLEY quality level. Packed by plastic hanger	<b>INGCOHCCL837610</b>








The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	3 Pcs Cold Chisel Set	Size : <b>10*8*142mm</b> <b>13*10*152mm</b> <b>16*13*172mm</b> Material : CR-V Drop forged and heat treatment Packed by plastic box	<b>INGCO-HKCCS0301</b>
	Pin Punch set	6pcs Pin Punch SIZE: 1/16"(1.5mm)*1/4"(6mm)*6"(152mm) 1/8"(3mm)*5/16"(8mm)*6"(152mm) 5/32"(4mm)*5/16"(8mm)*6"(152mm) 3/16"(5mm)*5/16"(8mm)*6"(152mm) 1/4"(6mm)*3/8"(10mm)*6"(152mm) 5/16"(8mm)*3/8"(10mm)*6"(152mm) Packed in plastic box Same as STANLEY quality	<b>INGCO-HKPP0601</b>
	Cold chisel and punch set	12pcs Cold chisel and punch set SIZE : 2pcs center punch: 1/14"(6mm)x3/8"(10mm)x4"(102mm) 5/16"(8mm)x7/16"(11mm)x4-1/2"(115) 1pcs solid punch 3/32"(2.0mm)x3/8"(10mm)x5-1/2"(140mm) 6PCS PIN PUNCH 1/16"(1.5mm)x1/4"(6mm)x6"(152mm) 1/8"(3mm)x5/16"(8mm)x6"(152mm) 5/32"(4mm)x5/16"(8mm)x6"(152mm) 3/16"(5mm)x5/16"(8mm)x6"(152mm) 1/4"(6mm)x3/8"(10mm)x6"(152mm) 5/16"(8mm)x3/8"(10mm)x6"(152mm)	<b>INGCO-HKPP1201</b>
	Hand riveter	<b>L:260mm,10"</b> Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card	<b>INGCO-HR101</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Folding hand riveter	Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6mm,6.4mm Packed by color box	<b>INGCO-HFOR321</b>
	Hand riveter	Size:420mm,17" Applicable rivet size:3.2mm,4mm,4.8mm Material : Steel+Aluminium With INGCO Style Rubber hand Packed by color box	<b>INGCO-HR171</b>
	Leather Hole Punch	Auto-release feature ergonomic handle Punch hole sizes : <b>2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm</b> Packed by double blister	<b>INGCO-HLHP01</b>
	Staple gun	Iron staple gun Adjustable driving force size : <b>4-14mm</b> Packed by double blister	<b>INGCO-HSG1403</b>
	Iron staple gun	Nails size : 4-14mm Nails outer diameter:11.3mm Nails width:1.12mm Weight : 800g With 1000PCS nails Packed by double blister	<b>INGCO-HSG1404</b>
	Hacksaw frame 65Mn blade	Size:300mm/12" handle hack saw frame, adjustable With Soft grip Including 1pcs 65Mn saw blade Packed by poly bag	<b>INGCO-HHF3028</b>
	Hacksaw frame 65Mn blade	300mm handle hack saw frame, adjustable. Soft grip ,including 1pcs saw blade Packed by poly bag	<b>INGCO-HHF3008</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>65Mn blade</p>	Hacksaw frame	INGCO Style INDUSTRIAL Hacksaw frame Size:300mm/12" Heavy duty steel frame Aluminum + ABS + TPR handle,Strong and Comfortable Adjustable tension Quick-release blade changing mechanism Including 1pcs 65Mn saw blade Packed by paper card	<b>INGCO-HHF3088</b>
	Hand saw	Length : <b>400mm</b> , Thickness : 0.9mm, 7TPI With teeth protector Heat treatment Packed by hanger card	<b>INGCO-HHAS08400</b>
	Hand saw	Length : <b>500mm</b> , Thickness : 0.9mm, 7TPI With teeth protector Heat treatment Packed by hanger card	<b>INGCO-HHAS08500</b>
	Hand saw	Length : <b>550mm</b> , Thickness : 0.9mm, 7TPI With teeth protector Heat treatment Packed by hanger card	<b>INGCO-HHAS08550</b>
	Hand saw	Size:16"/400mm Material:Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Two color soft handle	<b>INGCO-HHAS28400</b>
	Hand saw	Size:20"/500mm Material:Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Two color soft handle Fast cut and long life	<b>INGCO-HHAS28500</b>
	Hand saw	Size:22"/550mm Material:Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Two color soft handle	<b>INGCO-HHAS28550</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.







IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Back Saw	INGCO Style new design handle Length : 300mm (12") Thickness : 0.8mm, 11TPI With teeth protector Heat treatment Packed by hanger card	<b>INGCO-HMBSB3008</b>
	Mitre box and back saw set	Plastic mitre box with back saw set <b>1pcs plastic mitre box</b> Size: <b>300×140×80</b> thickness: <b>20mm</b> <b>1pcs back saw</b> Size: <b>300mm/12"</b> , 11TPI <b>INGCO Style new design handle</b> Packed by shrink film	<b>INGCO-HMBS3008</b>
	Compass saw	Same as STANLEY quality level Size: <b>12"/300mm</b> Material : SK5 7TPI,heat treatment teeth Precision ground teeth 2 edges Fast cut and long life Packed by Color sleeve	<b>INGCO-HCS3008</b>
	Snap-off blade knife	<b>Blade Size:18mmx100mm</b> <b>With 1 pcs SK5 blade Length:158mm</b> With flat push button Packed by pp plastic hanger	<b>INGCO-HKNS1803</b>
	Snap-off blade knife	<b>Blade Size:18mmx100mm</b> <b>With 1 pcs SK5 blade Length:158mm</b> With round push button Packed by pp plastic hanger	<b>INGCO-HKNS1804</b>
	Utility knife	<b>Blade size:61x19mm</b> SK5 blade with 6 blades pack by double blister	<b>INGCO-HUK611</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Utility knife	With 1 pcs SK5 blade, Auto-Lock Zinc alloy body,Zinc alloy switch,65MN Tool carrier,1pcs Fixed blade magnet Blade:61mm(L)x19mm(W)x0.6(T) Weight:110g Packed by double blister	<b>INGCO-HUK615</b>
	Folding knife	Folding knife Aluminium alloy handle Blade size:61x19mm SK5 blade With 5 PCS blades Packed by double blister	<b>INGCO-HUK613</b>
	Utility knife	Blade size:61x19mm SK5 blade with 6 blades Zinc alloy shell Net weight:256g Packed by double blister	<b>INGCO-HUK618</b>
	Snap-off blade knife	Blade:100mm(L)x18mm(W) With 6 pcs SK5 blades Aluminum alloy shell With blade locking bolt With flat push button Net weight:220g Packed by double blister	<b>INGCO-HKNS1808</b>
	Snap-off blade knife	With 1 pcs blade,Auto-Lock Blade:9mm(L)x80mm(W) Stainless steel body Length:129mm With flat push button Packed by color box	<b>INGCO-HKNS1806</b>
	Snap-off blade knife	With 1 pcs blade,Auto-Lock Blade:18mm(L)x100mm(W) Aluminium body Length:158mm SK5 blade With flat push button Packed by elastic hanger	<b>INGCO-HKNS1807</b>












The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Multi-function Knife	Multi-function Knife With 15 Function 1.Large knife 2.Can opener 3.Phillips screwdriver 4.Leaner punch 5.Bottle Opener 6.Scissors 7.Needle 8.Slotted Screwdriver 9.Fish scaler 10.Hook remover 11.Saw 12.corkscrew 13.Nail cleaner 14.Nail file 15.Key ring Strong Aluminium Handle Product size:9.5cm Packed by display color box	<b>INGCO-HMFK8158</b>
	10pcs blades set	10pcs blade Size:18x100mm pack by plastic box	<b>INGCO-HKNSB181</b>
	10pcs utility knife blades set	10pcs blade size:61x19mm SK5 blade,suitable for INGCO item HUK611 pack by plastic box	<b>INGCO-HUKB611</b>
	Glass cutter	Wooden handle Glass cutter <b>with 6pcs wheels blade</b> <b>Total cutting length : 3000x6=18000m</b> length:130mm packed by Sliding card	<b>INGCO-HGCT02</b>
	Heavy duty glass cutter	<b>Heavy duty glass cutter</b> <b>Iron body</b> <b>Auto oil feed cutter</b> With 1pcs oil suction pipe Total cutting length 5000m/1pcs wheel blade length:178mm packed by Sliding card	<b>INGCO-HGCT03</b>
	Metal scraper	<b>Material:ABS Handle,Die hard spray paint,Aluminum alloy knife plate,</b> 18*100mm SK5 knife Blade Length:300mm Weight:260G Packed by half double blister	<b>INGCO-HGS3008</b>







The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>5PCS Extra SK5 Blades</p>	Metal scraper	<p><b>Material:ABS&amp;TPR Handle,Zinc alloy knife plate</b>            Blade size:18*100mm            6pcs SK5 knife Blade            Length:300mm            Weight:260G            half double blister Packing</p>	<b>INGCO-HGS3008</b>
 <p>Stainless steel 0.5mm Carbon steel 1.2mm</p>	Aviation snip	<p>INGCO Style two tone soft handle            Aviation snip (<b>Left</b>)  <b>Length:250mm (10")</b>            Packed by half double blister</p>	<b>INGCO-HTSN0110L</b>
 <p>Stainless steel 0.5mm Carbon steel 1.2mm</p>	Aviation snip	<p>INGCO Style two tone soft handle            Aviation snip(<b>Straight</b>)  <b>Length:250mm (10")</b>            Packed by half double blister</p>	<b>INGCO-HTSN0110S</b>
 <p>Stainless steel 0.5mm Carbon steel 1.2mm</p>	Aviation snip	<p>INGCO Style two tone soft handle            Aviation snip(<b>Right</b>)  <b>Length:250mm (10")</b>            Packed by half double blister</p>	<b>INGCO-HTSN0110R</b>
	Wire brush	<p>Wood handle,            length:<b>250mm,4line</b></p>	<b>INGCO-HWB024250</b>
	Wire brusher	<p>Plastic handle            Coated Copper  <b>Length:250mm</b>            Packed by double blister</p>	<b>INGCO-HWB02250</b>
	Flat steel file/8"	<p>Length:200mm, T12 Steel            Packed by poly bag</p>	<b>INGCO-HSFF088</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Half round steel file/8"	Length:200mm, T12 Steel Packed by poly bag	<b>INGCO-HSHF088</b>
	Round steel file/8"	Length:200mm, T12 Steel Packed by poly bag	<b>INGCO-HSRF088</b>
	Triangle steel file/8"	Length:200mm, T12 Steel Packed by poly bag	<b>INGCO-HSTF088</b>
	Square steel file/8"	Length:200mm, T12 Steel Packed by poly bag	<b>INGCO-HSSF088</b>
	Flat wood file/8"	Length:200mm Packed by poly bag	<b>INGCO-HWFF088</b>
	Half round wood file/8"	Length:200mm Packed by poly bag	<b>INGCO-HWHF088</b>
	Round wood file/8"	Length:200mm Packed by poly bag	<b>INGCO-HWRF088</b>
	3pcs steel file set/8"	<b>Size:8"/200mm</b> T12 Steel Flat steel file 1pcs Round steel file 1pcs Half round steel file 1pcs Packed by double blister	<b>INGCO-HKTFS1308</b>
	3pcs wood file set/8"	<b>Length:8"/200mm, T12 Steel</b> Flat wood file 1pcs Half round wood file 1pcs Round wood file 1pcs Packed by double blister	<b>INGCO-HKTFW0308</b>






The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	6pcs file set	6pcs File set Length : <b>140mm</b> Diameter : <b>3mm</b> Flat,Round,Half round,Square,Triangle,Knife With two color handle Packed by double blister	<b>INGCO-HKTF63</b>
	Planer	<b>Length:235mm</b> Steel Q195 Planing width&depth:44x2mm Packed by hanger card	<b>INGCO-HPL01300</b>
	Planer blade	<b>Length:81x44</b> <b>Matched with HPL01300</b> Packed by bulk	<b>INGCO-HPLB301</b>
	Caulking gun	<b>9" Half Barrel</b> caulking gun Iron with teeth Thickness : 0.8mm Length:235mm Diameter:51mm Packed by poly bag	<b>INGCO-HCG0309</b>
 <p>Double push plate</p>	Caulking gun	<b>9" caulking gun</b> Aluminum handle Double push plate With needle Thickness : 2.2mm Total length:338mm Diameter:55mm Packed by hanger card	<b>INGCO-HCG1409</b>
	Aluminium caulking gun	<b>12" aluminum</b> caulking gun Aluminium Length:308mm Diameter:51mm with 1pcs plastic adaptor Packed by poly bag	<b>INGCO-HCG0112</b>







The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Aluminium caulking gun	15" aluminum caulking gun Aluminium Length:378mm Diameter:51mm with 1pcs plastic adaptor Packed by poly bag	<b>INGCO-HCG0115</b>
 <b>Key components made in Taiwan Top quality in the world</b>	Grease Gun	Heavy-Duty Grease Gun Taiwan Quality Capacity : 400CC / 14Oz Loading way : 14Oz Cartridge / 400CC Bulk Working Pressure : 4500psi Burst Pressure : 10000psi Material : 1.2mm Steel tube + Aluminum-Cast Standard Accessory : 1pcs 12" High Pressure Flexible Nylon Hose 1pcs Metallic Bend Spout Packed by color box	<b>INGCO-GRG015001</b>
	Chalk line reel	Chalk line reel Length: 30m With 1 bottle chalk With 1 pcs spirit bubble Packed by double blister	<b>INGCO-HCLR0130</b>
	Combination spanner set	<b>8pcs combination spanner set</b> Size:6-19mm 6mm,8mm,10mm,12mm,14mm,15mm,17mm,19mm Fine polished Packed by INGCO Style Plastic Hanger	<b>INGCO-HKSPA1088</b>
	Double open end spanner set	8pcs double open end spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm Fine polished Packed by plastic hanger	<b>INGCO-HKSPA2088</b>










The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Offset ring spanner set	8pcs offset ring spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm Fine polished Packed by plastic hanger	<b>INGCO-HKSPA3088</b>
	Ratchet spanner set	8pcs Ratchet Spanner Set High quality Cr-Mo Ratchet Size:8-19mm 8mm,10mm,12mm,13mm,14mm,15mm,17mm,19mm Fine polished ,CR-V Packed by plastic hanger	<b>INGCO-HKSPAR1082</b>
	Combination spanner set	<b>12pcs combination spanner set</b> Size:6-24mm 6mm,8mm,10mm,11mm, 12mm,13mm,14mm,15mm,17mm,19mm,22mm,24mm Fine polished Packed by pouch	<b>INGCO-HKSPA1142</b>
	Combination spanner	Size:6mm Length:101mm Material:Cr-V Chrome plated,matt finish Packed by paper card	<b>INGCO-HCSPA061</b>
	Combination spanner	Size:7mm Length:111mm Material:Cr-V Chrome plated,matt finish Packed by paper card	<b>INGCO-HCSPA071</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.










IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Combination spanner	<p>Size:8mm Length:121mm Material:Cr-V Chrome plated,matt finish</p> <p>Packed by paper card</p>	<b>INGCO-HCSPA081</b>
	Combination spanner	<p>Size:9mm Length:131mm Material:Cr-V Chrome plated,matt finish</p> <p>Packed by paper card</p>	<b>INGCO-HCSPA091</b>
	Combination spanner	<p>Size:10mm Length:141mm Material:Cr-V Chrome plated,matt finish</p> <p>Packed by paper card</p>	<b>INGCO-HCSPA101</b>
	Combination spanner	<p>Size:11mm Length:152mm Material:Cr-V Chrome plated,matt finish</p> <p>Packed by paper card</p>	<b>INGCO-HCSPA111</b>
	Combination spanner	<p>Size:12mm Length:161mm Material:Cr-V Chrome plated,matt finish</p> <p>Packed by paper card</p>	<b>INGCO-HCSPA121</b>
	Combination spanner	<p>Size:13mm Length:172mm Material:Cr-V Chrome plated,matt finish</p> <p>Packed by label</p>	<b>INGCO-HCSPA131</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.







IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Combination spanner	Size:14mm Length:183mm Material:Cr-V Chrome plated,matt finish	INGCO-HCSPA141
	Combination spanner	Size:15mm Length:191mm Material:Cr-V Chrome plated,matt finish	INGCO-HCSPA151
	Combination spanner	Size:16mm Length:201mm Material:Cr-V Chrome plated,matt finish	INGCO-HCSPA161
	Combination spanner	Size:17mm Length:211mm Material:Cr-V Chrome plated,matt finish	INGCO-HCSPA171
	Combination spanner	Size:18mm Length:221mm Material:Cr-V Chrome plated,matt finish	INGCO-HCSPA181
	Combination spanner	Size:19mm Length:231mm Material:Cr-V Chrome plated,matt finish	INGCO-HCSPA191
	Combination spanner	Size:20mm Length:242mm Material:Cr-V Chrome plated,matt finish	INGCO-HCSPA201
	Combination spanner	Size:21mm Length:253mm Material:Cr-V Chrome plated,matt finish	INGCO-HCSPA211
	Combination spanner	Size:22mm Length:262mm Material:Cr-V Chrome plated,matt finish	INGCO-HCSPA221



The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Combination spanner	Size:24mm Length:287mm Material:Cr-V Chrome plated,matt finish	<b>INGCO-HCSPA241</b>
	Combination spanner	Size:27mm Length:331mm Material:Cr-V Chrome plated,matt finish	<b>INGCO-HCSPA271</b>
	Combination spanner	Size:30mm Length:384mm Material:Cr-V Chrome plated,matt finish	<b>INGCO-HCSPA301</b>
	Combination spanner	Size:32mm Length:405mm Material:Cr-V Chrome plated,matt finish	<b>INGCO-HCSPA321</b>
	Combination spanner	Size:36mm Length:460mm Material:Cr-V Chrome plated,matt finish	<b>INGCO-HCSPA361</b>
	Adjustable wrench	Length:150mm(6") Adjustable clamp size:0-19.2mm Packed by poly bag	<b>INGCOHADW131062</b>
	Adjustable wrench	Length:200mm(8") Adjustable clamp size:0-24mm Packed by poly bag	<b>INGCOHADW131082</b>
	Adjustable wrench	Length:250mm(10") Adjustable clamp size:0-30mm Packed by poly bag	<b>INGCOHADW131102</b>
	Adjustable wrench	Length:300mm(12") Adjustable clamp size:0-35mm Packed by poly bag	<b>INGCOHADW131122</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Adjustable wrench	<p>Length:150mm(6"),CrV</p> <p>Adjustable clamp size:0-24mm</p> <p>INGCO style two tone soft handle</p> <p>Packed by plastic hanger</p>	<b>INGCO-HADW131068</b>
	Adjustable wrench	<p>Length:200mm(8"),CrV</p> <p>Adjustable clamp size:0-30mm</p> <p>INGCO style two tone soft handle</p> <p>Packed by plastic hanger</p>	<b>INGCO-HADW131088</b>
	Adjustable wrench	<p>Length:250mm(10"),CrV</p> <p>Adjustable clamp size:0-35mm</p> <p>INGCO style two tone soft handle</p> <p>Packed by plastic hanger</p>	<b>INGCOHADW131108</b>
	Adjustable wrench	<p>Length:300mm(12"),CrV</p> <p>Adjustable clamp size:0-41mm</p> <p>INGCO style two tone soft handle</p> <p>Packed by plastic hanger</p>	<b>INGCO-HADW131128</b>
	Bent wrench	<p>1 PCS double open end wrench, 9-14mm,15-22mm</p> <p>1 PCS single open end wrench, 23-32mm</p> <p>Chrome plated</p> <p>Two color handle</p> <p>Packed by sliding card</p>	<b>INGCO-HBWS110808</b>
	1/2" Hexagonal Socket	<p>1/2" Dr.6pt.socket,8MM</p> <p>Material:50BV30,Heat treatment,black nickel plated</p> <p>Packed by plastic hanger</p>	<b>INGCOHHAST12081</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,9MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12091</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,10MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12101</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,11MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12111</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,12MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12121</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,13MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12131</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,14MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12141</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,15MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12151</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,16MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12161</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,17MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12171</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,18MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12181</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,19MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12191</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,20MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12201</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,21MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12211</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,22MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12221</b>








The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,23MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12231</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,24MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12241</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,25MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12251</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,26MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12261</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,27MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12271</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,28MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12281</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,29MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12291</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,30MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12301</b>
	1/2" Hexagonal Socket	<b>1/2" Dr.6pt.socket,32MM</b> Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	<b>INGCOHHAST12321</b>
	1/2" Universal Joint	1/2" Universal Joint Material:50BV30,Heat treatment,chromed plated Packed by plastic hanger	<b>INGCO-HHUJ1121</b>
	1/2" Extension bar	1/2"Extension bar,5"(127mm) Material:40Cr,Heat treatment,chromed plated Packed by plastic hanger	<b>INGCO-HEB12051</b>
	1/2" Extension bar	1/2"Extension bar,10"(254mm) Material:40Cr,Heat treatment,chromed plated Packed by plastic hanger	<b>INGCO-HEB12101</b>
	Hex key	9pcs hex key set Material : Cr-V, Heat treatment and chrome plate <b>Size : 1.5-10mm</b> Packed by double blister	<b>INGCO-HHK11091</b>
	Hex key	9pcs hex key set Material : Cr-V, Heat treatment and chrome plate <b>Size : 1.5-10mm</b> <b>Extra-long</b> Packed by double blister	<b>INGCO-HHK11092</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.




IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Ball point hex key	9pcs ball point hex key set Material : Cr-V, Heat treatment and chrome plate <b>Size : 1.5-10mm</b> Packed by double blister	<b>INGCO-HHK12091</b>
	Ball point hex key	9pcs ball point hex key set Material : Cr-V, Heat treatment and chrome plate <b>Size : 1.5-10mm</b> <b>Extra-long</b> Packed by double blister	<b>INGCO-HHK12092</b>
	18 Pcs hex key and torx key set	18 Pcs Hex Key And Torx Key Set Include: 9 Pcs Hex Key Size:1.5-10mm 9 Pcs Torx Key Size:T10-T50 Extra-long arm Material:Cr-V Heat treatment and chrome plate Packed by double blister	<b>INGCO-HHKSET0181</b>
	Hex key	8pcs hex key( Pocket) Material : Cr-V, Heat treatment and chrome plate <b>Size : 2-8mm</b> Packed by plastic hanger	<b>INGCO-HHK14081</b>
	1/4\"-ratchet wrench	<b>Size:1/4\" 45T</b> Length:158mm Material : CR-V+Cr-Mo Packed by plastic hanger	<b>INGCO-HRTH0814</b>
	3/8\"-ratchet wrench	<b>Size:3/8\" 45T</b> Length:205mm Material : CR-V+Cr-Mo Packed by plastic hanger	<b>INGCO-HRTH0838</b>
	1/2\"-ratchet wrench	<b>Size:1/2\" 45T</b> Length:260mm Material : CR-V+Cr-Mo Packed by plastic hanger	<b>INGCO-HRTH0812</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	1/2"-ratchet wrench	Size:1/2" 72T Length:260mm Material : CR-V+Cr-Mo Packed by plastic hanger	<b>INGCO-HRTH8412</b>
	Rapid Cross Wrench	Size:16" With 4 pcs 1/2" Socket:17mm 19mm 21mm 23mm Drop forged and chrome plate Cross save power design provides extra leverage and torque Packed by leather bag	<b>INGCO-HRCW40231</b>
	Tile cutter	<b>600mm Tile cutter</b> 1.Max cutting length:600mm 2.Max cutting thickness : 12mm 3.Steel base size:815x195cm 4.Thickness of the base: 2mm 5.With 2 pcs Tungsten carbide blade Blade size : 16x6x3mm 6.Multi-function:direct line cutting, diagonal line cutting 7.Diameter of sliding bar:19mm Packed by carton box	<b>INGCO-HTC04600</b>
	Hydraulic bottle jack	<b>Hydraulic bottle jack, 2Ton</b> With safety valve Min. height: 181mm Max. height: 345mm Travel:164mm Net weight : 2.6kg Packed by color box	<b>INGCO-HBJ202</b>
	Hydraulic bottle jack	<b>Hydraulic bottle jack, 6Ton</b> With safety valve Min. height: 216mm Max. height: 413mm Travel:197mm Net weight : 4.6kg Packed by color box	<b>INGCO-HBJ602</b>



The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Hydraulic bottle jack	<p><b>Hydraulic bottle jack, 10Ton</b>                      With safety valve                      Min. height: 230mm                      Max. height: 460mm                      Travel:230mm                      Net weight : 6.5kg                      Packed by color box</p>	<b>INGCO-HBJ1002</b>
	Hydraulic bottle jack	<p><b>Hydraulic bottle jack, 12Ton</b>                      With safety valve                      Min. height: 230mm                      Max. height: 465mm                      Travel:235mm                      Net weight : 7.4kg                      Packed by color box</p>	<b>INGCO-HBJ1202</b>
	Hydraulic bottle jack	<p><b>Hydraulic bottle jack, 20Ton</b>                      With safety valve                      Min. height: 242mm                      Max. height: 452mm                      Travel:210mm                      Net weight : 11kg                      Packed by color box</p>	<b>INGCO-HBJ2002</b>









The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Hydraulic bottle jack	<p><b>Hydraulic bottle jack, 30Ton</b>                      With safety valve                      Min. height: 285mm                      Max. height: 465mm                      Travel:180mm                      Net weight : 22.3kg                      Packed by color box</p>	<b>INGCO-HBJ3002</b>
	Steel measuring tape	<p>Length &amp; width:3mx16mm                      Double button                      INGCO unique design                      Pure ABS material cover                      Only metric                      Packed by label</p>	<b>INGCO-HSMT0833.1</b>
	Steel measuring tape	<p>Length &amp; width:5mx19mm                      Double button                      INGCO unique design                      Pure ABS material cover                      Only metric                      Packed by label</p>	<b>INGCO-HSMT0835.1</b>
	Steel measuring tape	<p>Length &amp; width:5mx25mm                      Double button                      INGCO unique design                      Pure ABS material cover                      Only metric                      Packed by label</p>	<b>INGCO-HSMT0835.1</b>
	Steel measuring tape	<p>Length &amp; width:<b>3mx16mm</b>                      Double button                      Self lock function                      With all rubber cover  <b>Only metric</b></p>	<b>INGCO-HSMT0803.1</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Steel measuring tape	Length & width: <b>5mx19mm</b> Double button Self lock function With all rubber cover <b>Only metric</b> Packed by color display box	<b>INGCO-HSMT08052.1</b>
	Steel measuring tape	Length & width: <b>5mx25mm</b> Double button Self lock function With all rubber cover Only metric Packed by color display box	<b>INGCO-HSMT0805.1</b>
	Steel measuring tape	Length & width: <b>8mx25mm</b> Double button Self lock function With all rubber cover <b>Only metric</b> Packed by color display box	<b>INGCO-HSMT0808.1</b>
	Steel measuring tape	Length & width: <b>10mx25mm</b> Double button Self lock function With all rubber cover <b>Only metric</b> Packed by color display box	<b>INGCO-HSMT0810.1</b>
	Steel measuring tape	Length & width: <b>5mx19mm</b> Only metric Nylone blade Double side metric printing Double hook of blade Stronger clip INGCO unique design Packed by double blister	<b>INGCO-HSMT88052.1</b>
	Steel measuring tape	Length & width: <b>5mx25mm</b> Only metric Nylone blade Double side metric printing Double hook of blade Stronger clip INGCO unique design Packed by double blister	<b>INGCO-HSMT8805.1</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Steel measuring tape	Length & width:8mx25mm Only metric Nylone blade Double side metric printing Double hook of blade Stronger clip INGCO unique design Packed by double blister	<b>INGCO-HSMT8808.1</b>
	Digital display measuring wheel	With digital display and memory With metric and inch dual system With stand Display resolution:0.1m Tolerance: < 5% <b>Measuring range:0-9999m</b> Power supply:2xLR3 batteries Packed by color box	<b>INGCO-HDMW01</b>
	Mini Spirit level	Length : 225mm Material:Aluminum With magnetic With 3 vials	<b>INGCO-HMSL01030</b>
	Spirit level	Length : 30cm,Aluminum thickness:1mm <b>INGCO unique design</b> Packed by shrink with paper card	<b>INGCO-HSL18030</b>
	Spirit level	Length : 40cm,Aluminum thickness:1mm <b>INGCO unique design</b> Packed by shrink with paper card	<b>INGCO-HSL18040</b>
	Spirit level	Length : 60cm,Aluminum thickness:1mm <b>INGCO unique design</b> Packed by shrink with paper card	<b>INGCO-HSL18060</b>
	Spirit level	Length : 80cm,Aluminum thickness:1mm <b>INGCO unique design</b> Packed by shrink with paper card	<b>INGCO-HSL18080</b>
	Spirit level	Length : 100cm,Aluminum thickness:1mm <b>INGCO unique design</b> Packed by shrink with paper card	<b>INGCO-HSL18100</b>






The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Spirit level	Length:30cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by color sleeve	<b>INGCO-HSL08030</b>
	Spirit level	Length:40cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by color sleeve	<b>INGCO-HSL08040</b>
	Spirit level	Length:60cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by color sleeve	<b>INGCO-HSL08060</b>
	Spirit level	Length:80cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by color sleeve	<b>INGCO-HSL08080</b>
	Spirit level	Length:100cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by color sleeve	<b>INGCO-HSL08100</b>
	Spirit level (With powerful magnets)	Length:40cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 2 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	<b>INGCO-HSL38040M</b>
	Spirit level (With powerful magnets)	Length:60cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 3 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	<b>INGCO-HSL38060M</b>






The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Spirit level (With powerful magnets)	Length:80cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 4 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	<b>INGCO-HSL38080M</b>
	Spirit level (With powerful magnets)	Length:100cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 4 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	<b>INGCO-HSL38100M</b>
	Heavy-Duty Mason's Level	Length:60cm Net weight:790g Accuracy:0.5mm/m Finely milled bottom surface and front surface Heavy-duty cast aluminum tapered body Shock-absorbing rubber strike pads & end caps To withstand trowel blows and protect the level's integrity Horizontal & vertical spirit bubbles Packed by color sleeve	<b>INGCO-HBSL08060</b>
	Digital caliper	Range: <b>0-150mm</b> Reading: <b>0.01mm</b> ,metrin at any position,plastic housing Packed by plastic box	<b>INGCO-HDCD01150</b>
	Pocket Sized Digital Multimeter	1999 counts LCD Display Backlight DC <b>Voltage</b> 200mV/2V/20V/200V/600V AC <b>Voltage</b> 200V/600V DC <b>Current</b> 200µA/2mA/20mA/200mA/10A <b>Resistance</b> 200Ω/2kΩ/20kΩ/200kΩ/2MΩ Packed by color box	<b>INGCO-DM200</b>
	Knitted & PVC dots gloves	Gauge:10 Weight:58g/Pair; 700g/Dozen Size: 10 (XL) Cotton class: A <b>Use for transporting and cargo handling worker, recycling worker,repairer etc.</b> Packed in poly bag	<b>INGCO-HGVK05</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	PVC Gloves	<p>Material : <b>High quality PVC</b>  <b>Size available: L</b>  <b>Weight :120-130g/ pair</b>  <b>Use for gardener, cleaner etc.</b>  <b>Packaging by : 1pair/OPP bag</b></p>	<b>INGCO-HGVP02</b>
	Nitrile gloves	<p>Nitrile coated palm, smooth and rough-texture palm finish.            Size : XL  <b>Use for oil environment (less oil)worker etc.</b>            Packed by poly bag</p>	<b>INGCO-HGNG01</b>
	Nitrile gloves	<p>Nitrile coated palm, smooth and rough-texture palm finish.            Size : L  <b>Use for oil environment (less oil) worker etc.</b>            Packed by poly bag</p>	<b>INGCO-HGNG01.L</b>
	Latex gloves	<p>Latex gloves            Cotton/polyester seamless knitted shell.            Textured palm dip for extra grip and durability.            Size : XL  <b>Use for heavy cargo handling worker, slight sharp objects carrier etc.</b>            Packed by poly bag</p>	<b>INGCO-HGVL03</b>
	Latex gloves	<p>Latex fully coated gloves            Cotton/polyester seamless knitted shell.            Textured palm dip for extra grip and durability.            Size : XL            Use for heavy cargo handling worker, slight sharp objects carrier etc.            Weight:145g/pair            Packed by poly bag</p>	<b>INGCO-HGVL04.XL</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Gloves	<p>Heavy nitrile fully coated gloves Size:10 (XL) <b>Use for oil environment (much oil) worker etc.</b> Packed by poly bag</p>	<b>INGCO-HGVN01</b>
	Cut-resistance gloves	<p>Size: L Use for timber and glass cutting worker, heavy sharp objects carriers etc. PU coated palm,flexible and good feeling. HPPE shell,cut-resistance and abrasion. Antistatic. Packed by poly bag</p>	<b>INGCO-HGCG01-L</b>
	Cut-resistance gloves	<p>PU coated palm,flexible and good feeling. HPPE shell,cut-resistance and abrasion. Antistatic. Size:XL <b>Use for timber and glass cutting worker, heavy sharp objects carriers etc.</b> Packed by poly bag</p>	<b>INGCO-HGCG01-XL</b>
	Gloves	<p>Cow split leather gloves cotton back &amp; rubberized cuff,half lining <b>Size:10.5"</b> <b>Use for carriers, machining operators, garden work etc.</b> Packed by poly bag</p>	<b>INGCO-HGVC01</b>
	Gloves	<p>Cow split leather gloves Full palm, full lining Size:10" <b>Use for driver,machining operator etc.</b> Packed by poly bag</p>	<b>INGCO-HGVC02</b>



The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Welding leather gloves	Cow split leather welder gloves, one piece back, full lining full palm with double palm KEVLAR thread sewn Length:16" <b>Use for professional welding worker etc.</b> Packed by poly bag	<b>INGCO-HGVW02</b>
	Mechanic gloves	Size:XL Microfibre material palm provide dexterity to utilize tools and equipments Pack by paper card	<b>INGCO-HGMG01-XL</b>
	Mechanic gloves	Size:XL Microfibre material palm with PU leather reinforced on palm enhance extreme abrasion resistance. Rubber on back prevent hand from hazards in dark. Pack by paper card	<b>INGCO-HGMG02-XL</b>
	Face shield	Impact resistant PC visor Brim protects forehead from outside injure headgear with adjustable knobs, with antibacterial sweatband Packed by poly bag	<b>INGCO-HFSPC01</b>
	Welding mask	Welding mask <b>Material:100% PP</b> With 1 pcs <b>108*50*3mm</b> welding glass and 1 pcs Protection glass Packed by carton box	<b>INGCO-HHWM102</b>






The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>100% NEW PP</p>	Welding mask	<p>Welding mask  <b>Material:100% PP</b>                      Glass size:<b>108*50*3mm, movable type glass</b>                      1 pcs clear protection glass                      Packed by carton box</p>	<b>INGCO-WM101</b>
 <p>Viewing Area 92x42mm</p>	Auto Darkening Welding Helmet	<p>Viewing Area:92x42mm                      Cartridge Size:110x90x9mm                      Arc Sensor:2                      Light State:DIN 4                      Dark State:Variable shade, 9 ~13                      Shade Control:External,Variable                      Power On/Off:Fully Automatic                      Sensitivity Control:AUTO                      UV/IR Protection:DIN 16                      Power Supply:Solar cells+2*CR2032 Lithium batteries                      Switching Time:1/15000S,from Light to Dark                      Dark to Light (Delay) :0.1-1.0 Auto                      Low Amperage TIG:≥10amps(DC), ≥10amps(AC)                      Grinding Function :YES                      Low Volume Alarm:YES                      Operating Tep:-5°C~+55°C                      Storing Tep:-20°C~+70°C                      Packed by color box</p>	<b>INGCO-AHM008</b>
	Safety goggles	<p>Integrated encircling type design gives flank protection                      The length of temple can be adjusted in 4 different positions, temple line can be added for easier and safer use.</p>	<b>INGCO-HSG04</b>
	Safety goggle	<p>Conforms to ANSI Z87.1 and CE EN166                      Full-view full-slice structure prevents UV and withstands impact                      Fit to wearing the corrective glasses,also can be used as visitors glasses                      Can defend against splash particles in the round                      Packed by double blister</p>	<b>INGCO-HSG05</b>






The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Safety goggles	Has supple and lightweight PVC frame as well unique air hole design. High-impact polycarbonate lenses have high transparency comfortable for wearing.	<b>INGCO-HSG02</b>
	Safety goggle	Product is made from high-performance polycarbonate with super impact-resistance capability Light weight, comfortable to wear, wide visual field Dark shade:8 Packed by double blister	<b>INGCO-HSG06</b>
	Welding goggles	Flip design with open-close locking positioning, easy to use. Flexible PVC body, indirect ventilation design. Inner lenses are clear, outer lenses adopt colored inorganic glass.	<b>INGCO-HSGW01</b>
	Earplug	Conforms to ear structure, safe and sanitary Made from polyurethane foam, smooth and ultra supple superior noise reduction effect, let operators keep acute hearing in noise ambient Packed by poly bag	<b>INGCO-HEP02</b>
	Ear mask	Impact-resistant ABS shell body, soft foam pad NRR:24dB Packed by header card	<b>INGCO-HEM01</b>
	Tool box	<b>Size:370x120x163mm</b> Steel thickness : 0.6~0.8mm 2 layers Packed by carton	<b>INGCO-HTB04</b>







The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	Tool box	<p><b>Size:400x200x195mm</b>                      Steel thickness : 0.6~0.8mm                      3 layers                      Packed by carton</p>	<b>INGCO-HTB03</b>
	Tool box	<p><b>Size:495x200x290mm</b>                      Steel thickness : 0.6~0.8mm  <b>3 layers</b>                      Net weight: 5.5kg                      Packed by carton</p>	<b>INGCO-HTB02</b>
	Tools Pouch With Belt	<p><b>Size : 2pcs L26*W23cm 1pcs L15*W13cm</b>                      Adjustable belt(92-127cm)                      14pcs pockets                      2pcs hammer holders                      Material : 600D polyester                      Various pockets for tools                      Packed by poly bag</p>	<b>INGCO-HTBP02031</b>
	Tools bag	<p><b>Size:16"</b>                      Rigid frame for easy opening and access                      Reinforced plastic base for durability                      Internal pockets for additional storage capacity                      Adjustable shoulder strap included</p>	<b>INGCO-HTBG03</b>
	Tools bag	<p><b>Size:24"</b>                      Rigid frame for easy opening and access                      Reinforced plastic base for durability                      Internal pockets for additional storage capacity                      Adjustable shoulder strap included</p>	<b>INGCO-HTBG04</b>







The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>CREE LED</p>	Flashlight	<p>Aviation grade aluminum alloy : 6N01-T6                      Use USA imports CREE XPE2 R3 LED 3W                      135lumen,200m beam distance,                      lifespan100000hour                      Use 3AAA batteries,5H runtime                      Tail light switch                      Waterproof grade IPX-4                      diameter/length                      :32mm/126.5mm,105g(without battery)                      Anodize</p>	<b>INGCOHFL013AAA1</b>
	Pruning Shear	<p>Aluminium body pruning shear                      blade                      Handle non slip treatment                      Max cutting diameter 12mm                      Size:8"                      Pack by paper card</p>	<b>INGCO-HPS0109</b>
	Pruning Shear	<p>Size:8"/205mm                      With high quality blade  <b>With heat treatment Aluminium handle                      with soft TPR grip</b>                      Pack by paper card</p>	<b>INGCO-HPS0308</b>
	Hedge shear	<p>Length:<b>600mm/23.5"</b>                      Material:55# carbon steel                      Heat treatment blade                      Blade painted teflon                      Packed by Hanging card</p>	<b>INGCO-HHS6001</b>
	Lopper	<p>Length:<b>710mm/28"</b>                      Material:55# carbon steel                      Heat treatment blade                      Blade painted teflon                      Packed by Hanging card</p>	<b>INGCO-HLT7101</b>


The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>SK5 fast cut Long life 7TPI</p>	Pruning saw	Size:12"/300mm Material : Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Fast cut and long life Same as STANLEY quality level Packed by Color sleeve	<b>INGCO-HPS3002</b>
 <p>SK5 fast cut Long life 7TPI</p>	Pruning saw	Size:13"/330mm Material : Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With Extension bar function Fast cut and long life Packed by Color sleeve	<b>INGCO-HPS3308</b>
 <p>SK5 Hand Protection</p>	Folding Saw	Size:7"/180mm Material : Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With hand protection function Fast cut and long life Packed by Sliding card	<b>INGCO-HFSW1808</b>
	Bow Saw	Handle hack saw frame Size: <b>610mm/24"</b> Including 1pcs saw blade Packed by poly bag	<b>INGCO-HBS6101</b>
 <p>3PCS Iron Normal keys Weight:75g</p>	Light brass padlock	Size : 30mm Material:brass Weight:75g With 3 pcs iron keys Packed by double blister	<b>INGCO-DBPL0303</b>
 <p>Same quality as Yale</p>	Heavy duty brass padlock	Size : 30mm Material:brass Weight:84g With 3 pcs brass keys Packed by double blister	<b>INGCO-DBPL0302</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
 <p>Same quality as Yale</p>	Heavy Duty padlock	Size : 40mm Material:brass Weight:142g With 3pcs brass keys Packed by double blister	<b>INGCO-DBPL0402</b>
 <p>3PCS Iron Normal keys Weight:225g</p>	Light brass padlock	Size : 50mm Material:brass Weight:225g With 3 pcs iron keys Packed by double blister	<b>INGCO-DBPL0503</b>
 <p>Same quality as Yale</p>	Heavy duty brass padlock	Size : 50mm Material:brass Weight:270g With 3 pcs brass keys Packed by double blister	<b>INGCO-DBPL0502</b>
	Heavy duty brass padlock	Size : 60mm Material:brass Weight:385g With 3 pcs brass keys Packed by double blister	<b>INGCO-DBPL0602</b>
	Heavy duty brass padlock	Size : 70mm Material:brass Weight:542g With 3pcs brass keys Packed by double blister	<b>INGCO-DBPL0702</b>
	Heavy duty brass block padlock	Size : 60mm Material:brass Weight:234g With 3 pcs brass keys Packed by double blister	<b>INGCO-DBBPL0602</b>
	Heavy duty brass block padlock	Size : 70mm Material:brass Weight:411g With 3 pcs brass keys Packed by double blister	<b>INGCO-DBBPL0702</b>

The information contained in this document is confidential and published solely to the recipient with the sole purpose of business relations with Skillcraft Agencies (Pty)Ltd, and/or the Group of companies. No part of this document may be used, copied or distributed without permission.

IMAGE	PRODUCT NAME	DESCRIPTIONS & FEATURES	CODE
	<p>Heavy duty brass block padlock</p>	<p>Size : 90mm                      Material:brass                      Weight:609g                      With 3 pcs brass keys                      Packed by double blister</p>	<p><b>INGCO-DBBPL0902</b></p>