



MATERIAL FACT SHEET

279581 R61P

General Data

Product Hierarchy	IAD51401
	Modular PLC
	IQ-R Standard
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000279581

FA-MOD PLC: Power Supply Module

Series	MELSEC IQ-R SERIES
Type	POWER SUPPLY
Power Supply (V)	100-240
Current Type	AC
Max Input Apparent Power (VA)	130
Output Current 5V (A)	6,5

Product Dimensions & Weight

Width (mm)	54,6
Height (mm)	106
Depth (mm)	110
Weight (kg)	0,41

Logistic Dimensions & Gross Weight

Length (cm)	16,5
Width (cm)	15,0
Height (cm)	8,0
Gross Weight (kg)	0,510
Volume (cdm)	1,980

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	09.12.2014
Predecessor	203207 / QS061P-A1

Additional Product Information

Binding Tariff Information	DEBTI-10860/21-1
BTI validity date	30.09.2024
Battery included	NO

Export Data

Commodity Code	85044095
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	110-80-5
REACH Substance CAS Number (2)	111-15-9
REACH Substance CAS Number (3)	127-19-5
REACH Substance CAS Number (4)	13560-89-9
REACH Substance CAS Number (5)	7439-92-1
Dangerous Goods Class	NO

Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=R61P&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=R61P&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=R61P&doc-lang=en

Product Packaging

Cardboard (g)	55
Other paper (g)	35
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

285507 R62P

General Data

Product Hierarchy	IAD51401
	Modular PLC
	IQ-R Standard
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000285507

FA-MOD PLC: Power Supply Module

Series	MELSEC IQ-R SERIES
Type	POWER SUPPLY
Power Supply (V)	100-240
Current Type	AC
Max Input Apparent Power (VA)	120
Output Current 5V (A)	3,5
Output Current 24V (A)	0,6

Product Dimensions & Weight

Width (mm)	54,6
Height (mm)	106
Depth (mm)	110
Weight (kg)	0,45

Logistic Dimensions & Gross Weight

Length (cm)	16,0
Width (cm)	15,0
Height (cm)	8,0
Gross Weight (kg)	0,526
Volume (cdm)	1,920

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	27.03.2015
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10860/21-1
BTI validity date	30.09.2024
Battery included	NO

Export Data

Commodity Code	85044095
Legal Control (Dual Use List)	Not Listed
Country of Origin	China (CN)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	19438-60-9
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT

WEEE	B2B
------	-----

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=R62P&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=R62P&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=R62P&doc-lang=en

Product Packaging

Cardboard (g)	55
Other paper (g)	36
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

279582 R63P

General Data

Product Hierarchy	IAD51401
	Modular PLC
	IQ-R Standard
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000279582

FA-MOD PLC: Power Supply Module

Series	MELSEC IQ-R SERIES
Type	POWER SUPPLY
Power Supply (V)	24
Current Type	DC
Max Input Power (W)	50
Output Current 5V (A)	6,5

Product Dimensions & Weight

Width (mm)	54,6
Height (mm)	106
Depth (mm)	110
Weight (kg)	0,41

Logistic Dimensions & Gross Weight

Length (cm)	16,0
Width (cm)	14,5
Height (cm)	7,5
Gross Weight (kg)	0,506
Volume (cdm)	1,740

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	09.12.2014
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10860/21-1
BTI validity date	30.09.2024
Battery included	NO

Export Data

Commodity Code	85044095
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	110-80-5
REACH Substance CAS Number (2)	111-15-9
REACH Substance CAS Number (3)	127-19-5
REACH Substance CAS Number (4)	13560-89-9
REACH Substance CAS Number (5)	7439-92-1
REACH Substance CAS Number (6)	80-05-7

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=R63P&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=R63P&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=R63P&doc-lang=en

Product Packaging

Cardboard (g)	55
Other paper (g)	36
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

308710 R63RP

General Data

Product Hierarchy	IAD51401
	Modular PLC
	IQ-R Standard
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000308710

FA-MOD PLC: Power Supply Module

Series	MELSEC IQ-R SERIES
Type	REDUNDANT POWER SUPPLY
Power Supply (V)	24
Current Type	DC
Max Input Power (W)	50
Output Current 5V (A)	6,5

Product Dimensions & Weight

Width (mm)	54,6
Height (mm)	98 (106)
Depth (mm)	110
Weight (kg)	0,41

Logistic Dimensions & Gross Weight

Length (cm)	16,0
Width (cm)	15,0
Height (cm)	8,0
Gross Weight (kg)	0,512
Volume (cdm)	1,920

Stock Data

Planned Delivery Time (Days)	136
------------------------------	-----

Life Cycle

Sales Start	20.03.2017
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10860/21-1
BTI validity date	30.09.2024
Battery included	NO

Export Data

Commodity Code	85044095
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	110-80-5
REACH Substance CAS Number (2)	111-15-9
REACH Substance CAS Number (3)	127-19-5
REACH Substance CAS Number (4)	13560-89-9
REACH Substance CAS Number (5)	7439-92-1
REACH Substance CAS Number (6)	80-05-7

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=R63RP&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=R63RP&doc-lang=en

Product Packaging

Cardboard (g)	55
Other paper (g)	36
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

285508 R64P

General Data

Product Hierarchy	IAD51401
	Modular PLC
	IQ-R Standard
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000285508

FA-MOD PLC: Power Supply Module

Series	MELSEC IQ-R SERIES
Type	POWER SUPPLY
Power Supply (V)	100-240
Current Type	AC
Max Input Apparent Power (VA)	160
Output Current 5V (A)	9

Product Dimensions & Weight

Width (mm)	54,6
Height (mm)	98 (106)
Depth (mm)	110
Weight (kg)	0,46

Logistic Dimensions & Gross Weight

Length (cm)	16,0
Width (cm)	15,0
Height (cm)	8,0
Gross Weight (kg)	0,553
Volume (cdm)	1,920

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	27.03.2015
Predecessor	206304 / A61PN

Additional Product Information

Binding Tariff Information	DEBTI-10860/21-1
BTI validity date	30.09.2024
Battery included	NO

Export Data

Commodity Code	85044095
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	110-80-5
REACH Substance CAS Number (2)	111-15-9
REACH Substance CAS Number (3)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT

WEEE	B2B
------	-----

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=R64P&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=R64P&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=R64P&doc-lang=en

Product Packaging

Cardboard (g)	55
Other paper (g)	36
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

301649 R64RP

General Data

Product Hierarchy	IAD51404
	Modular PLC
	IQ-R Process and Redundant
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000301649

FA-MOD PLC: Power Supply Module

Series	MELSEC IQ-R SERIES
Type	REDUNDANT POWER SUPPLY
Power Supply (V)	100-240
Current Type	AC
Max Input Apparent Power (VA)	160
Output Current 5V (A)	9

Product Dimensions & Weight

Width (mm)	54,6
Height (mm)	98 (106)
Depth (mm)	110
Weight (kg)	0,46

Logistic Dimensions & Gross Weight

Length (cm)	16,0
Width (cm)	15,0
Height (cm)	8,0
Gross Weight (kg)	0,554
Volume (cdm)	1,920

Stock Data

Planned Delivery Time (Days)	136
------------------------------	-----

Life Cycle

Sales Start	29.07.2016
Predecessor	65768 / A61RP

Additional Product Information

Binding Tariff Information	DEBTI-10860/21-1
BTI validity date	30.09.2024
Battery included	NO

Export Data

Commodity Code	85044095
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	110-80-5
REACH Substance CAS Number (2)	111-15-9
REACH Substance CAS Number (3)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=R64RP&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=R64RP&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=R64RP&doc-lang=en

Product Packaging

Cardboard (g)	55
Other paper (g)	36
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

699125 R69P

General Data

Product Hierarchy	IAD51401
	Modular PLC
	IQ-R Standard
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000699125

FA-MOD PLC: Power Supply Module

Series	MELSEC IQ-R SERIES
Type	POWER SUPPLY
Power Supply (V)	24
Current Type	DC
Max Input Power (W)	45

Product Dimensions & Weight

Width (mm)	54,6
Height (mm)	106
Depth (mm)	110
Weight (kg)	0,46

Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	8,0
Gross Weight (kg)	0,540
Volume (cdm)	2,040

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	15.09.2023
Predecessor	No Predecessor

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85044060
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	NON-COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=R69P&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=R69P&doc-lang=en

Product Packaging

Cardboard (g)	53
Other paper (g)	35
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	3
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
279586	RQ68B PLC iQ-R Series; RQ extension base (Q Series type)Unit, 8-slot Class 100100201: FA-MOD PLC: Base Rack
279587	RQ612B PLC iQ-R Series; RQ extension base (Q Series type) Unit, 12-slot Class 100100201: FA-MOD PLC: Base Rack
279591	RQ65B PLC iQ-R Series; RQ extension base (Q Series type) Unit, 5-slot Class 100100201: FA-MOD PLC: Base Rack



MATERIAL FACT SHEET

699126 R69RP

General Data

Product Hierarchy	IAD51401
	Modular PLC
	IQ-R Standard
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000699126

FA-MOD PLC: Power Supply Module

Series	MELSEC IQ-R SERIES
Type	REDUNDANT POWER SUPPLY
Power Supply (V)	24
Current Type	DC
Max Input Power (W)	45

Product Dimensions & Weight

Width (mm)	54,6
Height (mm)	106
Depth (mm)	110
Weight (kg)	0,46

Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	8,0
Gross Weight (kg)	0,540
Volume (cdm)	2,040

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	15.09.2023
Predecessor	No Predecessor

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85044060
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	NON-COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=R69RP&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=R69RP&doc-lang=en

Compatible products

Material	Description / Price List Text / Classification
279586	RQ68B PLC iQ-R Series; RQ extension base (Q Series type)Unit, 8-slot Class 100100201: FA-MOD PLC: Base Rack
279587	RQ612B PLC iQ-R Series; RQ extension base (Q Series type) Unit, 12-slot Class 100100201: FA-MOD PLC: Base Rack
279591	RQ65B PLC iQ-R Series; RQ extension base (Q Series type) Unit, 5-slot Class 100100201: FA-MOD PLC: Base Rack