



MATERIAL FACT SHEET

268775 MR-J4-10B-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000268775

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	0,1
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	40
Height (mm)	168
Depth (mm)	135
Weight (kg)	0,8

Logistic Dimensions & Gross Weight

Length (cm)	22,5
Width (cm)	22,0
Height (cm)	6,5
Gross Weight (kg)	0,958
Volume (cdm)	3,218

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	15571-58-1

REACH Substance CAS Number (3)	68515-42-4
REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=MR-J4-10B-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-10B-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-10B-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	200
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCB20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCB30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCB20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCB30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161590	MR-J3BCN1 Connector set SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189332	MF-2F230-006.230MFa Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector

Material	Description / Price List Text / Classification
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268775	MR-J4-10B-RJ020 Digital AC-Servo Amplifier MR-J4-B, for Motor Power 100 W, MR-J2S comp. Class 100100502: FA-Servo-Motion: Servo Amplifier
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery

Material	Description / Price List Text / Classification
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268776 MR-J4-20B-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000268776

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	0,2
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	40
Height (mm)	168
Depth (mm)	135
Weight (kg)	0,8

Logistic Dimensions & Gross Weight

Length (cm)	22,5
Width (cm)	22,0
Height (cm)	7,0
Gross Weight (kg)	0,960
Volume (cdm)	3,465

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	15571-58-1

REACH Substance CAS Number (3)	68515-42-4
REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=MR-J4-20B-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-20B-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-20B-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	200
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161590	MR-J3BCN1 Connector set SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189332	MF-2F230-006.230MFa Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option

Material	Description / Price List Text / Classification
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
271221	SC-J2SBJ4KT02K Renewal Kit MR-J2S-B - MR-J4-B 100/200W Class 100100510: FA-Servo-Motion: Other Option
271229	SC-J2SBJ4CSET-01 Renewal Kit MR-J2S-B - MR-J4-B Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268777 MR-J4-40B-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000268777

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	0,4
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	40
Height (mm)	168
Depth (mm)	170
Weight (kg)	1

Logistic Dimensions & Gross Weight

Length (cm)	26,0
Width (cm)	22,0
Height (cm)	7,0
Gross Weight (kg)	1,200
Volume (cdm)	4,004

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	15571-58-1

REACH Substance CAS Number (3)	68515-42-4
REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=MR-J4-40B-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-40B-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-40B-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	220
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161590	MR-J3BCN1 Connector set SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189332	MF-2F230-006.230MFa Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector

Material	Description / Price List Text / Classification
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
271222	SC-J2SBJ4KT06K Renewal Kit MR-J2S-B - MR-J4-B 400/600W Class 100100510: FA-Servo-Motion: Other Option
271229	SC-J2SBJ4CSET-01 Renewal Kit MR-J2S-B - MR-J4-B Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option

Material	Description / Price List Text / Classification
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268778 MR-J4-60B-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000268778

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	0,6
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	40
Height (mm)	168
Depth (mm)	170
Weight (kg)	1

Logistic Dimensions & Gross Weight

Length (cm)	26,0
Width (cm)	22,0
Height (cm)	7,0
Gross Weight (kg)	1,184
Volume (cdm)	4,004

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	15571-58-1

REACH Substance CAS Number (3)	68515-42-4
REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-60B-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-60B-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-60B-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	220
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

268779 MR-J4-70B-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000268779

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	0,75
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	60
Height (mm)	168
Depth (mm)	185
Weight (kg)	1,4

Logistic Dimensions & Gross Weight

Length (cm)	27,5
Width (cm)	22,0
Height (cm)	9,0
Gross Weight (kg)	1,657
Volume (cdm)	5,445

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9

REACH Substance CAS Number (3)	15571-58-1
REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-70B-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-70B-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-70B-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	270
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137278	MR-PWR-R 400-40 / MR-RFH 220-40 Brake resistor (200 V series), 40 Ohm/400 W Class 100100510: FA-Servo-Motion: Other Option
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
137281	MT-1.3-60 Three-Phase-Autotransformer 400/230 V; 1,3 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
137302	MT-1.7-60 Three-Phase-Autotransformer 400/230 V; 1,7 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189331	MF-2F230-006.230MFb Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
189332	MF-2F230-006.230MFa Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
271222	SC-J2SBJ4KT06K Renewal Kit MR-J2S-B - MR-J4-B 400/600W Class 100100510: FA-Servo-Motion: Other Option
271223	SC-J2SBJ4KT1K Renewal Kit MR-J2S-B - MR-J4-B 700/1kW Class 100100510: FA-Servo-Motion: Other Option
271229	SC-J2SBJ4CSET-01 Renewal Kit MR-J2S-B - MR-J4-B Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271229	SC-J2SBJ4CSET-01 Renewal Kit MR-J2S-B - MR-J4-B Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option

Material	Description / Price List Text / Classification
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268780 MR-J4-100B-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000268780

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	1
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	60
Height (mm)	168
Depth (mm)	185
Weight (kg)	1,4

Logistic Dimensions & Gross Weight

Length (cm)	27,5
Width (cm)	22,0
Height (cm)	8,5
Gross Weight (kg)	1,565
Volume (cdm)	5,143

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	15571-58-1

REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=MR-J4-100B-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-100B-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-100B-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	270
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137278	MR-PWR-R 400-40 / MR-RFH 220-40 Brake resistor (200 V series), 40 Ohm/400 W Class 100100510: FA-Servo-Motion: Other Option
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
137303	MT-2.5-60 Three-Phase-Autotransformer 400/230 V; 2,5 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161590	MR-J3BCN1 Connector set SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector

Material	Description / Price List Text / Classification
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
208775	MF-3F480-010.233MF Radio interference filter for MR-J3/MR-J4/MR-J5; 10 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
271223	SC-J2SBJ4KT1K Renewal Kit MR-J2S-B - MR-J4-B 700/1kW Class 100100510: FA-Servo-Motion: Other Option

Material	Description / Price List Text / Classification
271229	SC-J2SBJ4CSET-01 Renewal Kit MR-J2S-B - MR-J4-B Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268781 MR-J4-200B-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/000000000000268781

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	2
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	97
Height (mm)	168
Depth (mm)	195
Weight (kg)	2,1

Logistic Dimensions & Gross Weight

Length (cm)	29,0
Width (cm)	22,0
Height (cm)	12,0
Gross Weight (kg)	2,550
Volume (cdm)	7,656

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	7439-92-1

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-200B-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-200B-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-200B-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	330
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137277	MR-PWR R 600-13 / MR-RFH 400-13 Brake resistor (200 V series) for MR-JE/J4/J5 13; Ohm/600 W Class 100100510: FA-Servo-Motion: Other Option
137304	MT-3.5-60 Three-Phase-Autotransformer 400/230 V; 3,5 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161590	MR-J3BCN1 Connector set SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
200463	MF-3F480-015.230MF3 (Silverline) Radio interference filter for MR-J3/MR-J4; 15 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter

Material	Description / Price List Text / Classification
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
271223	SC-J2SBJ4KT1K Renewal Kit MR-J2S-B - MR-J4-B 700/1kW Class 100100510: FA-Servo-Motion: Other Option
271229	SC-J2SBJ4CSET-01 Renewal Kit MR-J2S-B - MR-J4-B Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option

Material	Description / Price List Text / Classification
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268782 MR-J4-350B-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/000000000000268782

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	3,5
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	97
Height (mm)	168
Depth (mm)	195
Weight (kg)	2,3

Logistic Dimensions & Gross Weight

Length (cm)	29,5
Width (cm)	21,5
Height (cm)	12,0
Gross Weight (kg)	2,746
Volume (cdm)	7,611

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	7439-92-1

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-350B-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-350B-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-350B-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	330
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137305	MT-5.5-60 Three-Phase-Autotransformer 400/230 V; 5,5 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
203854	MF-3F480-025.230MF3 Radio interference filter for MR-J3/MR-J4/MR-J5; 25 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option

Material	Description / Price List Text / Classification
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248698	MR-RB3N Brake resistor (9 Ohm. 300 W) for J4-350, J4W2-77B, J4W-1010B Class 100100510: FA-Servo-Motion: Other Option
248699	MR-RB5N Brake resistor (9 Ohm. 500 W) for J4-350 Class 100100510: FA-Servo-Motion: Other Option
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
271223	SC-J2SBJ4KT1K Renewal Kit MR-J2S-B - MR-J4-B 700/1kW Class 100100510: FA-Servo-Motion: Other Option
271229	SC-J2SBJ4CSET-01 Renewal Kit MR-J2S-B - MR-J4-B Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option

Material	Description / Price List Text / Classification
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268785 MR-J4-60B4-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000268785

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	0,6
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	60
Height (mm)	168
Depth (mm)	195
Weight (kg)	1,7

Logistic Dimensions & Gross Weight

Length (cm)	30,5
Width (cm)	22,0
Height (cm)	8,5
Gross Weight (kg)	2,013
Volume (cdm)	5,704

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-60B4-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-60B4-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-60B4-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	290
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154746	MR-PWR-R T 400-120 Brake resistor with thermocontact (400 V series) for MR-J4/J5; 120 Ohm/400W Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
208775	MF-3F480-010.233MF Radio interference filter for MR-J3/MR-J4/MR-J5; 10 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
271219	SC-J2SJ4CSET-01 Renewal Kit MR-J2S-A - MR-J4-A Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
289342	SC-J2SJ4BS02 MR-J4 400V amplifier: for 0.6, 1kW Mounting plate (amplifier base x1) Class 100100510: FA-Servo-Motion: Other Option
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268786 MR-J4-100B4-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/000000000000268786

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	1
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	60
Height (mm)	168
Depth (mm)	195
Weight (kg)	1,7

Logistic Dimensions & Gross Weight

Length (cm)	30,5
Width (cm)	22,0
Height (cm)	9,0
Gross Weight (kg)	2,017
Volume (cdm)	6,039

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	15571-58-1

REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-100B4-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-100B4-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-100B4-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	290
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154746	MR-PWR-R T 400-120 Brake resistor with thermocontact (400 V series) for MR-J4/J5; 120 Ohm/400W Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
208775	MF-3F480-010.233MF Radio interference filter for MR-J3/MR-J4/MR-J5; 10 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
271219	SC-J2SJ4CSET-01 Renewal Kit MR-J2S-A - MR-J4-A Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
289342	SC-J2SJ4BS02 MR-J4 400V amplifier: for 0.6, 1kW Mounting plate (amplifier base x1) Class 100100510: FA-Servo-Motion: Other Option
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268787 MR-J4-200B4-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000268787

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	2
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	97
Height (mm)	168
Depth (mm)	195
Weight (kg)	2,1

Logistic Dimensions & Gross Weight

Length (cm)	29,0
Width (cm)	21,5
Height (cm)	11,5
Gross Weight (kg)	2,449
Volume (cdm)	7,170

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-200B4-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-200B4-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-200B4-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	330
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154751	MR-PWR-R T 600-47 Brake Resistor with thermocontact (400 V series), 47 Ohm/ 600W Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCB20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCB30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCB20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCB30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
200463	MF-3F480-015.230MF3 (Silverline) Radio interference filter for MR-J3/MR-J4; 15 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
271219	SC-J2SJ4CSET-01 Renewal Kit MR-J2S-A - MR-J4-A Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
289343	SC-J2SJ4BS03 MR-J4 200V amplifier: for 2, 3.5kW / MR-J4 400V: for 2kW Mounting plate Class 100100510: FA-Servo-Motion: Other Option
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

268788 MR-J4-350B4-RJ020

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/000000000000268788

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET
Rated Capacity (kW)	3,5
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	107
Height (mm)	250
Depth (mm)	200
Weight (kg)	3,6

Logistic Dimensions & Gross Weight

Length (cm)	29,0
Width (cm)	21,0
Height (cm)	30,0
Gross Weight (kg)	4,462
Volume (cdm)	18,270

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.10.2013
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	MR-J2S COMPATIBLE
Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	7439-92-1

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-350B4-RJ020&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-350B4-RJ020&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-350B4-RJ020&doc-lang=en

Product Packaging

Cardboard (g)	930
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55910	MR-CPCATCBL3M Computer Link Cable for MR-J2S; MR-C; 3 m Class 100100508: FA-Servo-Motion: Cable
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154751	MR-PWR-R T 600-47 Brake Resistor with thermocontact (400 V series), 47 Ohm/ 600W Class 100100510: FA-Servo-Motion: Other Option
155606	UC232A USB-RS232 Adapter USB-RS232 Adaptor for VFD Setup Software (adapter cable+manual) Class 100100304: FA-HMI: Other Option
161559	MR-EKCB20M-H Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCB30M-H Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCB20M-L Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCB30M-L Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
268791	MR-J4-T20 Conversion Unit for SSCNET of MR-J2S-B Class 100100510: FA-Servo-Motion: Other Option
269846	MR-J4T20CH00 Adapter cable for MR-CPCATCBL3M Class 100100508: FA-Servo-Motion: Cable
270474	MF-3F480-015.234MF Radio interference filter for MR-J4-350x4; 15 A; 3-phase 480 V AC /50-60 Hz Class 100100506: FA-Servo-Motion: Filter
271219	SC-J2SJ4CSET-01 Renewal Kit MR-J2S-A - MR-J4-A Amplifier cable set 7kW or less Class 100100510: FA-Servo-Motion: Other Option
271231	SC-J2SJ4ENC03M Renewal Kit MR-J2S-A/B - MR-J4-A/B Encoder conversion cable; MR-J3CH00 Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
289344	SC-J2SJ4BS04 MR-J4 200V amplifier: for 5kW / MR-J4 400V amplifier: for 3.5kW Mounting plate Class 100100510: FA-Servo-Motion: Other Option
295829	SC-J2SBJ4CT1C03M Renewal Kit Cable MR-J2S-B - MR-J4-B under 7kW; Control signal cable Class 100100510: FA-Servo-Motion: Other Option
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269279 MR-J4-10B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000269279

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	0,1
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	40
Height (mm)	168
Depth (mm)	135
Weight (kg)	0,8

Logistic Dimensions & Gross Weight

Length (cm)	22,5
Width (cm)	22,0
Height (cm)	6,5
Gross Weight (kg)	0,960
Volume (cdm)	3,218

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	200962 / MR-J3-10B-RJ006

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	15571-58-1
REACH Substance CAS Number (3)	68515-42-4

REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-10B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-10B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-10B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	200
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189332	MF-2F230-006.230MFa Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encodercable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encodercable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269280 MR-J4-20B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269280

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	0,2
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	40
Height (mm)	168
Depth (mm)	135
Weight (kg)	0,8

Logistic Dimensions & Gross Weight

Length (cm)	22,5
Width (cm)	22,0
Height (cm)	7,0
Gross Weight (kg)	0,966
Volume (cdm)	3,465

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	236801 / MR-J3-20B-RJ004

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	15571-58-1
REACH Substance CAS Number (3)	68515-42-4

REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-20B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-20B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-20B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	200
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189332	MF-2F230-006.230MFa Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269281 MR-J4-40B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269281

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	0,4
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	40
Height (mm)	168
Depth (mm)	170
Weight (kg)	1

Logistic Dimensions & Gross Weight

Length (cm)	26,5
Width (cm)	22,0
Height (cm)	7,0
Gross Weight (kg)	1,200
Volume (cdm)	4,081

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	255738 / MR-J3-40B-RJ004U767

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	15571-58-1
REACH Substance CAS Number (3)	68515-42-4

REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-40B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-40B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-40B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	220
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189332	MF-2F230-006.230MFa Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269282 MR-J4-60B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269282

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	0,6
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	40
Height (mm)	168
Depth (mm)	170
Weight (kg)	1

Logistic Dimensions & Gross Weight

Length (cm)	26,0
Width (cm)	22,0
Height (cm)	7,0
Gross Weight (kg)	1,189
Volume (cdm)	4,004

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	236803 / MR-J3-60B-RJ004

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	15571-58-1
REACH Substance CAS Number (3)	68515-42-4

REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-60B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-60B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-60B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	220
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
137281	MT-1.3-60 Three-Phase-Autotransformer 400/230 V; 1,3 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189332	MF-2F230-006.230Mfa Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269283 MR-J4-70B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000269283

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	0,75
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	60
Height (mm)	168
Depth (mm)	185
Weight (kg)	1,4

Logistic Dimensions & Gross Weight

Length (cm)	27,5
Width (cm)	22,0
Height (cm)	9,0
Gross Weight (kg)	1,681
Volume (cdm)	5,445

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	257314 / MR-J3-70B-RJ004U769

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	15571-58-1

REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-70B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-70B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-70B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	270
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
277084	MR-J4-10A - 100A CONNECTOR CNP1	1	PC
277165	MR-J4-10A - 100A CONNECTOR CNP2	1	PC
277166	MR-J4-10A - 100A CONNECTOR CNP3	1	PC
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137278	MR-PWR-R 400-40 / MR-RFH 220-40 Brake resistor (200 V series), 40 Ohm/400 W Class 100100510: FA-Servo-Motion: Other Option
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
137302	MT-1.7-60 Three-Phase-Autotransformer 400/230 V; 1,7 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector

Material	Description / Price List Text / Classification
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189331	MF-2F230-006.230MFb Radio interference filter for MR-J3/MR-J4/MR-J5; 6 A; 1-phase 230 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encodercable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encodercable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269284 MR-J4-100B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269284

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	1
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	60
Height (mm)	168
Depth (mm)	185
Weight (kg)	1,4

Logistic Dimensions & Gross Weight

Length (cm)	27,5
Width (cm)	22,0
Height (cm)	9,0
Gross Weight (kg)	1,664
Volume (cdm)	5,445

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	233316 / MR-J3-100B-RJ080W

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	15571-58-1
REACH Substance CAS Number (4)	7439-92-1

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-100B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-100B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-100B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	270
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137278	MR-PWR-R 400-40 / MR-RFH 220-40 Brake resistor (200 V series), 40 Ohm/400 W Class 100100510: FA-Servo-Motion: Other Option
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
137303	MT-2.5-60 Three-Phase-Autotransformer 400/230 V; 2,5 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
208775	MF-3F480-010.233MF Radio interference filter for MR-J3/MR-J4/MR-J5; 10 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encodercable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encodercable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1LOC-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269285 MR-J4-200B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269285

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	2
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	90
Height (mm)	168
Depth (mm)	195
Weight (kg)	2,1

Logistic Dimensions & Gross Weight

Length (cm)	29,5
Width (cm)	22,0
Height (cm)	12,0
Gross Weight (kg)	2,549
Volume (cdm)	7,788

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	236855 / MR-J3-200BN-RJ004

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	7439-92-1
Dangerous Goods Class	NO

Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-200B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-200B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-200B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	330
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137277	MR-PWR R 600-13 / MR-RFH 400-13 Brake resistor (200 V series) for MR-JE/J4/J5 13; Ohm/600 W Class 100100510: FA-Servo-Motion: Other Option
137304	MT-3.5-60 Three-Phase-Autotransformer 400/230 V; 3,5 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
200463	MF-3F480-015.230MF3 (Silverline) Radio interference filter for MR-J3/MR-J4; 15 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269286 MR-J4-350B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269286

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	3,5
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	90
Height (mm)	168
Depth (mm)	195
Weight (kg)	2,3

Logistic Dimensions & Gross Weight

Length (cm)	29,0
Width (cm)	22,0
Height (cm)	11,0
Gross Weight (kg)	2,500
Volume (cdm)	7,018

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	236856 / MR-J3-350B-RJ004

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	7439-92-1
Dangerous Goods Class	NO

Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-350B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-350B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-350B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	330
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137305	MT-5.5-60 Three-Phase-Autotransformer 400/230 V; 5,5 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
203854	MF-3F480-025.230MF3 Radio interference filter for MR-J3/MR-J4/MR-J5; 25 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248698	MR-RB3N Brake resistor (9 Ohm. 300 W) for J4-350, J4W2-77B, J4W-1010B Class 100100510: FA-Servo-Motion: Other Option
248699	MR-RB5N Brake resistor (9 Ohm. 500 W) for J4-350 Class 100100510: FA-Servo-Motion: Other Option
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269287 MR-J4-500B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269287

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	5
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	105
Height (mm)	250
Depth (mm)	200
Weight (kg)	4

Logistic Dimensions & Gross Weight

Length (cm)	29,0
Width (cm)	19,5
Height (cm)	24,5
Gross Weight (kg)	4,902
Volume (cdm)	13,855

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	236857 / MR-J3-500B-RJ004

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	7439-92-1
Dangerous Goods Class	NO

Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-500B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-500B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-500B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	900
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137275	MR-PWR-R 600-6,7 / MR-RFH 400-6,7 Brake resistor (200 V series) for MR-J4/J5; 6.7 Ohm/600 W Class 100100510: FA-Servo-Motion: Other Option
137306	MT-7.5-60 Three-Phase-Autotransformer 400/230 V; 7,5 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
203855	MF-3F480-050.230MF3 Radio interference filter for MR-J3/MR-J4/MR-J5; 50 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269288 MR-J4-700B-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269288

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	7
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	172
Height (mm)	300
Depth (mm)	200
Weight (kg)	6,2

Logistic Dimensions & Gross Weight

Length (cm)	37,5
Width (cm)	24,0
Height (cm)	26,0
Gross Weight (kg)	7,535
Volume (cdm)	23,400

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	28.10.2013
Predecessor	228578 / MR-J3-700B-RJ004U527

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	1306-19-0
REACH Substance CAS Number (3)	1317-36-8
REACH Substance CAS Number (4)	13560-89-9

REACH Substance CAS Number (5)	68-12-2
REACH Substance CAS Number (6)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-700B-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-700B-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-700B-RJ&doc-lang=en

Product Packaging

Cardboard (g)	110
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137275	MR-PWR-R 600-6,7 / MR-RFH 400-6,7 Brake resistor (200 V series) for MR-J4/J5; 6.7 Ohm/600 W Class 100100510: FA-Servo-Motion: Other Option
137307	MT-11-60 Three-Phase-Autotransformer 400/230 V; 11 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
203855	MF-3F480-050.230MF3 Radio interference filter for MR-J3/MR-J4/MR-J5; 50 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269290 MR-J4-15KB-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269290

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	15
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	220
Height (mm)	400
Depth (mm)	260
Weight (kg)	13,4

Logistic Dimensions & Gross Weight

Length (cm)	80,0
Width (cm)	62,0
Height (cm)	42,0
Gross Weight (kg)	24,000
Volume (cdm)	208,320

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	243659 / MR-J3-15KB

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-15KB-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-15KB-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-15KB-RJ&doc-lang=en

Product Packaging

Cardboard (g)	3500
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	20
Wood (g)	0
Glass (g)	0
Others (g)	240

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encodercable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encodercable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269292 MR-J4-60B4-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269292

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	0,6
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	60
Height (mm)	168
Depth (mm)	195
Weight (kg)	1,7

Logistic Dimensions & Gross Weight

Length (cm)	30,5
Width (cm)	22,0
Height (cm)	9,0
Gross Weight (kg)	2,019
Volume (cdm)	6,039

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	225995 / MR-J3-60B4-RJ006

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	15571-58-1
REACH Substance CAS Number (4)	7439-92-1

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-60B4-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-60B4-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-60B4-RJ&doc-lang=en

Product Packaging

Cardboard (g)	290
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154746	MR-PWR-R T 400-120 Brake resistor with thermocontact (400 V series) for MR-J4/J5; 120 Ohm/400W Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
208775	MF-3F480-010.233MF Radio interference filter for MR-J3/MR-J4/MR-J5; 10 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269293 MR-J4-100B4-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269293

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	1
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	60
Height (mm)	168
Depth (mm)	195
Weight (kg)	1,7

Logistic Dimensions & Gross Weight

Length (cm)	30,5
Width (cm)	22,0
Height (cm)	8,5
Gross Weight (kg)	2,008
Volume (cdm)	5,704

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	225996 / MR-J3-100B4-RJ006

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	15571-58-1
REACH Substance CAS Number (4)	7439-92-1

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-100B4-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-100B4-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-100B4-RJ&doc-lang=en

Product Packaging

Cardboard (g)	290
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154746	MR-PWR-R T 400-120 Brake resistor with thermocontact (400 V series) for MR-J4/J5; 120 Ohm/400W Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
208775	MF-3F480-010.233MF Radio interference filter for MR-J3/MR-J4/MR-J5; 10 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269294 MR-J4-200B4-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269294

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	2
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	90
Height (mm)	168
Depth (mm)	195
Weight (kg)	2,1

Logistic Dimensions & Gross Weight

Length (cm)	29,0
Width (cm)	21,5
Height (cm)	11,5
Gross Weight (kg)	2,445
Volume (cdm)	7,170

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	225997 / MR-J3-200B4-RJ006

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	7439-92-1
Dangerous Goods Class	NO

Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=MR-J4-200B4-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-200B4-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-200B4-RJ&doc-lang=en

Product Packaging

Cardboard (g)	330
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154751	MR-PWR-R T 600-47 Brake Resistor with thermocontact (400 V series), 47 Ohm/ 600W Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
200463	MF-3F480-015.230MF3 (Silverline) Radio interference filter for MR-J3/MR-J4; 15 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269295 MR-J4-350B4-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269295

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	3,5
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	105
Height (mm)	250
Depth (mm)	200
Weight (kg)	3,6

Logistic Dimensions & Gross Weight

Length (cm)	29,0
Width (cm)	19,0
Height (cm)	30,0
Gross Weight (kg)	4,468
Volume (cdm)	16,530

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	225998 / MR-J3-350B4-RJ006

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	7439-92-1
Dangerous Goods Class	NO

Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=MR-J4-350B4-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-350B4-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-350B4-RJ&doc-lang=en

Product Packaging

Cardboard (g)	930
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154751	MR-PWR-R T 600-47 Brake Resistor with thermocontact (400 V series), 47 Ohm/ 600W Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encodercable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encodercable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery

Material	Description / Price List Text / Classification
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1LOC-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
270474	MF-3F480-015.234MF Radio interference filter for MR-J4-350x4; 15 A; 3-phase 480 V AC /50-60 Hz Class 100100506: FA-Servo-Motion: Filter
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269296 MR-J4-500B4-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269296

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	5
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	130
Height (mm)	250
Depth (mm)	200
Weight (kg)	4,3

Logistic Dimensions & Gross Weight

Length (cm)	29,0
Width (cm)	20,0
Height (cm)	24,0
Gross Weight (kg)	5,000
Volume (cdm)	13,920

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	225999 / MR-J3-500B4-RJ006

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	68-12-2
REACH Substance CAS Number (4)	7439-92-1

REACH Substance CAS Number (5)	80-05-7
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-500B4-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-500B4-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-500B4-RJ&doc-lang=en

Product Packaging

Cardboard (g)	800
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154752	MR-PWR-R T 600-26 Brake resistor with thermocontact (400V series) for MR-J4/J4W/J5/J5W; 26Ohm/600W Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
203854	MF-3F480-025.230MF3 Radio interference filter for MR-J3/MR-J4/MR-J5; 25 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269297 MR-J4-700B4-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000269297

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	7
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	172
Height (mm)	300
Depth (mm)	200
Weight (kg)	6,5

Logistic Dimensions & Gross Weight

Length (cm)	37,0
Width (cm)	24,0
Height (cm)	25,0
Gross Weight (kg)	7,453
Volume (cdm)	22,200

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	236326 / MR-J3-700B4-RJ004U648

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	1317-36-8
REACH Substance CAS Number (3)	13560-89-9
REACH Substance CAS Number (4)	68-12-2

REACH Substance CAS Number (5)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-700B4-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-700B4-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-700B4-RJ&doc-lang=en

Product Packaging

Cardboard (g)	110
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
154752	MR-PWR-R T 600-26 Brake resistor with thermocontact (400V series) for MR-J4/J4W/J5/J5W; 26Ohm/600W Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
203854	MF-3F480-025.230MF3 Radio interference filter for MR-J3/MR-J4/MR-J5; 25 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part

Material	Description / Price List Text / Classification
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269298 MR-J4-11KB4-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/000000000000269298

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	11
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	EXTERNAL OPTION

Product Dimensions & Weight

Width (mm)	220
Height (mm)	400
Depth (mm)	260
Weight (kg)	13,4

Logistic Dimensions & Gross Weight

Length (cm)	80,5
Width (cm)	62,0
Height (cm)	41,5
Gross Weight (kg)	22,500
Volume (cdm)	207,127

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	229579 / MR-J3-11KB4-LR

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	15571-58-1
REACH Substance CAS Number (4)	540-97-6

REACH Substance CAS Number (5)	541-02-6
REACH Substance CAS Number (6)	556-67-2
REACH Substance CAS Number (7)	7439-92-1
REACH Substance CAS Number (8)	80-05-7
REACH Substance CAS Number (9)	96-45-7
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=MR-J4-11KB4-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-11KB4-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-11KB4-RJ&doc-lang=en

Product Packaging

Cardboard (g)	3500
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	20
Wood (g)	0
Glass (g)	0
Others (g)	240

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
153365	MR-RB6B-4 Optional regeneration unit - 500 W - 20 Ohm (For 400V 3 phase systems) Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
189329	MF-3F480-035.230 Radio interference filter for MR-J3; 35 A; 3-phase 480 V AC /50-60 Hz Class 100100506: FA-Servo-Motion: Filter
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
203547	DBU-11K-4 External dynamic brake; 11kW; 400V Class 100100510: FA-Servo-Motion: Other Option
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable



MATERIAL FACT SHEET

269299 MR-J4-15KB4-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/000000000000269299

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	15
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	EXTERNAL OPTION

Product Dimensions & Weight

Width (mm)	220
Height (mm)	400
Depth (mm)	260
Weight (kg)	13,4

Logistic Dimensions & Gross Weight

Length (cm)	80,0
Width (cm)	60,0
Height (cm)	41,5
Gross Weight (kg)	24,500
Volume (cdm)	199,200

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	229580 / MR-J3-15KB4-LR

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	13560-89-9
REACH Substance CAS Number (3)	15571-58-1
REACH Substance CAS Number (4)	540-97-6

REACH Substance CAS Number (5)	541-02-6
REACH Substance CAS Number (6)	556-67-2
REACH Substance CAS Number (7)	7439-92-1
REACH Substance CAS Number (8)	80-05-7
REACH Substance CAS Number (9)	96-45-7
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-15KB4-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-15KB4-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-15KB4-RJ&doc-lang=en

Product Packaging

Cardboard (g)	3500
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	20
Wood (g)	0
Glass (g)	0
Others (g)	240

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC



MATERIAL FACT SHEET

269300 MR-J4-22KB4-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000269300

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	SSCNET /H
Rated Capacity (kW)	22
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 3 Phase (VAC)	380-480
Dynamic Break	EXTERNAL OPTION

Product Dimensions & Weight

Width (mm)	260
Height (mm)	400
Depth (mm)	260
Weight (kg)	18,2

Logistic Dimensions & Gross Weight

Length (cm)	80,0
Width (cm)	63,0
Height (cm)	42,0
Gross Weight (kg)	26,920
Volume (cdm)	211,680

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	28.10.2013
Predecessor	228584 / MR-J3-22KB4-RJ004U533

Additional Product Information

Binding Tariff Information	DEBTI-29765/21-1
BTI validity date	10.07.2025
Battery included	NO

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-22KB4-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-22KB4-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-22KB4-RJ&doc-lang=en

Product Packaging

Cardboard (g)	3500
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	20
Wood (g)	0
Glass (g)	0
Others (g)	240

Spare parts

Material	Description	Quantity	Unit
313424	MR-J4-10-700B/KB(4)-RJ PCB CPU J4B-C13	1	PC

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161579	MR-J3BUS015M SSCNET III Buscable, 0,15 m Class 100100508: FA-Servo-Motion: Cable
161580	MR-J3BUS03M SSCNET III Buscable, 0,3 m Class 100100508: FA-Servo-Motion: Cable
161581	MR-J3BUS05M SSCNET III Buscable, 0,5 m Class 100100508: FA-Servo-Motion: Cable
161582	MR-J3BUS1M SSCNET III Buscable, 1m Class 100100508: FA-Servo-Motion: Cable
161583	MR-J3BUS3M SSCNET III Buscable, 3 m Class 100100508: FA-Servo-Motion: Cable
161584	MR-J3BUS5M-A SSCNET III Buscable, 5 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161585	MR-J3BUS10M-A SSCNET III Buscable, 10 m Class 100100508: FA-Servo-Motion: Cable
161586	MR-J3BUS20M-A SSCNET III Buscable, 20 m Class 100100508: FA-Servo-Motion: Cable
161587	MR-J3BUS30M-B SSCNET III Buscable, 30 m Class 100100508: FA-Servo-Motion: Cable
161588	MR-J3BUS40M-B SSCNET III Buscable, 40 m Class 100100508: FA-Servo-Motion: Cable
161589	MR-J3BUS50M-B SSCNET III Buscable, 50 m Class 100100508: FA-Servo-Motion: Cable
161590	MR-J3BCN1 Connectorset SSCNET III MR-J3-B Class 100100509: FA-Servo-Motion: Connector
191154	MR-RB6K-4 Optional regeneration unit; 850 (1300) W; 10 Ohm Class 100100510: FA-Servo-Motion: Other Option
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
203855	MF-3F480-050.230MF3 Radio interference filter for MR-J3/MR-J4/MR-J5; 50 A; 3-phase 480 V AC/50-60 Hz Class 100100506: FA-Servo-Motion: Filter
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
221487	DBU-22K-4 Class 100100510: FA-Servo-Motion: Other Option
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encodercable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encodercable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
248691	MR-BAT6V1SET MR-J4 Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery

Material	Description / Price List Text / Classification
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable