



## MATERIAL FACT SHEET

### 161579 MR-J3BUS015M

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161579](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161579)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	0,15
Flexibility	STANDARD
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	7,0
Gross Weight (kg)	0,072
Volume (cdm)	1,785

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	NOT IN SCOPE
WEEE	B2B

#### Conformity

CE	COMPLIANT
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

#### Product Packaging

Cardboard (g)	55
---------------	----

Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 161580 MR-J3BUS03M

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161580](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161580)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	0,3
Flexibility	STANDARD
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	7,0
Gross Weight (kg)	0,060
Volume (cdm)	1,785

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	NOT IN SCOPE
WEEE	B2B

#### Conformity

CE	COMPLIANT
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

#### Product Packaging

Cardboard (g)	55
---------------	----

Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 161581 MR-J3BUS05M

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161581](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161581)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	0,5
Flexibility	STANDARD
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	23,0
Width (cm)	12,0
Height (cm)	10,0
Gross Weight (kg)	0,133
Volume (cdm)	2,760

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	NOT IN SCOPE
WEEE	B2B

#### Conformity

CE	COMPLIANT
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

#### Product Packaging

Cardboard (g)	70
---------------	----

Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 161582 MR-J3BUS1M

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161582](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161582)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	1
Flexibility	STANDARD
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	23,0
Width (cm)	12,0
Height (cm)	10,0
Gross Weight (kg)	0,142
Volume (cdm)	2,760

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	NOT IN SCOPE
WEEE	B2B

#### Conformity

CE	COMPLIANT
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

#### Product Packaging

Cardboard (g)	70
---------------	----

Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0





## MATERIAL FACT SHEET

### 161583 MR-J3BUS3M

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161583](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161583)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	3
Flexibility	STANDARD
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	21,0
Width (cm)	21,0
Height (cm)	5,0
Gross Weight (kg)	0,118
Volume (cdm)	2,205

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	NOT IN SCOPE
WEEE	B2B

#### Conformity

CE	COMPLIANT
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

#### Product Packaging

Cardboard (g)	70
---------------	----

Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 161584 MR-J3BUS5M-A

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161584](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161584)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	5
Flexibility	STANDARD
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	35,0
Width (cm)	25,0
Height (cm)	7,0
Gross Weight (kg)	0,352
Volume (cdm)	6,125

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	NOT IN SCOPE
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	NOT IN SCOPE
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

**Product Packaging**

Cardboard (g)	135
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 161585 MR-J3BUS10M-A

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161585](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161585)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	10
Flexibility	STANDARD
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	34,5
Width (cm)	24,5
Height (cm)	7,0
Gross Weight (kg)	0,500
Volume (cdm)	5,917

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	NOT IN SCOPE
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	NOT IN SCOPE
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

**Product Packaging**

Cardboard (g)	135
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 161586 MR-J3BUS20M-A

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161586](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161586)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	20
Flexibility	STANDARD
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	33,0
Width (cm)	24,5
Height (cm)	19,0
Gross Weight (kg)	0,917
Volume (cdm)	15,362

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	NOT IN SCOPE
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	NOT IN SCOPE
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

**Product Packaging**

Cardboard (g)	135
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0





## MATERIAL FACT SHEET

### 161587 MR-J3BUS30M-B

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161587](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161587)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	30
Flexibility	HIGH FLEXIBLE
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	31,0
Width (cm)	31,0
Height (cm)	7,0
Gross Weight (kg)	1,626
Volume (cdm)	6,727

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	NOT IN SCOPE
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

**Product Packaging**

Cardboard (g)	540
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	60



## MATERIAL FACT SHEET

### 161588 MR-J3BUS40M-B

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_JA/EUR/en/p/000000000000161588](https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000161588)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	40
Flexibility	HIGH FLEXIBLE
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	43,0
Width (cm)	35,0
Height (cm)	26,0
Gross Weight (kg)	3,100
Volume (cdm)	39,130

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	NOT IN SCOPE
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

**Product Packaging**

Cardboard (g)	540
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	60



## MATERIAL FACT SHEET

### 161589 MR-J3BUS50M-B

#### General Data

Product Hierarchy	IAK30401
	SERVO and Motion
	Options
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000161589](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000161589)

#### FA-Servo-Motion: Cable

Type	SSCNET III CABLE
Cable Length (m)	50
Flexibility	HIGH FLEXIBLE
Protection Class	IP20

#### Logistic Dimensions & Gross Weight

Length (cm)	33,0
Width (cm)	33,0
Height (cm)	7,0
Gross Weight (kg)	2,428
Volume (cdm)	7,623

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	17.04.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85447000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	NOT IN SCOPE
EAC	NON-COMPLIANT
UKCA	COMPLIANT

#### Documentation & Media Data

Certificates URL Indicator	X
----------------------------	---

**Product Packaging**

Cardboard (g)	540
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	60