

TOTAL

# TOTAL

One-Stop Tools Station



2018-2019  
[www.totaltools.cn](http://www.totaltools.cn)



**TDLI228120**  
12V

### Li-ion Cordless Drill

Drill volts: 12V  
Charger volts: 220-240V-50/60Hz  
Charger time: 2Hr approx  
Chuck capacity: 0.8-10mm  
No-load speed: 0-350/0-1250min<sup>-1</sup>  
Torque settings: 18+1



Innovated By TOTAL  
Patent No.: ZL 2016 3 0238603.5



**TDLI228120**  
12V

### Li-ion Impact Drill

Drill volts: 12V  
Charger volts: 220-240V-50/60Hz  
Charger time: 2Hr approx  
Impact rate: 20000/min  
Chuck capacity: 0.8-10mm  
No-load speed: 0-350/0-1250min<sup>-1</sup>  
Torque settings: 21+1+1



Innovated By TOTAL  
Patent No.: ZL 2016 3 0238603.5



**TDLI228121**  
12V

### Li-ion Impact Driver

Drill volts: 12V  
Charger volts: 220-240V-50/60Hz  
Charger time: 2Hr approx  
No-load speed: 0-1800/min  
Rated impact: 0-2600/min  
Chuck capacity: 1/4" (6.35mm)  
Max torque force: 100N.m



Innovated By TOTAL  
Patent No.: ZL 201730226042.1



**TDLI228180**  
18V

### Li-ion Cordless Drill

Drill volts: 18V  
Charger volts: 220-240V-50/60Hz  
Charger time: 2Hr approx  
Chuck capacity: 0.8-10mm  
No-load speed: 0-400/0-1350min<sup>-1</sup>  
Torque settings: 18+1



Innovated By TOTAL  
Patent No.: ZL 2016 3 0237711.0



**TDLI228180**  
18V

### Li-ion Impact Drill

Drill volts: 18V  
Charger volts: 220-240V-50/60Hz  
Charger time: 2Hr approx  
Impact rate: 20000/min  
Chuck capacity: 0.8-10mm  
No-load speed: 0-400/0-1350min<sup>-1</sup>  
Torque settings: 21+1+1



Innovated By TOTAL  
Patent No.: ZL 2016 3 0237711.0



**TDLI228181**  
18V

### Li-ion Impact Driver

Drill voltage: 18V  
Hex. collet: 1/4" (6.35mm)  
No load speed: 0-2000/min  
Rated impact: 0-2800/min  
Max torque force: 120N.m



Innovated By TOTAL  
Patent No.: ZL 2017 3 0059372.6



**TG1061336**  
650W

### Impact Drill

Voltage: 220-240V-50/60Hz  
Input power: 650W  
No-load speed: 0-3000/min  
Chuck capacity: 1.5-13mm



Innovated by TOTAL  
Patent No.: ZL 2015 3 0242138.8



**TG108136**  
750W

### Impact Drill

Voltage: 220-240V-50/60Hz  
Input power: 750W  
No-load speed: 0-3000/min  
Chuck capacity: 1.5-13mm



Innovated by TOTAL  
Patent No.: ZL 2015 3 0242138.8



**TG111136**  
1010W

### Impact Drill

Voltage: 220-240V-50/60Hz  
Input power: 1010W  
No-load speed: 0-2800/min  
Chuck capacity: 1.5-13mm



Innovated By TOTAL  
Patent No.: ZL 2015 3 0448512.6



**TD2051026**  
500W

### Electric Drill

Voltage: 220-240V-50/60Hz  
Input power: 500W  
No-load speed: 0-3300/min  
Chuck capacity: 1.0-10mm



10mm

Innovated By TOTAL  
Patent No.: ZL 2015 3 0180748.X



**TW10101**  
1050W

### Impact Wrench

Voltage: 220-240V-50/60Hz  
Input power: 1050W  
No-load speed: 2300/min  
Max. torque: 550Nm  
Screw size: M6-M20  
Tool holder: 1/2"



Innovated By TOTAL  
Patent No.: ZL 2015 3 0167732.5



**TB2066**  
600W

### Aspirator Blower

Voltage: 220-240V-50/60Hz  
Input power: 600W  
No-load speed: 0-16000/min  
Max blowing rate: 0-3.5m<sup>3</sup>/min



Innovated By TOTAL  
Patent No.: ZL 2015 3 0242388.1



**TS2081006**  
800W

### Jig Saw

Voltage: 220-240V-50/60Hz  
Input power: 800W  
No-load speed: 800-3000/min  
Cutting capacity:  
110mm in wood  
8mm in steel  
Bevel capacity: 0±45 degree



Innovated By TOTAL  
Patent No.: ZL 2016 3 0462392.3



**TS1141856**  
1400W

### Circular Saw

Voltage: 220-240V-50/60Hz  
Input power: 1400W  
No-load speed: 4800/min  
Max cutting capacity: 65mm  
Dia of blade: 185mm



Innovated By TOTAL  
Patent No.: ZL 2016 3 0253674.2



**TF1301826**  
320W

### Finishing Sander

Voltage: 220-240V-50/60Hz  
Input power: 320W  
No-load speed: 14000/min  
Sanding pad size: 180x90mm



Innovated By TOTAL  
Patent No.: ZL 2016 3 0177921.5



**TG1071008/TG1081006**  
710W, 800W

INDUSTRIAL

**Angle Grinder**



Voltage: 220-240V-50/60Hz  
Input power: 710W/800W  
No-load speed: 11000/12500min<sup>-1</sup>

Disc diameter: 100mm  
Spindle thread: M10  
Innovated by TOTAL  
Patent No.: ZL 2016 3 0055540.X



**TG1071156/TG1081156**  
710W, 800W

INDUSTRIAL

**Angle Grinder**



Voltage: 220-240V-50/60Hz  
Input power: 710W/800W  
No-load speed: 11000/12500min<sup>-1</sup>

Disc diameter: 115mm  
Spindle thread: M14  
Innovated by TOTAL  
Patent No.: ZL 2016 3 0055540.X



**TG1091156/TG1101256**  
950W

INDUSTRIAL

**Angle Grinder**



Voltage: 220-240V-50/60Hz  
Input power: 950W  
No-load speed: 11000/min

Disc diameter: 115/125mm  
Spindle thread: M14  
Innovated by TOTAL  
Patent No.: ZL 2015 3 0017514.3



**TG1121006/TG1121256/TG1121256-3**  
1010W

**Angle Grinder**



Voltage: 220-240V-50/60Hz  
Input power: 1010W  
No-load speed: 12500/12000/5000-12000min<sup>-1</sup>

Disc diameter: 100mm/125mm  
Spindle thread: M10  
Innovated by TOTAL  
Patent No.: ZL 2016 3 0347989.3



**TG1241806/TG1242306**  
2350W

INDUSTRIAL

**Angle Grinder**



Voltage: 220-240V-50/60Hz  
Input power: 2350W  
No-load speed: 8000/6300min<sup>-1</sup>

Disc diameter: 180mm/230mm  
Spindle thread: M14  
Innovated by TOTAL  
Patent No.: ZL 2015 3 0242387.7



**TG1262306**  
2600W

INDUSTRIAL

**Angle Grinder**



Voltage: 220-240V-50/60Hz  
Input power: 2600W  
No-load speed: 6200/min

Disc diameter: 230mm  
Spindle thread: M14  
Innovated by TOTAL  
Patent No.: ZL 2016 3 0627710.7



**TH110286**  
1050W

INDUSTRIAL

**Rotary Hammer**



Voltage: 220-240V-50/60Hz  
Input power: 1050W  
Impact energy: 5J  
Impact rate: 4000/min  
No-load speed: 900/min  
Max drilling capacity in concrete: 28mm

Innovated by TOTAL  
Patent No.: ZL 2015 3 0242181.7

SDS PLUS



**TH115326**  
1500W

INDUSTRIAL

**Rotary Hammer**



Voltage: 220-240V-50/60Hz  
Input power: 1500W  
Impact energy: 5.5J  
Impact rate: 4400/min  
No-load speed: 850/min  
Max drilling capacity in concrete: 32mm

Innovated by TOTAL  
Patent No.: ZL 2016 3 0177920.0

SDS PLUS



**TH112386**  
1200W

INDUSTRIAL

**Rotary Hammer**



Voltage: 220-240V-50/60Hz  
Input power: 1200W  
Impact energy: 1-7J  
Impact rate: 1950-4860/min  
No-load speed: 300-780/min  
Max drilling capacity in concrete: 38mm

Innovated by TOTAL  
Patent No.: ZL 2016 3 0332438.X

SDS MAX



**TH308266**  
800W

**Rotary Hammer**



Voltage: 220-240V-50/60Hz  
Input power: 800W  
No-load speed: 0-1200/min  
Impact rate: 0-5300/min  
Max drilling capacity in concrete: 26mm

Innovated by TOTAL  
Patent No.: ZL 2015 3 0206576.9

SDS PLUS



**TH213006**  
1300W

INDUSTRIAL

**Demolition Breaker**



Voltage: 220-240V-50/60Hz  
Input power: 1300W  
Impact rate: 3800/min  
Impact force: 20J

Innovated by TOTAL  
Patent No.: ZL 2016 3 0053972.7

SDS HEX



**TH215456**  
1700W

INDUSTRIAL

**Demolition Breaker**



Voltage: 220-240V-50/60Hz  
Input power: 1700W  
Impact rate: 1400/min  
Impact force: 45J

Innovated by TOTAL  
Patent No.: ZL 2015 3 0212663.5

SDS HEX



**TBG15015, TBG35020**  
150W, 350W

**Bench Grinder**



Voltage: 220-240V-50Hz  
Input power: 150W/350W  
No-load speed: 2950/min  
Wheel diameter: 150mm/200mm



**TS92435526**  
2400W

INDUSTRIAL

**Cut Off Saw**



Voltage: 220-240V-50/60Hz  
Input power: 2400W  
Blade size: 355x25.4x3mm  
No-load speed: 3900/min  
Max cutting capacity:  
100mm in round pipe  
100X100mm in square steel  
120X100mm in rectangular

Innovated by TOTAL  
Patent No.: ZL 2017 3 0469180.2



**TS42142101**  
1400W

**Mitre Saw**




Voltage: 220-240V-50/60Hz  
Input power: 1400W  
No-load speed: 5000/min  
Blade size: 210mm  
Max cutting capacity: 55x120mm





**TWP13706**  
370W

### Peripheral Pump




The performance curves are based on the kinematic viscosity value = 1 mm<sup>2</sup>/s and density equal to 1000 kg/m<sup>3</sup>. Curve tolerance according to ISO 9906.

- Copper Wire Motor
- Brush Insulator
- Thermal Protector

- 1 Phase
- 370W/3HP
- 1x1"
- IPX4

**TWP27506**  
750W

### Centrifugal Pump




The performance curves are based on the kinematic viscosity value = 1 mm<sup>2</sup>/s and density equal to 1000 kg/m<sup>3</sup>. Curve tolerance according to ISO 9906.

- Copper Wire Motor
- Brush Insulator
- Thermal Protector

- 1 Phase
- 750W/1HP
- 1x1"
- IPX4

**TWP37506**  
750W

### Self-priming Jet Pump



The performance curves are based on the kinematic viscosity value = 1 mm<sup>2</sup>/s and density equal to 1000 kg/m<sup>3</sup>. Curve tolerance according to ISO 9906.

- Copper Wire Motor
- Brush Insulator
- Thermal Protector

- 1 Phase
- 750W/1HP
- 1x1"
- IPX4

**TP130005** Gasoline Generator  
3000W

Rated AC Voltage: 220-240V  
Rated Frequency: 50Hz  
Max. AC Output: 3.0kW  
Rated AC Output: 2.8kW  
Voltage Regulator: AVR  
Rated Speed: 3000/min  
Max. Engine Output: 7.0HP  
Displacement: 210cc  
Cooling System: Air-cooled  
Starting System: Recoil  
Fuel tank capacity: 15L



Innovated by TOTAL  
Patent No.: ZL 2018 3 0267082.3

- 2200W
- MAX 3000W
- AVR
- 3 STROKE ENGINE
- IP20

**TP250001** Silent Diesel Generator  
5000W

Rated Voltage: 220-240V  
Rated Frequency: 50Hz  
Phase: Single  
Rated Output: 4.5kW  
Max Output: 5.0kW  
Voltage Regulator: AVR  
Rated Speed: 3000/min  
DC Output: 12V, 8.3A  
Engine: 9HP  
Displacement: 418cc  
Starting System: Electric  
Fuel Tank: 17L



- 4500W
- MAX 5000W
- AVR
- 19-1"
- 3300RPM
- 4 STROKE ENGINE
- IP20

**TP3202/TP3302** Gasoline Water Pump  
2", 3"

Port Diameter: 50mm(2")/60mm(3")  
Discharge Capacity: 33/60 M<sup>3</sup>/h  
Max. Head Lift: 28m/32m  
Max. Suction: 8m  
Max. Engine Output: 7.0HP  
Displacement: 208cc  
Fuel Tank: 3.6L  
Starting system: Recoil



- 7.0HP
- MAX 3000W
- AVR
- 19-1"
- 3300RPM
- 4 STROKE ENGINE
- IP20

**TW21605/TW22005** Inverter MMA Welding Machine  
160A, 200A

Input Voltage: 220-240V  
Frequency: 50/60Hz  
No-load Voltage: 65/70V  
Max Current: 160A, 200A  
Input Capacity: 6.3kVA  
Current Range: 10-160A, 10-200A  
Weldable Electrode:  
Ø1.6-4.0mm, Ø1.6-5.0mm  
Rated Duty Cycle:  
60%@160A, 60%@200A



- 220-240V
- 50/60Hz
- MAX 6.3kVA
- AVR
- 19-1"
- 3300RPM
- 4 STROKE ENGINE
- IP21S

**TW12001/TW12501** MMA Welding Machine  
200A, 250A

Input Voltage: 220-240/380-400V  
Frequency: 50/60Hz  
Input Capacity: 11.2kVA, 14kVA  
No-load Voltage: 48V  
Max Output: 60-200A, 60-250A  
Weldable Electrode: Ø2.0-4.0mm, Ø2.0-5.0mm  
Rated Duty Cycle: 10%@200A, 10%@250A.



- 220-240V
- 50/60Hz
- MAX 11.2kVA
- AVR
- 19-1"
- 3300RPM
- 4 STROKE ENGINE
- IP21S

**TBC1601** Battery Charger  
12/24V

Input Voltage: 220-240V  
Frequency: 50/60Hz  
Charging Voltage: 12/24V  
Rated Current: 9/4A  
Boost Current: 12A  
Reference Capacity: 28-180A



- 1 Phase
- MAX 3000W
- AVR
- 19-1"
- 3300RPM
- 4 STROKE ENGINE
- IP21S

**TC120246** Air Compressor  
2HP 24L

Rated Voltage: 220-240V-50Hz  
Input Power: 1.5kW (2HP)  
Rated Speed: 2850/min  
Tank Volume: 24L (6.3Gal)  
Operating Pressure: Max 8bar (118Psi)



**TC125506** Air Compressor  
2.5HP 50L

Rated Voltage: 220-240V-50Hz  
Input Power: 1.8kW (2.5HP)  
Rated Speed: 2850/min  
Tank Volume: 50L (13.2Gal)  
Operating Pressure: Max 8bar (118Psi)



- 220-240V
- 50Hz
- 1.5kW (2HP)
- 2850/min
- 24L (6.3Gal)
- 2850/min
- 50L (13.2Gal)
- 2850/min
- IP20

**TC1300506** Air Compressor  
3HP 50L

Rated Voltage: 220-240V-50Hz  
Input Power: 2.2 kW (3 HP)  
Rated Speed: 1100 /min  
Tank Volume: 50L (13.2Gal)  
Operating Pressure: Max.8bar (118Psi)



**TC1301006** Air Compressor  
3HP 100L

Rated Voltage: 220-240V-50Hz  
Input Power: 2.2 kW (3 HP)  
Rated Speed: 1100 /min  
Tank Volume: 100L (26.4Gal)  
Operating Pressure: Max.8bar (118Psi)



- 220-240V
- 50Hz
- 2.2 kW (3 HP)
- 1100 /min
- 50L (13.2Gal)
- 1100 /min
- 100L (26.4Gal)
- 1100 /min
- IP20

**TAT11001** Air Spray Gun  
1000cc

Base Coat  
Finishing Coat



**Air Spray Gun**

Standard nozzle: 1.5mm  
Operating pressure: 3-4bar (43.5-58psi)  
Air consumption: 4.2-7.1cfm (119-200l/min)  
Paint tank capacity: 1000cc

- 119-200
- MAX 3000W
- AVR
- 19-1"
- 3300RPM
- 4 STROKE ENGINE
- IP20

**TG945182** Gasoline Chain Saw  
45.02cc 18"



TGTSC182 Oregon Saw Chain  
Walbro carburetor

- 1.9kW (2.6HP)
- MAX 3000W
- AVR
- 19-1"
- 3300RPM
- 4 STROKE ENGINE
- IP20

**TGT141181** Gasoline Lawn Mower  
460mm 18"



TAC0214601

- 3.0kW (4.1HP)
- MAX 3000W
- AVR
- 19-1"
- 3300RPM
- 4 STROKE ENGINE
- IP20

**TGT11316** High Pressure Washer  
1400W



TGTHPH526  
TGTSOG26

- 1400W
- MAX 3000W
- AVR
- 19-1"
- 3300RPM
- 4 STROKE ENGINE
- IP20

#### Combination Pliers

160mm(6") / 180mm(7") / 200mm(8")



**CR-V**

Item No.	Length
THT210606	160mm(6")
THT210708	180mm(7")
THT210806	200mm(8")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### Diagonal Cutting Pliers

160mm(6") / 180mm(7")



**CR-V**

Item No.	Length
THT230806	160mm(6")
THT230708	180mm(7")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### Long Nose Pliers

160mm(6")



**CR-V**

Item No.	Length
THT220606	160mm(6")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### Bent Nose Pliers

160mm(6")



**CR-V**

Item No.	Length
THT24816	160mm(6")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### Wire Stripping Pliers

160mm(6")



**CR-V**

Item No.	Length
THT25616	160mm(6")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### End Cutting Pliers

160mm(6")



**CR-V**

Item No.	Length
THT280806	160mm(6")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### Heavy-duty Diagonal Cutting Pliers

180mm(7")



**CR-V**

Item No.	Length
THT2716	180mm(7")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### Pump Pliers

250mm(10")



**CR-V**

Item No.	Length
THT281006	250mm(10")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### Rabbit Pliers

200mm(8") / 228mm(9") / 250mm(10")



**CR-V**

Item No.	Length
THT2881	200mm(8")
THT2891	228mm(9")
THT28101	250mm(10")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### Carpenter's Pliers

200mm(8")



**CR-V**

Item No.	Length
THT29081	200mm(8")

Innovated by TOTAL  
Patent No.: ZL 2014 3 0345781.9

#### Curved Jaw Lock Plier

250mm(10")



**Carbon-steel**

Item No.	Length
THT191003	250mm(10")

#### Straight Jaw Plier

250mm(10")



**Carbon-steel**

Item No.	Length
THT191002	250mm(10")

#### Pipe Wrench

8"/10"/12"



**CR-V**

Item No.	Length	Ø (mm)
THT170806	8"	27
THT171006	10"	34
THT171206	12"	42

Innovated by TOTAL  
Patent No.: ZL 2015 3 0538206.1

#### Pipe Wrench

14"/18"



**CR-V**

Item No.	Length	Ø (mm)
THT171146	14"	50
THT171186	18"	60

Innovated by TOTAL  
Patent No.: ZL 2015 3 0538206.1

#### Pipe Wrench

24"/36"/48"



**CR-V**

Item No.	Length	Ø (mm)
THT171248	24"	78
THT171366	36"	85
THT171486	48"	110

Innovated by TOTAL  
Patent No.: ZL 2015 3 0538206.1

#### Cold Chisel

22x16x250mm / 24x18x300mm



Item No.	Size (mm)
THT4211026	22x16x250
THT4211226	24x18x300

#### Concrete Chisel

4x16x250mm / 4x18x300mm



Item No.	Size (mm)
THT4221028	4x16x250
THT4221228	4x18x300

#### Ratcheting Pipe Wrench

10"/14"



Item No.	Size	Clamping Diameter
THT171108	10"	14-40mm
THT171142	14"	18-52mm

#### Bolt Cutter

12"/14"/18"/24"



Comfortable Rubber Handle

**CR-V**

Item No.	Length	Ø (mm)
THT113128	12"	5
THT113148	14"	7
THT113186	18"	8
THT113246	24"	10

#### Bolt Cutter

30"/36"/42"/48"



Comfortable Rubber Handle

**CR-V**

Item No.	Length	Ø (mm)
THT113306	30"	13
THT113366	36"	16
THT113426	42"	19
THT113486	48"	22

#### Wood Chisel

6mm/9mm/12mm/14mm



140mm

**CR-V**

Item No.	Width
THT41165	6mm
THT41185	9mm
THT41125	12mm
THT41145	14mm

Innovated by TOTAL  
Patent No.: ZL 2013 3 0447828.X

#### Wood Chisel

16mm/19mm/22mm/25mm



140mm

**CR-V**

Item No.	Width
THT41165	16mm
THT41198	19mm
THT41228	22mm
THT41256	25mm

Innovated by TOTAL  
Patent No.: ZL 2013 3 0447828.X

#### Flat Steel File / Half Round Steel File

200mm



Flat steel file  
Half round steel file

Item No.	L (mm)	Icon
THT91186	200(8")	▲
THT91286	200(8")	▼

Innovated by TOTAL  
Patent No.: ZL 2015 3 0167717.0

#### Round Steel File / Triangle Steel File / Square Steel File

200mm



Round steel file  
Triangle Steel File  
Square Steel File

Item No.	L (mm)	Icon
THT91386	200(8")	▲
THT91486	200(8")	▲
THT91886	200(8")	■

Innovated by TOTAL  
Patent No.: ZL 2015 3 0167717.0

#### Flat wood File / Half Round Wood File / Round Wood File

200mm



Flat wood file  
Half round wood file  
Round wood file

Item No.	L (mm)	Icon
THT91586	200(8")	▲
THT91686	200(8")	▲
THT91786	200(8")	●

Innovated by TOTAL  
Patent No.: ZL 2015 3 0167717.0

#### Hydraulic Bottle Jack

2Ton



SAFETY VALVE

Item No.	Capacity	Travel	Net Weight
THT109022	2Ton	181-345mm	2.9kg

#### Hydraulic Bottle Jack

4Ton



SAFETY VALVE

Item No.	Capacity	Travel	Net Weight
THT109042	4Ton	194-372mm	3.6kg

#### Hydraulic Bottle Jack

6Ton



SAFETY VALVE

Item No.	Capacity	Travel	Net Weight
THT109062	6Ton	216-413mm	4.8kg

#### Hydraulic Floor Jack

2Ton



Item No.	Capacity	Travel	Net Weight
THT10821	2Ton	140-340mm	8.7kg

#### Hydraulic Floor Jack

3Ton



Item No.	Capacity	Travel	Net Weight
THT10832	3Ton	135-410mm	16.0kg

**Slotted Screwdriver** INDUSTRIAL TOTAL  
SL6 5X38mm

**CR-V**

Item No.	Φ (mm)	Ø (mm)	L (mm)
THT21386	5.5	6.0	38

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Phillips Screwdriver** INDUSTRIAL TOTAL  
PH2 6X38mm

**CR-V**

Item No.	Φ (mm)	Ø (mm)	L (mm)
THT22388	PH2	6.0	38

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Slotted Screwdriver** INDUSTRIAL TOTAL  
SL5X100mm

**CR-V**

Item No.	Φ (mm)	Ø (mm)	L (mm)
THT2146	5.5	6.0	100

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Slotted Screwdriver** INDUSTRIAL TOTAL  
SL6X150mm

**CR-V**

Item No.	Φ (mm)	Ø (mm)	L (mm)
THT2166	6.5	6.0	150

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Torx Screwdriver** INDUSTRIAL TOTAL  
T10 5X100mm  
T20 6X150mm

**CR-V**

Item No.	Φ (mm)	Ø (mm)	L (mm)
THT2346	T10	5.0	100
THT2366	T20	6.0	150

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Phillips Screwdriver** INDUSTRIAL TOTAL  
PH1 5X100mm

**CR-V**

Item No.	Φ (mm)	Ø (mm)	L (mm)
THT2448	PH1	5.0	100

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Phillips Screwdriver** INDUSTRIAL TOTAL  
PH2 6X150mm

**CR-V**

Item No.	Φ (mm)	Ø (mm)	L (mm)
THT2466	PH2	6.0	150

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Pozidriv Screwdriver** INDUSTRIAL TOTAL  
PZ1 5X100mm  
PZ2 6X150mm

**CR-V**

Item No.	Φ (mm)	Ø (mm)	L (mm)
THT2448	PZ1	5.0	100
THT2466	PZ2	6.0	150

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**6 pcs screwdriver set** INDUSTRIAL TOTAL

**CR-V**

Item No.	Diameter
THT250006	1pcs SL5.5*5*75
	1pcs SL5.5*5*100
	1pcs SL6.5*5*150
	1pcs PH1*5*75
	1pcs PH1*5*100
	1pcs PH2*5*150

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**6 pcs screwdriver set** INDUSTRIAL TOTAL

**CR-V**

Item No.	Diameter
THT250076	Two-way bit
	6.35x55mm PH1-SL5
	8.00x75mm PH2-SL5
	Socket: 6mm, 8mm

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**7 PCS precision screwdriver set** INDUSTRIAL TOTAL  
7pcs

**CR-V**

Item No.	Diameter
THT250726	SL2 0x50, SL2 5x50, SL3 0x50, PH00x50, PH0x50, T5x50, T6x50

Innovated by TOTAL Patent No.: ZL 2015 3 0448176.5

**9 Pcs Interchangeable Screwdriver Set** INDUSTRIAL TOTAL  
9pcs

**CR-V**

Item No.	N (PCS)
THT250906	9

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**18 Pcs Bits Set** INDUSTRIAL TOTAL  
18pcs

**CR-V**

Item No.	N (PCS)
TACS030188	18

Innovated by TOTAL Patent No.: ZL 2015 3 0448282.3

**26 Pcs Bits Set** INDUSTRIAL TOTAL  
26pcs

**CR-V**

Item No.	N (PCS)
TACS030266	26

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**6 PCS Insulated Screwdriver Set** INDUSTRIAL TOTAL  
1000V

**CR-V**

Item No.	Spec(mm)
THT18566	SL3 0x75 PH0x50
	SL4 0x100 PH1x50
	SL6 5x150 PH2x100

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Snap-off Blade Knife** INDUSTRIAL TOTAL  
158mm

**SK5**

Item No.	L (mm)	Size (mm)
THT511802	158	18x100

Innovated by TOTAL Patent No.: ZL 2015 3 0448176.5

**Snap-off Blade Knife** INDUSTRIAL TOTAL  
168mm

**AL**

Item No.	L (mm)	Size (mm)
TG5121806	168	18x100

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Utility Knife** INDUSTRIAL TOTAL  
61mm

**Zn**

Item No.	L (mm)	W (mm)
TG5128101	61	19

Innovated by TOTAL Patent No.: ZL 2015 3 0448282.3

**Metal Scraper** INDUSTRIAL TOTAL  
300mm

**300mm SK5 ABS**

Item No.	L (mm)	W (g)
THT183001	300	260

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**PVC Pipe Cutter(Heavy-duty)** INDUSTRIAL TOTAL  
225mm

**AUTOMATIC OPEN**

Item No.	L(mm)	Cutting Diameter
THT52422	225	3.42mm

Innovated by TOTAL Patent No.: ZL 2014 3 0498675.0

**Hacksaw Frame** INDUSTRIAL TOTAL  
12"

with 1 pcs 65Mn blade

Item No.	Size
THT54166	300mm(12")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

**Hacksaw Frame** INDUSTRIAL TOTAL  
12"

with 1 pcs 65Mn blade

Item No.	Size
THT54102	300mm(12")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

**Hand Saw** INDUSTRIAL TOTAL  
16"/18"

**7TPI/65Mn**

Item No.	Teeth	Size
THT55166	7TPI	400mm(16")
THT55188	7TPI	450mm(18")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

**Hand Saw** INDUSTRIAL TOTAL  
20"/22"

**7TPI/65Mn**

Item No.	Teeth	Size
THT55208	7TPI	500mm(20")
THT55226	7TPI	550mm(22")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

**Back Saw** INDUSTRIAL TOTAL  
12"

**11TPI/65Mn**

Item No.	Teeth	Size
THT591218	11TPI	300mm(12")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

**Slip Joint Pliers** INDUSTRIAL TOTAL  
160mm(6")  
200mm(8")

**A-type**

Item No.	Length
THT118082	160mm(6")
THT118082	200mm(8")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

**Slip Joint Pliers** INDUSTRIAL TOTAL  
250mm(10")

**A-type**

Item No.	Length
THT118102	250mm(10")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

**Aviation Snip** INDUSTRIAL TOTAL  
Left

**Left**

Item No.	Length
THT522108	250(10")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

**Aviation Snip** INDUSTRIAL TOTAL  
Straight

**Straight**

Item No.	Length
THT522106	250(10")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

**Aviation Snip** INDUSTRIAL TOTAL  
Right

**Right**

Item No.	Length
THT523108	250(10")

Innovated by TOTAL Patent No.: ZL 2015 3 0448452.8

#### Machinist Hammer

300g/500g/1000g  
1500g/2000g



Drop forged

Item No.	W (g)	Item No.	W (g)
TH713005	300	TH7110008	1000
TH719008	600	TH7115005	1500
		TH7120008	2000

Innovated by TOTAL Patent No.: ZL 2015 3 0058340.5

#### Stoning Hammer

1000g/1500g/2000g



Drop forged

Item No.	W (g)	Item No.	W (g)
TH7210008	1000	TH7215005	1500
TH7220008	2000		

Innovated by TOTAL Patent No.: ZL 2015 3 0058340.5

#### Claw Hammer

8oz/16oz



Drop forged

Item No.	W (oz)	W (g)
TH7385	8	220
TH73186	16	450

Innovated by TOTAL Patent No.: ZL 2015 3 0058340.5

#### Ball Pein Hammer

16oz/24oz/48oz



Drop forged

Item No.	W (oz)	W (g)
TH74165	16	450
TH74248	24	660
TH74498	48	1300

Innovated by TOTAL Patent No.: ZL 2015 3 0058340.5

#### Rubber Hammer

8oz/16oz



Item No.	W (oz)	W (g)
TH75816	8	230
TH751616	16	450

Innovated by TOTAL Patent No.: ZL 2015 3 0058340.5

#### Rubber And Plastic Hammer

40mm



Item No.	Size
TH77406	140mm(1.9-1.8")

Innovated by TOTAL Patent No.: ZL 2015 3 0058340.5

#### Rubber Hammer

8oz/16oz



Item No.	W (oz)	W (g)
TH78838	8	220
TH781638	16	450

Innovated by TOTAL Patent No.: ZL 2015 3 0058340.5

#### Axe

800g/800g  
1000g/1250g



Item No.	W (g)
TH788008	800
TH788008	800
TH781000G	1000
TH781250G	1250

Innovated by TOTAL Patent No.: ZL 2015 3 0047848.2

#### Hex Key

8pcs



CR-V

Item No.	Size(mm)
TH1081826	2-8

Innovated by TOTAL Patent No.: ZL 2015 3 0088836.5

#### Hex Key

9pcs



Long Arm CR-V

Item No.	Size(mm)	Dec
TH1801819	1.5-10	Long Arm

Innovated by TOTAL Patent No.: ZL 2015 3 0073880.7

#### Combination Spanner Set

8pcs



Item No.	Size (mm)	N (pcs)
TH102286	6-19	8

Innovated by TOTAL Patent No.: ZL 2015 3 0011483.5

#### Double Open End Spanner set

8pcs



Item No.	Size (mm)	N (pcs)
TH102386	6-22	8

Innovated by TOTAL Patent No.: ZL 2015 3 0011483.5

#### Offset Ring Spanner Set

8pcs



Item No.	Size (mm)	N (pcs)
TH102486	6-22	8

Innovated by TOTAL Patent No.: ZL 2015 3 0011483.5

#### 24Pcs 1/2" Socket Set

1/2"



CR-V

Item No.	N (pcs)
TH141253	25

Innovated by TOTAL Patent No.: ZL 2015 3 0088836.5

#### 45Pcs 1/4" Socket Set

1/4"



CR-V

Item No.	N (pcs)
TH141451	45

Innovated by TOTAL Patent No.: ZL 2015 3 0042317.1

#### Adjustable Wrench

6"/8"



Wide Opening CR-V

Item No.	L (mm)	Size
TH101056	150(6")	24mm
TH101056	200(8")	30mm

Innovated by TOTAL Patent No.: ZL 2015 3 0206574.X

#### Adjustable Wrench

10"/12"



Wide Opening CR-V

Item No.	L (mm)	Size
TH101108	250(10")	35mm
TH101126	300(12")	41mm

Innovated by TOTAL Patent No.: ZL 2015 3 0206574.X

#### Ratchet Spanner Set

8pcs



Cr-Mo S27 CR-V

Item No.	Size(mm)
TH1028086	6-19

Innovated by TOTAL Patent No.: ZL 2015 3 0011483.5

#### Ratchet Wrench

1/4", 3/8", 1/2"



CR-V

Item No.	Teeth	Size
TH106148	45	1/4"
TH106386	45	3/8"
TH106126	45	1/2"

Innovated by TOTAL Patent No.: ZL 2015 3 0047848.2

#### 12Pcs Socket Set

1/2"



CR-V

Item No.	N (PCS)
TH141121	12

Innovated by TOTAL Patent No.: ZL 2015 3 0047848.2

#### Plastering Trowel

280x130mm



Item No.	Size (mm)
TH81286	280x130mm

Innovated by TOTAL Patent No.: ZL 2015 3 0167948.1

#### Putty Trowel

80/80/100/  
125/150mm



Special blade

Item No.	Size (mm)
TH83606	80
TH83806	100
TH831006	125
TH831506	150

Innovated by TOTAL Patent No.: ZL 2015 3 0167948.1

#### Aluminium Caulking Gun

9"



Stronger push plate  
Powerful handle  
NSISO UNIQUE TOTAL UNIQUE

Item No.	Length	Diameter
TH20109	235mm	53mm

Innovated by TOTAL Patent No.: ZL 2015 3 0167948.1

#### Bricklaying Trowel

6"/7"/8"



Item No.	Size
TH82716	180mm(7")
TH82616	150mm(6")
TH82816	200mm(8")

Innovated by TOTAL Patent No.: ZL 2015 3 0047848.2

#### Grease Gun

400cc



Key components made in Taiwan  
Top quality in the world

Item No.	Capacity	Pressure
TH111051	400cc	8000-10000Psi

Innovated by TOTAL Patent No.: ZL 2015 3 0047848.2

#### Tile Cutter

800mm



Comfortable Handle  
Max cutting 800mm

Item No.	Length
TH376004	800mm

Innovated by TOTAL Patent No.: ZL 2015 3 0167948.1

#### Staple Gun

4-14mm



Item No.	Size
TH31141	4-14mm

Innovated by TOTAL Patent No.: ZL 2015 3 0167948.1

#### Staple Gun

6-14mm



Item No.	Size
TH31142	6-14mm

Innovated by TOTAL Patent No.: ZL 2015 3 0167948.1

#### Hand Riveter

10.5"



Item No.	Length	Rivet Size Ø (mm)
TH32104	10.5"	2.4, 3.2, 4.4, 8

Innovated by TOTAL Patent No.: ZL 2015 3 0058321.7

#### Hand Riveter

10.5"



Aluminum body

Item No.	Length	Rivet Size Ø (mm)
TH32105	10.5"	2.4, 3.2, 4.4, 8

Innovated by TOTAL Patent No.: ZL 2015 3 0058321.7



#### Steel Measuring Tape

3,5,8,10mm



Item No.	L(m)	W(mm)
TMT126031	3	18
TMT126051	5	19
TMT126101	10	25

Innovated by TOTAL Patent No.: ZL 2015 3 0448184.2

#### Steel Measuring Tape

20,30mm



Item No.	L(m)	W(mm)
TMT11206	20	12.5
TMT11308	30	12.5

Innovated by TOTAL Patent No.: ZL 2015 3 0413145.X

#### Steel Measuring Tape

50mm



Item No.	L(m)	W(mm)
TMT710506	50	12.5

Innovated by TOTAL Patent No.: ZL 2015 3 0412812.2

#### Spirit Level

1.0mm



Item No.	L (cm)	Thickness
TMT23016	30	1.0mm
TMT24016	40	1.0mm
TMT26016	60	1.0mm
TMT28016	80	1.0mm
TMT210016	100	1.0mm

Innovated by TOTAL Patent No.: ZL 2016 3 0312107.X

#### Spirit Level

1.5mm



Item No.	L(cm)	Thickness
TMT2308	30	1.5mm
TMT2408	40	1.5mm
TMT2608	60	1.5mm
TMT2808	80	1.5mm
TMT21008	100	1.5mm

Innovated by TOTAL Patent No.: ZL 2015 3 0170850.1

#### Steel Measuring Tape

3,5mm



Item No.	L(m)	W(mm)
TMT126331	3	16
TMT126351	5	19
TMT126352	5	25

Innovated by TOTAL Patent No.: ZL 2015 3 0170850.1

#### Fiberglass Measuring Tape

20,30mm



Item No.	L(m)	W(mm)
TMTF12206	20	12.5
TMTF12308	30	12.5

Innovated by TOTAL Patent No.: ZL 2015 3 0413145.X

#### Fiberglass Measuring Tape

50mm



Item No.	L(m)	W(mm)
TMTF12506	50	12.5

Innovated by TOTAL Patent No.: ZL 2015 3 0412812.2

#### Heavy-Duty Mason's Level

60mm




Item No.	L (m)
TMT221506	60

Innovated by TOTAL Patent No.: ZL 2016 3 0482387.2

#### Spirit Level

1.5mm



Item No.	L(cm)	Thickness
TMT2405M	30	1.5mm
TMT2605M	40	1.5mm
TMT2805M	60	1.5mm
TMT21005M	100	1.5mm

Innovated by TOTAL Patent No.: ZL 2015 3 0448287.4

#### Pocket Sized Digital Multimeter

TMT46001



DC Voltage	200mV/2V/20V/200V/600V
AC Voltage	200V/600V
DC Current	200µA/2mA/20mA/200mA/10A
Resistance	200Ω/2kΩ/20kΩ/200kΩ/2MΩ

Innovated by TOTAL Patent No.: ZL 2016 3 0047853.3

#### Digital Clamp Meter

TMT410002



DC Voltage	60mV/600mV/6V/60V/600V/1000V
AC Voltage	60mV/600mV/6V/60V/600V/750V
AC Current	60A/600A/1000A
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6MΩ/60MΩ

Innovated by TOTAL Patent No.: ZL 2016 3 0047853.3

#### Paint Brush

1", 2", 3", 4"



Item No.	Width	Bristle Length	Thickness
THT84018	1"	51mm	18mm
THT84026	2"	57mm	18mm
THT84036	3"	64mm	22mm
THT84046	4"	70mm	22mm

Innovated by TOTAL Patent No.: ZL 2016 3 0047853.3

#### Ceiling Brush

100,120mm



Item No.	Size (mm)	Bristle Length	Thickness
THTB410030E	100x30	70mm	30mm
THTB412030E	120x30	78mm	30mm

Innovated by TOTAL Patent No.: ZL 2016 3 0047853.8

#### Cylinder Brush

230mm(9")



Item No.	Size	H (mm)	θ (mm)
THT8582	230mm(9")	12	6

Innovated by TOTAL Patent No.: ZL 2015 3 0448287.4

#### Dust Mask

TSP401



Item No. TSP401

#### Safety Goggles

TSP301



Item No. TSP301

#### Face Shield

TSP10



Item No. TSP10

#### Safety Helmet

100% NEW PP



Item No.	Material
TSP805	Orange
TSP806	Blue
TSP809	White
TSP811	Red

Item No. TSP805

#### Auto Darkening Welding Helmet

100x49mm



Item No.	Viewing Area	Dark State
TSP103	100x49mm	Variable shade, 9-13

Item No. TSP103

#### Nitrile Gloves

10(XL)



Item No. TSP12101

#### Latex Gloves

10(XL)



Item No. TSP13101

#### Heavy Nitrile Gloves

10(XL)



Item No. TSP12105

#### Cut-resistance Gloves


L, XL



Item No.	Size
TSP1701-L	L
TSP1701-XL	XL

Item No. TSP1701-L

#### Safety Boots



Item No. TSP2109

#### Pruning Shears

8"



Item No.	Size	Blade Hardness	Weight
THT15308	8"	50-52HRC	240g

Item No. THT15308

#### Hedge Shear

557mm(22")



Item No.	Size
THT1518301	557mm(22")

Item No. THT1518301

#### Lopper

760mm(30")



Item No.	Size
THT1527401	760mm(30")

Item No. THT1527401

#### Pruning Saw

12"



Item No.	Teeth	Size	Thickness
THT5113006	7TPI	300mm(12")	1.2mm

Item No. THT5113006


#### Wheel Barrow

1.0mm



Item No.	Load (kg)	Water Capacity(L)
THW0920109	150	20

Item No. THW0920109



# TOTAL One-Stop Tools Station

Add: No.388, Xinfeng Road, Wuzhong District, Suzhou, China, 215156.  
 Tel: Ms. Janie: 0086 512 6299 7921; Ms. Stella: 0086 512 6299 1208  
 Mobile: Ms. Janie: 0086 15262403989; Ms. Stella: 0086 15050180562  
 Fax: 0086 512 6299 7917

E-mail: info@totaltools.cn; marketing1@totaltools.cn  
 janietotal@gmail.com; stella@totaltools.cn  
 Skype: totaltoolscn; janietotal; stellatotal  
 Contacts: Ms. Janie; Ms. Stella

www.totaltools.cn  
 TOTAL TOOLS CO., LIMITED