





Nominal Dimensions



Part Number Example



Part number includes the width/construction suffix in parenthesis below.
Example, a 1/8" wide 44MXL is a part number 44MXL3.2G.

MXL - .080 Inch Pitch for 3.2mm, 4.8mm and 6.4mm Wide Belts

Part Number	1/8" - 3.2mm Wide (3.2G)	3/16" - 4.8mm Wide (4.8G)	1/4" - 6.4mm Wide (6.4G)	Pitch Length (in)	Number of Teeth
	Weight*	Weight*	Weight*		
44MXL	0.001	0.001	0.002	3.52	44
45MXL	0.001	0.001	0.002	3.60	45
48MXL	0.001	0.001	0.002	3.84	48
50MXL	0.001	0.001	0.002	4.00	50
52MXL	0.001	0.001	0.002	4.16	52
53MXL	0.001	0.001	0.002	4.24	53
54MXL	0.001	0.002	0.002	4.32	54
55MXL	0.001	0.002	0.002	4.40	55
56MXL	0.001	0.002	0.002	4.48	56
57MXL	0.001	0.002	0.002	4.56	57
58MXL	0.001	0.002	0.002	4.64	58
59MXL	0.001	0.002	0.002	4.72	59
60MXL	0.001	0.002	0.002	4.80	60
61MXL	0.001	0.002	0.002	4.88	61
62MXL	0.001	0.002	0.002	4.96	62
63MXL	0.001	0.002	0.002	5.04	63
64MXL	0.001	0.002	0.002	5.12	64
65MXL	0.001	0.002	0.002	5.20	65
67MXL	0.001	0.002	0.002	5.36	67
68MXL	0.001	0.002	0.002	5.44	68
69MXL	0.001	0.002	0.002	5.52	69
70MXL	0.001	0.002	0.003	5.60	70
71MXL	0.001	0.002	0.003	5.68	71
72MXL	0.001	0.002	0.003	5.76	72
73MXL	0.001	0.002	0.003	5.84	73
74MXL	0.001	0.002	0.003	5.92	74
75MXL	0.001	0.002	0.003	6.00	75
76MXL	0.001	0.002	0.003	6.08	76
77MXL	0.001	0.002	0.003	6.16	77
78MXL	0.001	0.002	0.003	6.24	78
79MXL	0.001	0.002	0.003	6.32	79
80MXL	0.001	0.002	0.003	6.40	80
81MXL	0.001	0.002	0.003	6.48	81
82MXL	0.002	0.002	0.003	6.56	82
83MXL	0.002	0.002	0.003	6.64	83
85MXL	0.002	0.002	0.003	6.80	85
86MXL	0.002	0.002	0.003	6.88	86
87MXL	0.002	0.002	0.003	6.89	87
88MXL	0.002	0.002	0.003	7.04	88
90MXL	0.002	0.002	0.003	7.20	90
91MXL	0.002	0.002	0.003	7.28	91
92MXL	0.002	0.003	0.003	7.36	92
93MXL	0.002	0.003	0.003	7.44	93
94MXL	0.002	0.003	0.003	7.52	94
95MXL	0.002	0.003	0.003	7.60	95

Synchro-Link® Timing Belts - Neoprene (RMA)

* Weights shown are approximate.

Other widths available. Contact BANDO for price and delivery.



MXL - .080 Inch Pitch for 3.2mm, 4.8mm and 6.4mm Wide Belts (Continued)

Part Number	1/8" - 3.2mm Wide (3.2G)	3/16" - 4.8mm Wide (4.8G)	1/4" - 6.4mm Wide (6.4G)	Pitch Length (in)	Number of Teeth
	Weight*	Weight*	Weight*		
96MXL	0.002	0.003	0.003	7.68	96
97MXL	0.002	0.003	0.004	7.76	97
98MXL	0.002	0.003	0.004	7.84	98
99MXL	0.002	0.003	0.004	7.92	99
100MXL	0.002	0.003	0.004	8.00	100
101MXL	0.002	0.003	0.004	8.08	101
102MXL	0.002	0.003	0.004	8.16	102
103MXL	0.002	0.003	0.004	8.24	103
104MXL	0.002	0.003	0.004	8.32	104
105MXL	0.002	0.003	0.004	8.40	105
106MXL	0.002	0.003	0.004	8.48	106
108MXL	0.002	0.003	0.004	8.64	108
109MXL	0.002	0.003	0.004	8.72	109
110MXL	0.002	0.003	0.004	8.80	110
112MXL	0.002	0.003	0.004	8.96	112
114MXL	0.002	0.003	0.004	9.12	114
115MXL	0.002	0.003	0.004	9.20	115
118MXL	0.002	0.003	0.004	9.44	118
119MXL	0.002	0.003	0.004	9.52	119
120MXL	0.002	0.003	0.004	9.60	120
121MXL	0.002	0.003	0.004	9.68	121
122MXL	0.002	0.003	0.004	9.76	122
123MXL	0.002	0.003	0.004	9.84	123
124MXL	0.002	0.003	0.005	9.92	124
125MXL	0.002	0.003	0.005	10.00	125
126MXL	0.002	0.003	0.005	10.08	126
127MXL	0.002	0.003	0.005	10.16	127
128MXL	0.002	0.003	0.005	10.24	128
129MXL	0.002	0.003	0.005	10.32	129
130MXL	0.002	0.003	0.005	10.40	130
131MXL	0.002	0.003	0.005	10.48	131
132MXL	0.002	0.003	0.005	10.56	132
134MXL	0.002	0.003	0.005	10.72	134
135MXL	0.003	0.004	0.005	10.80	135
137MXL	0.003	0.004	0.005	10.96	137
138MXL	0.003	0.004	0.005	11.04	138
140MXL	0.003	0.004	0.005	11.20	140
142MXL	0.003	0.004	0.005	11.36	142
144MXL	0.003	0.004	0.005	11.52	144
145MXL	0.003	0.004	0.005	11.60	145
146MXL	0.003	0.004	0.005	11.68	146
148MXL	0.003	0.004	0.005	11.84	148
150MXL	0.003	0.004	0.005	12.00	150
151MXL	0.003	0.004	0.006	12.08	151
155MXL	0.003	0.004	0.006	12.40	155
158MXL	0.003	0.004	0.006	12.64	158
159MXL	0.003	0.004	0.006	12.72	159
160MXL	0.003	0.004	0.006	12.80	160
162MXL	0.003	0.004	0.006	12.96	162
163MXL	0.003	0.004	0.006	13.04	163
164MXL	0.003	0.004	0.006	13.12	164
165MXL	0.003	0.004	0.006	13.20	165
169MXL	0.003	0.005	0.006	13.52	169
170MXL	0.003	0.005	0.006	13.60	170
175MXL	0.003	0.005	0.006	14.00	175
177MXL	0.003	0.005	0.006	14.16	177
180MXL	0.003	0.005	0.006	14.40	180
183MXL	0.003	0.005	0.007	14.64	183
184MXL	0.003	0.005	0.007	14.72	184
188MXL	0.004	0.006	0.008	15.04	188
190MXL	0.004	0.006	0.008	15.20	190
192MXL	0.004	0.006	0.008	15.36	192
195MXL	0.004	0.006	0.008	15.60	195
196MXL	0.004	0.006	0.008	15.68	196
200MXL	0.004	0.006	0.008	16.00	200

Synchro-Link® Timing Belts - Neoprene (RMA)

* Weights shown are approximate.

Other widths available. Contact BANDO for price and delivery.



MXL - .080 Inch Pitch for 3.2mm, 4.8mm and 6.4mm Wide Belts (Continued)

Part Number	1/8" - 3.2mm Wide (3.2G)	3/16" - 4.8mm Wide (4.8G)	1/4" - 6.4mm Wide (6.4G)	Pitch Length (in)	Number of Teeth
	Weight*	Weight*	Weight*		
204MXL	0.004	0.006	0.008	16.32	204
205MXL	0.004	0.006	0.008	16.40	205
208MXL	0.004	0.006	0.008	16.64	208
210MXL	0.004	0.006	0.008	16.80	210
212MXL	0.004	0.006	0.008	16.96	212
215MXL	0.004	0.006	0.008	17.20	215
220MXL	0.004	0.006	0.008	17.60	220
221MXL	0.004	0.006	0.008	17.68	221
222MXL	0.004	0.006	0.008	17.76	222
224MXL	0.004	0.006	0.008	17.92	224
225MXL	0.004	0.006	0.008	18.00	225
226MXL	0.004	0.006	0.008	18.08	226
228MXL	0.004	0.006	0.008	18.24	228
230MXL	0.004	0.006	0.008	18.40	230
232MXL	0.004	0.006	0.008	18.56	232
234MXL	0.004	0.006	0.008	18.72	234
236MXL	0.004	0.006	0.009	18.88	236
239MXL	0.004	0.006	0.009	19.12	239
240MXL	0.004	0.006	0.009	19.20	240
245MXL	0.004	0.007	0.009	19.60	245
248MXL	0.004	0.007	0.009	19.84	248
249MXL	0.005	0.007	0.009	19.92	249
250MXL	0.005	0.007	0.009	20.00	250
251MXL	0.005	0.007	0.009	20.08	251
255MXL	0.005	0.007	0.009	20.40	255
256MXL	0.005	0.007	0.009	20.48	256
260MXL	0.005	0.007	0.009	20.80	260
262MXL	0.005	0.007	0.010	20.96	262
265MXL	0.005	0.007	0.010	21.20	265
268MXL	0.005	0.007	0.010	21.44	268
271MXL	0.005	0.007	0.010	21.68	271
273MXL	0.005	0.007	0.010	21.84	273
275MXL	0.005	0.007	0.010	22.00	275
280MXL	0.005	0.008	0.010	22.40	280
281MXL	0.005	0.008	0.010	22.48	281
285MXL	0.005	0.008	0.011	22.80	285
288MXL	0.005	0.008	0.011	23.04	288
290MXL	0.005	0.008	0.011	23.20	290
295MXL	0.005	0.008	0.011	23.60	295
297MXL	0.005	0.008	0.011	23.76	297
300MXL	0.005	0.008	0.011	24.00	300
305MXL	0.006	0.008	0.011	24.40	305
308MXL	0.006	0.008	0.011	24.64	308
310MXL	0.006	0.008	0.011	24.80	310
312MXL	0.006	0.008	0.011	24.96	312
315MXL	0.006	0.009	0.011	25.20	315
318MXL	0.006	0.009	0.011	25.44	318
320MXL	0.006	0.009	0.012	25.60	320
323MXL	0.006	0.009	0.012	25.84	323
326MXL	0.006	0.009	0.012	26.08	326
328MXL	0.006	0.009	0.012	26.24	328
330MXL	0.006	0.009	0.012	26.40	330
332MXL	0.006	0.009	0.012	26.56	332
334MXL	0.006	0.009	0.012	26.72	334
336MXL	0.006	0.009	0.012	26.88	336
337MXL	0.006	0.009	0.012	26.96	337
347MXL	0.007	0.010	0.012	27.76	347
350MXL	0.007	0.010	0.013	28.00	350
354MXL	0.007	0.010	0.013	28.32	354
355MXL	0.007	0.010	0.013	28.40	355
358MXL	0.007	0.010	0.013	28.64	358
359MXL	0.007	0.010	0.013	28.72	359
360MXL	0.007	0.010	0.013	28.80	360
364MXL	0.007	0.010	0.013	29.12	364
365MXL	0.007	0.010	0.013	29.20	365

Synchro-Link® Timing Belts - Neoprene (RMA)

* Weights shown are approximate.

Other widths available. Contact BANDO for price and delivery.



MXL - .080 Inch Pitch for 3.2mm, 4.8mm and 6.4mm Wide Belts (Continued)

Part Number	1/8" - 3.2mm Wide (3.2G)	3/16" - 4.8mm Wide (4.8G)	1/4" - 6.4mm Wide (6.4G)	Pitch Length (in)	Number of Teeth
	Weight*	Weight*	Weight*		
371MXL	0.007	0.010	0.013	29.68	371
372MXL	0.007	0.010	0.013	29.76	372
380MXL	0.007	0.010	0.014	30.40	380
388MXL	0.007	0.010	0.014	31.04	388
397MXL	0.007	0.011	0.014	31.76	397
400MXL	0.007	0.011	0.015	32.00	400
402MXL	0.007	0.011	0.015	32.16	402
405MXL	0.007	0.011	0.015	32.40	405
410MXL	0.007	0.011	0.015	32.80	410
413MXL	0.007	0.011	0.015	33.04	413
425MXL	0.008	0.011	0.015	34.00	425
431MXL	0.008	0.011	0.015	34.48	431
434MXL	0.008	0.011	0.015	34.72	434
435MXL	0.008	0.012	0.016	34.80	435
440MXL	0.008	0.012	0.016	35.20	440
448MXL	0.008	0.012	0.016	35.84	448
453MXL	0.008	0.012	0.016	36.24	453
464MXL	0.008	0.012	0.016	37.12	464
468MXL	0.008	0.013	0.017	37.44	468
473MXL	0.009	0.013	0.017	37.84	473
475MXL	0.009	0.013	0.017	38.00	475
480MXL	0.009	0.013	0.017	38.40	480
487MXL	0.009	0.013	0.017	38.96	487
493MXL	0.009	0.013	0.018	39.44	493
498MXL	0.009	0.013	0.018	39.84	498
500MXL	0.009	0.013	0.018	40.00	500
516MXL	0.009	0.014	0.019	41.28	516
522MXL	0.009	0.014	0.019	41.76	522
524MXL	0.009	0.014	0.019	41.92	524
525MXL	0.009	0.014	0.019	42.00	525
535MXL	0.010	0.015	0.020	42.80	535
550MXL	0.010	0.015	0.020	44.00	550
591MXL	0.011	0.016	0.022	47.28	591
612MXL	0.012	0.017	0.024	48.96	612
665MXL	0.013	0.017	0.024	53.20	665

* Weights shown are approximate.

Other widths available. Contact BANDO for price and delivery.

Synchro-Link® Timing Belts - Neoprene (RMA)